

**Comments** 

625 Robert St. N., St. Paul, MN 55155-2538 www.mda.state.mn.us

Dairy and Meat Inspection Division Phone: 651-201-6300 Fax: 651-201-6116 Email: Dairy.Results@state.mn.us

## Positive Drug Residue Report Form DR1 - INITIAL SCREENING & PRESUMPTIVE POSITIVE

PASTEURIZED MILK ORDINANCE (PMO) - APPENDIX N & FORM FDA/NCIMS 2400n Fax or email this form within 24 hours: 651-201-6116 or Dairy.Results@state.mn.us.

Date Collected at Fairif	Time of Colle	ction	_ Perso	n Sampling	Load			
Name of Hauler	Sampler/Hauler License No			Weight Ticket/Bill of Lading No				
Single Compartment Tanker	Total Lbs. of Milk							
Two Compartment Tanker	Front – Total Lbs. of Milk			Rear – Total Lbs. of Milk				
Screening Site Inform	nation							
Name of Screening Site			N	lame of Ana	alyst			
Section I: Initial Scre	ening Test							
Date of Test	Test Kit Used		BETA	LACTAM	Other _			
Single Compartment Tanker	Test Value	Positive	NF					
Two Compartment Tanker Fro	nt Test Value	Positive	NF	Rear T	est Value _		_ Positive	NF
		.1_						
Section II: Presumpt	ive Positive Tes	STS						
Section II: Presumpt If the initial screening test is positive			uplicate w	vith a positiv	e and nega	tive control	by the same a	nalyst.
	e, the same sample must	be re-tested in d	•	•	•		by the same a	nalyst.
If the initial screening test is positiv Will the same milk sample be use	e, the same sample must ed? Yes No	be re-tested in de	the State	Regulatory	Agency fo	or approval	•	,
If the initial screening test is positiv Will the same milk sample be use	e, the same sample must ed? Yes No	be re-tested in de	the State	Regulatory	Agency fo	or approval	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker	e, the same sample must ed? Yes No	be re-tested in d	the State	Regulatory	Agency fo	or approval	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1	e, the same sample must ed? Yes No Positive	be re-tested in de If no, contact	the State	Regulatory	Agency fo	or approval Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1	e, the same sample must ed? Yes No Positive	be re-tested in de If no, contact	the State	Regulatory	Agency fo	or approval Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value	e, the same sample must ed? Yes No Positive	be re-tested in de If no, contact	the State	Regulatory	Agency fo	or approval Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker	e, the same sample must ed? Yes No Positive	be re-tested in de If no, contact	the State	Regulatory	Agency fo	or approval Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front	e, the same sample must ed? Yes No Positive	be re-tested in did	the State	Regulatory	Agency fo	or approval Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front Duplicate #1	e, the same sample must ed? Yes No  Positive NF  Positive	be re-tested in de If no, contact Du Te	plicate #2	Regulatory	Agency fo	Positive NF Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front Duplicate #1 Test Value  Test Value	e, the same sample must ed? Yes No  Positive NF  Positive	be re-tested in de If no, contact Du Te	plicate #2	Regulatory 2	Agency fo	Positive NF Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front Duplicate #1 Test Value  Lest Value  Rear	e, the same sample must ed? Yes No  Positive NF  Positive	be re-tested in did	plicate #2	Regulatory	Agency fo	Positive NF Positive	•	,
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front Duplicate #1 Test Value  Rear Duplicate #1	e, the same sample must ed? Yes No  Positive NF  Positive NF	be re-tested in did If no, contact  Du Te	plicate #2 plicate #2 plicate #2	Regulatory	Agency fo	Positive NF Positive NF	•	,
If the initial screening test is positiv	e, the same sample must ed? Yes No  Positive NF  Positive NF  Positive NF	be re-tested in did If no, contact  Du Te	plicate #2 st Value plicate #2 st Value	Regulatory  2	Agency fo	Positive NF Positive NF Positive NF		
If the initial screening test is positive Will the same milk sample be use Name of State Contact  Single Compartment Tanker Duplicate #1 Test Value  Two Compartment Tanker Front Duplicate #1 Test Value  Rear Duplicate #1 Test Value	e, the same sample must ed? Yes No  Positive NF  Positive NF  Positive NF  Positive NF  Positive NF	Du Te be sent to a cont	plicate #2 st Value _ plicate #2 st Value _ implicate #2	Regulatory  2  2  aboratory wh	Agency fo	Positive NF Positive NF Positive NF		