

22-MN-01

ULTRA BLAZER®

For use on sugar beets for management of Tall and Common Waterhemp

For distribution and use only in Minnesota under Section 18 emergency exemption

This labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its label. Read entire Directions for Use and Disclaimer before using this product. All applicable directions, restrictions, and precautions on the EPA registered product label for Ultra Blazer (EPA Reg. No. 70506-60) as well as those on these directions for use must be followed.

Any adverse effects resulting from the use of Ultra Blazer under this Section 18 Emergency Exemption must be immediately reported to Minnesota Department of Agriculture, 1-651-649-5451.

Effective date: May 16, 2022. Expiration date: July 29, 2022 No applications of Ultra Blazer may be made under the emergency exemption after the expiration date.

A maximum of 96,000 acres of sugar beet may be treated in Minnesota in the counties of Big Stone, Becker, Brown, Chippewa, Clay, Cottonwood, Douglas, Grant, Kandiyohi, Lac Qui Parle, Kittson, Lyon, Mahnomen, Marshall, McLeod, Meeker, Nicollet, Norman, Otter Tail, Pennington, Polk, Pope, Red Lake, Redwood, Renville, Sibley, Stearns, Stevens, Swift, Traverse, Watonwan, Wilkin, and Yellow Medicine.

Product: Ultra Blazer Herbicide (EPA Reg. No. 70506-60)

Firm Name: UPL NA Inc.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406
For product information call 1-800-438-6071

Crop/Site/Commodity: Sugar beets

File Symbol: 22-MN-01

Target Pest/Problem: Tall and Common Waterhemp

Application Rate: 1 pint Ultra Blazer per acre (0.25 lb ai)

Application Method: Apply by ground equipment only, aerial application is prohibited

Application Volume: 10-20 gallons of spray solution per broadcast acre

22-MN-01

Sugar beet Application

Timing: Make one application at greater than 6 leaf sugar beet stage. Application before 6 leaf sugar beet will result in crop injury and potential yield loss.

Waterhemp

Application Timing: Application should occur prior to 4 inch weed height for control of these weeds. Treating weeds greater than 4 inches in height or with incomplete coverage will result in reduced weed control.

Additives: Ultra Blazer with non-ionic surfactant. Ultra Blazer tank mixed with PowerMax3 and ammonium sulfate but without NIS.

Other Requirements,

Restrictions, and

Precautions:

Applications of Ultra Blazer will result in visual crop injury to exposed leaf tissue. Under normal growing conditions new leaf tissue will emerge without symptoms.

Do not apply when air temperatures are above 90F

When the day temperatures are greater than 85 F, apply Ultra Blazer between 4:00 PM and sunset. Do not apply during temperature inversions.

Use non-ionic surfactant (NIS) with Ultra Blazer.

Use of crop oil or methylated seed oil will significantly increase the potential for visual crop injury.

Do not tank mix with pesticides other than glyphosate.

This product is only effective on emerged weeds.

Do not make more than one application per year.

Do not apply more than 1 pint Ultra Blazer (0.25 lb ai) per acre per year.

Application before 6 leaf sugar beet will result in crop injury and potential yield loss.

Do not apply by air to sugar beet.

Do not apply Ultra Blazer after July 29, 2022.

Restricted Entry

Interval (REI): 48 hours. See additional Worker Protection information on the Section 3 labeling.

Pre-Harvest Interval

(PHI): 45 days.

Minnesota Poison Control System

**1-800-222-1222 or online help at: webpoisoncontrol.org
24 hour assistance**

To report an agricultural chemical incident:

Minnesota Duty Officer

**1-800-422-0798 (non-metro) or 651-649-5451 (metro)
24 hour assistance.**

Ultra Blazer is a registered trademark of a UPL Corporation Limited Group Company.