



**MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident			
					Civil Division	Description	Township / Range / Section	
10/24/1990	91-0034	LA SALLE FARMERS GRAIN CO	TRUCK ROLLOVER/BRAKE FAILURE	DRY FERTILIZER (GRANULAR)		SW 1/4 OF SECT 20, AT THE INTERSECTION OF 2 TOWNSHIP ROADS NE 1/4	PLEASANT MOUND	105N 29W 23
04/15/1991	91-0464	CRYSTAL VALLEY COOP	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN	LAKE CRYSTAL	PROPOSED NEW BULK STORAGE AREA ON FACILITY	GARDEN CITY	107N 28W 05
09/11/1991	91-0853	SOLIE SALES	PRECONSTRUCTION SOIL SAMPLING		MAPLETON	SAMPLIN FOR PROPOSED DIKE & RINSE PAD	MAPLETON	105N 26W 24
05/02/1992	92-0105	HARVEST STATES COOPS	MINI BULK LASSO FLIPPED OFF BACK OF P.U. INTO DITCH	@ 50 GAL OF LASSO PRODUCT	PEMBERTON	JUST W OF CURVE OF CTY RD 28, SEC 19, MCPHERSON TWSP, BLUE EARTH CO.	MCPHERSON	107N 25W 19
05/04/1992	92-0108	SOLIE SALES	FARMER OVERFILLED NURSE TANK	1/2 GAL TRI-4	MAPLETON	SPILL OCCURRED IN AG CHEM COANTAINMENT AREA	MAPLETON	105N 26W 24
06/19/1992	92-0187	CRYSTAL VALLEY COOP	PRECONSTRUCTION SOIL SAMPLING	PRECONSTRUCTION SOIL SAMPLING	MANKATO	PROPOSED NEW BULK PESTICIDE STORAGE AREA	MANKATO	108N 26W 05
06/25/1992	92-0201	PIONEER HI-BRED INTERNATIONAL INC	HOSE DISCONNECTED FROM A SPRAY RIG	30 GALLON TANK MIX CONTAINING POST PLUS/BASAGRAM/ 28%		APPROXIMATELY 3 MILES SOUTH OF MANKATO ON HWY 22 WEST SIDE OF ROAD.	DECORIA	107N 26W 04
06/19/1992	92-0210	KULLAT	SPREADING ARSENIC ON FLOWER GARDEN	ARSENIC & FLOWER MIX - UNKNOWN QUANTITY APPLIED	MAPLETON	FLOWER GARDEN - 109 1ST AVE SW, MAPLETON	MAPLETON	105N 26W
02/09/1993	93-0043	WATONWAN FARM SERVICE CO	PLUG RUSTED THROUGH ON TANK - FERT POURED OUT DIKE	28% NITROGEN - 2500 GAL		BLUE EARTH COUNTY SERVICES		
05/20/1993	93-0094	SOLIE SALES	LINE BROKE ON APPLICATOR TRUCK	1< GAL LASSO & 40-60 GAL 28% (3 QTS IN 44 GAL H2O)	MAPLETON	SW CORNER OF SEC 6, STERLING TOWNSHIP	STERLING	105N 27W 06
05/20/1993	93-0108	ADAMS	HITCH BROKE OFF NURSE TANK, HOSES CAME UNCOUPLED	1,000 GAL NURSE TANK, FILLED AT 85%		LIME VALLEY RD & INDUSTRIAL RD., @1 MI N OF MANKAT		
05/22/1993	93-0109	DILL CO	FAULTY HOSE COUPLING LEAKED	3-4 GAL TREFLAN PRODUCT	MAPLETON	RINSE PAD	MAPLETON	105N 26W 04
06/15/1993	93-0120	TRANSPORTATION MN DEPT OF	PULLING SPRAYER OUT OF DITCH, FITTING ON PUMP BRK	10-15 GAL TANK MIX-TORDON MIXED A RATE OF 1 GAL/100 GAL H2O		TRUNK HWY 22 AT MILE MARKER 43.8		
05/14/1993	93-0127	DAUK	SIPHONED FROM A MINIBULK	30 GAL TRIFLURALIN	JANESVILLE	SW CORNER OF NW¼ OR SW¼ OF SEC 4, LEROY TWSHP,	LE ROY	108N 25W 04
10/21/1993	94-0015	BERGEMANN AERIAL CROP SERVICE	CONTAINER DUMPSITE	UNKNOWN	GARDEN CITY	LYRA TWP SECTION 2CB NEAR RIVER	LYRA	106N 27W 02
12/06/1993	94-0020	WATONWAN FARM SERVICE CO	2 INCH WATER MAIN BROKE DUE TO TEMP	COUPLE THOUSAND GALLONS WATER INSIDE CONTAINMENT.		BULK STORAGE/CONTAINMENT AT BLUE EARTH CO SERVICE, MAPLETON DIVISION.	MAPLETON	105N 26W 03
05/02/1994	94-0128	CRYSTAL VALLEY COOP	APPEARS WHITE MATERAIL CAME OUT OF TILE LINE & INTO DRAINAGE DITCH	WHITE MATERIAL IN BOTTOM OF CREEK	LAKE CRYSTAL	DRAINAGE DITCH NEXT TO CRYSTAL COOP	GARDEN CITY	107N 28W
06/22/1994	94-0313	TERYJON AVIATION INC	OVERFILL	10 GALLON TANK MIX OF BEACON, CROPOIL & WATER		CO RD 21, ASPHALT/SHOULDER OF ROAD, NE 1/4 OF SECTION 1, MAPLETON TWSP	MAPLETON	105N 26W 01
10/13/1993	94-0780	HARVEST STATES COOPS	INSPECTION-SOIL SAMPLING OF HARVEST STATES COOP IN PEMBERTON	UNKNOWN-HISTORICAL		FACILITY-LIQUID FERTILIZER LOAD AREA, EQUIP. PARKING AND TANK UNDER CEMENT PAD		

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident		
					Civil Division	Description	Township / Range / Section
11/14/1994	95-0034	HUNTTING ELEVATOR CO	PRECONSTRUCTION SOIL SAMPLING		AMBOY		
11/12/1994	95-0036	CRYSTAL VALLEY COOP	QUICK COUPLE RELEASED BETWEEN NURSE TANK & APPLICATION & FARMER DROVE OVER HOSE	NH 3 2,000 LBS	3/4 MI NORTH OF RAPIDAN ON HWY 33	SOUTH BEND	108N 27W 13
10/10/1994	95-0110	BERGEMANN AERIAL CROP SERVICE	ROUTINE SAMPLING		GARDEN CITY	VERNON CENTER	106N 28W 10
05/11/1995	95-0329	CRYSTAL LAWN INC	PRECONSTRUCTION SOIL SAMPLING	SAMPLING FOUND 17 PPM NITRATE; 389 PPM TKN; 0.01 2,4-D; 0.46 PPM PENDIMETHALIN		AREA OF NEW STORAGE BUILDING - AT THE FACILITY IN MANKATO.	
05/18/1995	95-0337	STEVENS	HOSE ON PRESSURE SIDE OF SPRAYER PUMP	49 GALLONS OF PROWL TANK MIX CONTAINING 6 PINTS OF PROWL		2 MI NORTH OF VERNON CENTER ON HWY 169	
06/23/1995	95-0491	GOODRICH	HITCH BROKE	PURSUIT/COBRA 150 GALLON TANK MIX	MAPLETON	WITHIN 150' OF HWY 30	STERLING 105N 27W 11
08/16/1995	95-0708	RAMY SEED CO	FIRE	PHOSTOXIN, 6-1LB CONTAINERS	MANKATO	WITHIN THE FIRE DEBRIS	MANKATO 108N 26W
11/19/1995	96-0066	WATONWAN FARM SERVICE CO	HITCH BROKE ON APPLICATOR HOSE BETWEEN TANK AND APPLICATOR BROKE	ANHYDROUS AMMONIA	MAPLETON	IN FARMERS FIELD SEC 1 MAPLETON TOWNSHIP	MAPLETON 105N 26W 01
06/04/1996	96-0350	KNEWTSON SEED CO	VALVE MALFUNCTIONED ON SUPPLY TANK	20 GALLON SPILL OUT OF MINIBULK	GOOD THUNDER	HWY 22 SO OF MANKATO	DECORIA 107N 26W 33
10/15/1996	96-0870	CENEX HARVEST STATES COOPS	ROUTINE SAMPLING		JANESVILLE	MEDO	106N 25W 12
11/03/1996	96-0872	PETERS LAWN SERVICE	LEAKING TANK	3 TO 4 GALLONS LEAKED FROM TANK	MANKATO	709 WARREN ST., MANKATO	
08/16/1991	96-0902	HARVEST STATES COOPS	ROUTINE USE OF FERTILIZERS.		PEMBERTON	PEMBERTON PROPOSED DRY FERT LOAD PAD. NE OF DRY FERT. STORAGE.	MEDO 106N 25W 12
12/10/1996	96-0937	WATONWAN FARM SERVICE CO	SITE ASSESSMENT	AG CHEMICALS AND PETROLEUM CONTAMINATION	MAPLETON	AT THE FACILITY ON HWY 22 (00010149) IN MAPLETON	MAPLETON 105N 26W 03
05/16/1997	96-1247	TERRA INTERNATIONAL	SITE ASSESSMENT				
05/16/1997	96-1257	TERRA INTERNATIONAL	SITE ASSESSMENT				
05/13/1997	96-1296	CRYSTAL VALLEY COOP	HOSE FROM MINI BULK FELL TO ROAD WHILE TRAVELLING FROM FIELD TO FIELD.	PROWL 3.3 EC, 20+ GALLONS	GOOD THUNDER	CO RD 1 IN SECTIONS 16, 21 & 28	LYRA 106N 27W 16
10/10/1997	96-1732	TERRA INTERNATIONAL	SITE ASSESSMENT BY TERRA AS PART OF PURCHASE	PEST. & NITROGEN DETECTED IN SAND		AT THE FACILITY 502 SILVER ST., MAPLETON	
10/20/1997	96-1737	CRYSTAL VALLEY COOP	HOSE RUPTURED	1,000 GALLON NURSE TANK	VERNON CENTER	SHELBY TWSP, SEC 15	SHELBY 105N 28W 15
09/22/1998	CF-2803	WATONWAN FARM SERVICE CO	PHASE II OF A FORMER AG FACILITY THAT HAD ANHYDROUS AMMONIA ABOVE GROUND STORAGE TANKS.		MAPLETON	FACILITY, 404 HWY 22 S	MAPLETON 105N 26W 03
11/24/1998	CF-3000	WATONWAN FARM SERVICE CO	ROUTINE LOADING AND UNLOADING OF ANHYDROUS AMMONIA TANKS	ANHYDROUS AMMONIA		NW 1/4 OF THE SW 1/4 AT THE FACILITY	
04/24/1999	CF-3255	CRYSTAL VALLEY COOP	FACILITY BLED HOSES TO WORK ON PUMP, NOT FULLY BLED, CHANGED BACK TO PUMP AFTER HOURS PUMP REPAIRS NOT COMPLETED	AA VAPORS ONLY	MANKATO	AT FACILITY	MANKATO 108N 26W 05

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident			
					Civil Division	Description	Township / Range / Section	
05/06/1999	CF-3322	WATONWAN FARM SERVICE CO	VALVE BECAME LOOSE CAUSING RELEASE AROUND THREADS	200 LBS OF ANHYDROUS AMMONIA	AMBOY	ANHYDROUS AMMONIA STORAGE VESSEL	SHELBY	105N 28W 23
11/03/1999	CF-3997	CRYSTAL VALLEY COOP	W/D HOSE BROKEN - PIN CAME OUT OF HITCH	82-0-0		IN FIELD WHILE APPLYING NH3	RAPIDAN	107N 27W 32
11/08/1999	CF-4055	TRUGREEN/CHEMLAWN	SPRAY TANK LEAKING UNKNOWN	TURF HERBICIDES	MANKATO	TRUGREEN/CHEMLAWN FIRM AT 1721 3RD AVE	MANKATO	108N 26W
07/21/1999	CF-4241	BLUE EARTH CITY OF PARKS DEPT	UNKOWN WASTE STORED IN ONE 40 GALLON AND TWO 30 GALLON CONTAINERS	ALLEGED WOOD TREATMENT, PENTACHLOROPEHNOL	BLUE EARTH	BLUE EARTH LIGHT & WATER, 125 E SEVENTH ST, BLUE EARTH		
04/26/2000	CF-4361	WATONWAN FARM SERVICE CO	FAMER OWNED 1,000 GALLON TANK'S SIDE CAP BUSTED OFF	LIQUID FERTILIZER, 10-34-0.	MAPLETON	AT FACILITY IN MAPLETON	MAPLETON	105N 26W 03
05/20/2000	CF-4577	SOLIE SALES	VALVE OPEN AND PRODUCT LEAKED THROUGH SCREEN	50 GALLONS HARNESS	MAPLETON	AT BULK FERTILIZER AND PESTICIDE CONTAINMENT	MAPLETON	105N 26W 04
11/29/2000	CF-5180	FINERAN	THREADED JOINT BROKE	ANHYDROUS AMMONIA		FIELD LOCATED IN THE SW OF THE SW, SECTION 27, 108N-R29W.	BUTTERNUT VALLEY	108N 29W 27
04/30/2001	CF-5466	TRUGREEN/CHEMLAWN	HOSE UNDER PRESSURE BLEW OFF AND SPRAYED CHEMICAL	TANKMIX OF 17-0-5 AND PRE M, ONE GALLON	MANKATO	FACILITY PARKING LOT	MANKATO	108N 26W
05/16/2001	CF-5605	KROWN INC	ELECTICAL PROBLEMS CAUSED VALVE TO OPEN AND LIQUID FERTILIZER TO DRAIN FROM NOZZELS	LIQUID FERTILIZER	AMBOY	ABANDONED FARMSITE OWNED BY GREG OLSON, AMBOY	STERLING	105N 27W 26
07/05/2001	CF-5848	DOYAN	AROUND 40 OLD METAL 5-GALLON HERBICIDE CONTAINERS WITHIN CISTERN	POSSIBLY TREFLAN	VERNON CENTER	RESIDENCE, ALONG SIDE OF HOME FOUNDATION		
07/25/2001	CF-5934	COMPLAINANT	ALLEGED ILLEGAL DISPOSAL OF PESTICIDES	LAWN CARE / TREE CARE PESTICIDE RINSEATE	MANKATO	LOT BEHIND COMPANY		
08/17/2001	CF-5964	CRYSTAL VALLEY COOP	8 NURSE TANKS WITH LEAKING VALVES	ANHYDROUS AMMONIA	LAKE CRYSTAL	NURSE TANK AND BULK STORAGE FACILITY	GARDEN CITY	107N 28W 05
07/26/2001	CF-6022	LAWNPRO LAWN & LANDSCAPE	TRUCK BACKED INTO TANK AND CAUSED RUPTURE	FERTILIZER		FACILITY, FERTILIZER BULK CONTAINMENT		
11/01/2001	CF-6123	CRYSTAL VALLEY COOP	HITCH FAILURE. HOSE RUPTURED	ANHYDROUS AMMONIA	SAINT CLAIR	ST CLAIR, INTERSECTION OF HWY 83 & CNTY 15	MCPHERSON	107N 25W 8
10/10/1997	CF-6513	WATONWAN FARM SERVICE CO	HISTORICAL			FACILITY		
05/01/2002	CF-7582	MENARDS	TORN/WORN FERTILIZER BAGS	DRY FERTILZER, UNSPECIFIED BRAND NAME	MANKATO	MENARDS IN MANKATO, OUTSIDE FERTILIZER STORAGE AREA		
11/19/2002	CF-7771	WATONWAN FARM SERVICE CO	HITCH BROKE	ANHYDROUS AMMONIA		FARM FIELD	LYRA	106N 27W 36
04/27/2003	CF-7978	CRYSTAL VALLEY COOP	TENDER TRUCK ROLLOVER	40,000 LBS OF DRY FERT AND 1800 LBS OF SURPASS 20G		CTY RD 22 AT INTERSECTION OF 119.	BUTTERNUT VALLEY	108N 29W 30
05/30/2003	CF-8128	OSMOSE WOOD PRESERVING CO	ALLEGED DUMPING	3 CASES OF MITC-FUME		JUST S OF CEMETARY, 20' WEST OF DIRT ROAD IN RAVINE NEAR PINE TREES	RAPIDAN	107N 27W 16
08/26/2003	CF-8439	CRYSTAL VALLEY COOP	UNSEATED WITHDRAWAL VALVE DUE TO TEMPERATURE FLUCTUATIONS	ANHYDROUS AMMONIA		NURSE TANK STORAGE	GARDEN CITY	107N 28W 05
10/31/2003	CF-8505	KELLER FARMS INC	RUSTED TANK NIPPLE	3,000 GALLONS 10-34-0.		WEST OF LONG SHED NEAR THE SW CORNER OF PROPERTY		

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident		
					Civil Division	Description	Township / Range / Section
10/18/2003	CF-8768	CRYSTAL VALLEY COOP	TEMPERATURE FLUCTUATIONS CAUSED W/D VALVE TO OPEN	ANHYDROUS AMMONIA		NURSE TANK STORAGE	
02/22/2004	CF-8777	CRYSTAL VALLEY COOP	ALLEGED VANDALISM	ANHYDROUS AMMONIA NURSE TANK 85% FULL		NURSE TANK STORAGE	
07/28/2004	CF-9284	N S P 414 NICOLLET MALL	SEAM ON CONTAINER FAILED - APPROXIMATELY 1/2 OF CONTENTS RELEASED TO FLOOR	2,4-D		INSIDE BUILDING TO CONCRETE	
09/02/2004	CF-9386	TRUGREEN/CHEMLAWN	VALVE INCORRECTLY POSITIONED	TRIPower AND FERTILIZER TANKMIX OF 10 GALLONS. 17-0-5.		STREET IN FRONT OF HOME. 133 VICTORIA BLVD, MANKATO.	
11/10/2004	CF-9406	KOCH NITROGEN CO	PUMP BEARING WENT OUT.	100 GALLONS OF AMMONIA.		PUMP NEAR 30,000 TON BULK AA TANK. NW CORNER OF TANK.	
12/14/2004	CF-9460	CRYSTAL VALLEY COOP	HISTORICAL				
04/16/2005	CF-9988	CRYSTAL VALLEY COOP	FAILURE IN THE CONNECTION BETWEEN THE HITCH AND RUNNING GEAR. TANK TIPPED OVER AND SHEARED OFF VALVES.	850 GALLONS OF AA.		INTERSECTION OF CO RD 6 AND TWP RD 121.	BUTTERNUT VALLEY 108N 29W 27
//	92-0187A	CRYSTAL VALLEY COOP	HISTORICAL			MABEL STREET	108 26 5
04/28/2005	CF-10017	NOY FARMS	OVERFILL OF MEASURING TANK.	20 GALLONS OF SUPRASS HERBICIDE.		EDGE OF FIELD AT CORNER OF US 169 AND CTY RD 13.	
//	CF-10382	GRAIN COMMERCE INC	ABANDONED SITE				
//	CF-10383	SOLIE SALES	ABANDONED SITE				
//	CF-10384	NORTH CENTRAL PUBLIC SERVICE CO	ABANDONED SITE				
//	CF-10385	RIVERSIDE AG SERVICES INC	ABANDONED SITE				
//	CF-10390	WATONWAN FARM SERVICE CO	ABANDONED SITE				
//	CF-10391	CRYSTAL COOP	ABANDONED SITE				
//	CF-10392	BERGEMANN AERIAL CROP SERVICE	ABANDONED SITE				
//	CF-10399	WATONWAN FARM SERVICE CO	ABANDONED SITE				
//	CF-10400	WATONWAN FARM SERVICE CO	ABANDONED SITE				
//	CF-10470	EAGLE LAKE CITY OF	ABANDONED SITE				
10/20/2005	CF-10482	JACOBSON TRANSPORT INC	SEMI TRAILER TIP OVER.	ANHYDROUS AMMONIA.		JUST PAST THE SOUTH RIVERFRONT DRIVE OVER PASS ON 169 IN MANKATO.	
//	CF-10526	SOLIE SALES	ABANDONED SITE				
//	CF-10544	SKELGAS INC	ABANDONED SITE				
02/20/2006	CF-10692	WATONWAN FARM SERVICE CO	LEAK FROM RECIRCULATING LINE.	0-0-30 POTASH SUSPENSION. 7500 GALLONS.		LIQUID FERTILIZER SECONDARY CONTAINMENT. CONCRETE CONTAINMENT.	
06/12/2006	CF-10926	MIDWEST AGRICULTURAL WAREHOUSE CO	GOING SOUTHBOUND AND HAD TO STOP ABRUPTLY. LOAD SHIFTED AND 110	110 GALLONS BASAGRAN.		INTERSECTION CO RDS 22 AND 12.	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
			GALLON MINI BULK DAMAGED.						
08/23/2006	CF-11232	KOCH NITROGEN CO	COMPRESSOR FAILED TO RESTART. FLARING RELEASE OCCURRED WHEN TANK INCREASED IN PRESSURE. FORGET TO RESET COMPRESSOR CIRCUIT BREAKER.	82-0-0		GARDEN CITY 30,000 TON AST.			
07/14/2006	CF-11242	COMPLAINANT	VENTING VAPORS FROM NURSE TANK.	ANHYDROUS AMMONIA.		ANHYDROUS AMMONIA NURSE TANK PARKING/WORK AREA.			
10/26/2006	CF-11278	CRYSTAL VALLEY COOP	WITHDRAWAL HOSE LOOSEENED UP IN FIELD. DRIVER SHUT OFF VALVE AND CONTINUED APPLYING.	ANHYDROUS AMMONIA.		WITHIN FIELD.			
10/31/2006	CF-11281	WATONWAN FARM SERVICE CO	HITCH BROKE DAMAGING WITHDRAWAL HOSE. EXCESS FLOW VALVE DID NOT SHUT.	50-60 POUNDS OF ANHYDROUS AMMONIA.		NEAR THE INTERSECTION OF HWY 30 AND CY RD 20.			
02/21/2007	CF-11321	MAGELLAN MIDSTREAM PARTNERS LP CO	AMMONIA LEAK FROM THREATED FLANGE/PIPING JOINT.	ANHYDROUS AMMONIA.		16082 US HIGHWAY 169.			
03/16/1978	FY781059	NORTH CENTRAL PUBLIC SERVICE CO	FERTILIZER STORAGE TANK EXPLOSION	NO FERTILIZER WAS LOST		UNKNOWN			
09/29/1979	FY791057	SKELGAS INC	FLASH FIRE CAUSED BY AA & PROPANE	AA IN WATER; 10,000-25,000 PPM & LP		EAGLE LAKE			
01/15/1980	FY801002	UNITED FARMERS COOP	TRUCK ACCIDENT	10 GAL. LASSO EC SPILLED, 4, 5 GALLON CANS WERE INVOLVED	MANKATO	HWY 22 AND HOFFMAN RD., MANKATO ON ROADSIDE			
10/01/1980	FY801075	CRYSTAL VALLEY COOP	LARGE AMOUNT OF DUST DURING LOADING TRUCKS	DECIDED TO PUT ON A CANVAS SOCK	GOOD THUNDER	UNKNOWN	LYRA	106N	27W 10
11/17/1981	FY821057	MID AMERICA PIPELINE CO	TILING MACHINE BUSTED AMMONIUM PIPELINE	ANHYDROUS AMMONIA 106.8 TONS - 90,000 GAL. WATER USED		T106 R 28 S24, 1 MILE NE OF VERNON CENTER	VERNON CENTER	106N	28W 24
05/20/1982	FY821081	BLUE EARTH FLYING SERVICE	PLANE CRASH	BLADEX TANK MIX (4 GAL./ACRE)		BLUE EARTH SECTION 35, INTERSECTION CO. RD. H, #9			35
05/06/1983	FY831074	HONEYMEAD INC	TRANSFORMER COOK-OUT	PCB	MANKATO	5TH FLOOR OF THE ELECTRICAL ANNEX			
06/03/1983	FY83R113	NORTH CENTRAL PUBLIC SERVICE CO	IMPROPER DISPOSAL OF PESTICIDE, RAIN WASHED SPILL	UNKNOWN		AT FACILITY			
06/03/1983	FY83R114	CRYSTAL VALLEY COOP	IMPROPER DISPOSAL OF PESTICIDE ONTO PARKING LOT	RINSALE, NURSE TANKS, FLUSHING		AT FACILITY			
10/31/1983	FY841012	CROPMATE CO THE	BVANDAL'S BLEED NH3 HOSE	ANHYDROUS AMMONIA		CROPMATE PLANT			
11/28/1984	FY851025	CRYSTAL VALLEY COOP	TRUCK TURNOVER	LEAK OF ANHYDROUS AMMONIA; 4,500 GALLONS		NEAR GARDEN CITY	GARDEN CITY	107N	28W
05/03/1985	FY851046	NOY FARMS	TREFLAN SPILL DURING TRANSPORT	TREFLAN		VERNON CENTER			
05/22/1986	FY86R213	HUNTTING ELEVATOR CO	DEAD AREA IN DITCH ON FRONT OF FACILITY	RUNOFF		COUNTY ROAD #53, SW 1/4 OF SEC. 1	MEDO		01
04/13/1987	FY871026	STROBEL	PARMER APPLYING WHEN HOSE COUPLING BROKE	ANHYDROUS AMMONIA RELEASED FROM A NURSE TANK 500 GALLONS		SW1/4 NE1/4 OF SECTION 22	MANKATO	108N	26W 22
04/18/1987	FY871028	WATONWAN FARM SERVICE CO	LARGE HOSE FROM PUMP TO SPARGE LINE RUPTURED	28% NITROGEN OF 1400 GAL & 10.5 GAL OF DUAL(LIQUID)		ROAD #26 SOUTH 1 MILE AND EAST 1/2 MILE, AMBOY	SHELBY	105N	28W 25

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
BLUE EARTH COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	<i>Location of Incident</i>			
					Civil Division	Description	Township / Range / Section	
06/04/1987	FY871060	CRYSTAL VALLEY COOP	TIPPED OVER SPRAYER FLOATER	1,100 GALLON TREFLAN MIX; 41 GALLON TREFLAN		COUNTY ROAD 13 AND 32; BLUE EARTH		
12/30/1987	FY881023	HARVEST STATES COOPS	SPILLAGE	100 TON AMMONIUM NITRATE	PEMBERTON	PEMBERTON, R25W	ST MARY	108N 24W 05
03/28/1988	FY881034	CRYSTAL VALLEY COOP	LOST LOAD	11 GAL TREFLAN	MANKATO	MANKATO; STOLSMAN ROAD, WEST OF MANKATO		
05/02/1988	FY881056	HUNTTING ELEVATOR CO	TRUCK GOT A FLAT TIRE AND ROLLED INTO A DITCH	42.5 GAL LASSO; 2700 GAL LIQUID FERTILIZER		3 MI N OF BEAFORD ON HWY. 22. 1 MILE WEST	DECOR1A	107N 26W 21
07/08/1987	FY881068	HUNTTING ELEVATOR CO	SPILL	ATRAZINE RUNOFF PROBLEM	PEMBERTON	PEMBERTON	MEDO	106N 25W 01
06/08/1988	FY881093	CRYSTAL VALLEY COOP	SPILL	10 OZ CLASSIC & 200 GAL WATER		GOOD THUNDER, 3 M. S CO RD 1, B.E. CO.	VERNON CENTER	106N 28W 13
07/27/1987	FY88R033	UNKNOWN	GRASS KILLED BY AG CHEM	AG CHEMICAL UNCONFIRMED AS LIQUID MANURE		4 MILES EAST OF GARDEN CITY, SOUTH OF MANKATO		
12/16/1988	FY891033	HUNTTING ELEVATOR CO	SPILL	100 GAL ERADICANE			MEDO	106N 25W
04/24/1989	FY891067	CRYSTAL VALLEY COOP	PIPE BROKE	ANHYDROUS AMMONIA LEAK	LAKE CRYSTAL	511 W HUMPHREY, LAKE CRYSTAL		
05/31/1989	FY891138	WATONWAN FARM SERVICE CO	FIRE	50 GAL ERADICANE, APPROX 250 TON POTASH		FERT STORAGE BLDG		
06/26/1989	FY891170	WATONWAN FARM SERVICE CO		ANHYDROUS AMMONIA	MAPLETON	MAPLETON	MAPLETON	105N 26W 03
10/24/1989	FY901060	FmHA - GERALD KOLLAS FARM	DISPOSAL SITE	VARIOUS PESTICIDE CONTAINERS	ST CLAIR	GELALD KOLLAS FARM, ST. CLAIR	MCPHERSON	107N 25W
04/21/1990	FY901120	SOLIE SALES	HOSE CRACKED WHILE MAKEING COUPLING	1-2 GAL ERADICANE	MAPLETON	FACILITY	MAPLETON	105N 26W 24
05/04/1990	FY901136	PRESTON	ALLEGED DUMPING	ERADICANE		ROAD DITCH - NEAR CO RD 10 AND PEMBERTON		