



**MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in CARVER COUNTY from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
04/17/1991	91-0143	MID COUNTY COOP	MINI-BULK FELL OFF PICK-UP	100 GAL LASSO	COLOGNE	FACILITY	BENTON 115N 25W 14
04/18/1991	91-0145	AG LAND COOP	SOIL SAMPLING AS PART OF PROPERTY TRANSFER	ALACHLOR		AT FACILITY IN NORWOOD 45' 15" N, 54' 20"W	
09/09/1991	91-0858	MID COUNTY COOP	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN		PROPOSED LIQUID FERTILIZER & PESTICIDE CONTAINMENT & LOAD PAD	BENTON 115N 25W 14
11/29/1991	92-0048	CENTRA SOTA COOP	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN	WATERTOWN	IMPREGNATION LOAD OUT	WATERTOWN 117N 25W 08
05/19/1992	92-0121	WACONIA FARM SUPPLY	BAG FELL OFF TRUCK	25 LB BAG BLADEX 90DF 10 LBS RELEASED		ASPHALT ROAD 2 MILES WEST OF JUNCT HWY 25 AND CR 32	CAMDEN 116N 26W
05/11/1992	92-0127	MID COUNTY COOP	TRUCK LEFT ROAD AND TRAILER TIPPED OVER	WATER AND 28%	COLOGNE	BETWEEN CO RD 30 AND HWY 5, SOUTH OF WACONIA BALLROOM	LAKETOWN 116N 24W 18
08/06/1993	93-0212	A B C LYMAN LUMBER	2 CASES OF WOOD PRESERVATIVE FELL FROM TRUCK	8 ONE GALLON CONTAINERS	CHANHASSEN	ADJACENT TO LYMAN LUMBER PROPERTY	LAKE MINNEWASHTA 116N 23W
06/26/1991	94-0055	LUNDGREN BROS CONSTRUCTION	HISTORIC RELEASE OF CRESOTE	CREOSOTE POSSIBLY OTHERS	CHANHASSEN	440 INDIAN HILL ROAD, CHANHASSEN, MN 55317 NEW HOUSING DEVELOPMENT, WOODED	
11/08/1990	94-0057	BONGARD CREAMERIES	RODENTICIDE PLACED IN DRAIN TILE INLET/OUTLET	THALLIUM SULFATE DISCOVERED IN WATER SAMPLE	BONGARDS	SALT WHEY LAGOON AT THE FACILITY	
03/17/1994	94-0072	HENNEPIN PARKS	FORKLIFT PUNCTURED BARREL AS IT WAS PUT IN STORAGE	1-3 GALLONS OF 2,4-D AMINE	VICTORIA	CURBED STORAGE AREA INSIDE SHED	
04/19/1994	94-0089	TRUGREEN/CHEMLAWN	FAULTY PLUMBING BY INEXPERIENCED APPLICATOR	45 GALLONS OF DILUTE TRIMEC, PENDINETHALEN & 17-0-5	CHANHASSEN	8541 FLAMINGO DRIVE, CHANHASSEN, MN RESIDENTIAL STREET	
04/19/1994	94-0090	MID COUNTY COOP		UREA FERTILIZER	COLOGNE	WEST BOUND SHOULDER OF U.S. HIGHWAY 212, 2 MILKES W OF COLOGNE	BENTON 115N 25W 15
05/05/1994	94-0124	WACONIA FARM SUPPLY	RUPTURED 625 GALLON POLY TANK	500 GALLONS 28-0-0	WACONIA	LAKEVIEW TERRACE BLVD & CO RD 10 N	WACONIA 116N 25W 14
05/02/1994	94-0133	WACONIA FARM SUPPLY	VALVE ON NURSE TANK OPENED SLIGHTLY INSIDE STORAGE SHED	ANHYDROUS AMMONIA UNKNOWN QUANTITY		STORAGE SHED IN NEW GERMANY OPERATED BY WACONIA FARM SUPPLY	CAMDEN 116N 26W 04
05/07/1994	94-0137	MID COUNTY COOP	NOZZLE BROKE ON SPRAYER	3-5 GALLONS TANK MIX		INTERSECTION OF 153 AND 212 & EASTBOUND ON 212 TO FACILITY GROUNDS	BENTON 115N 25W
05/10/1994	94-0138	DE VRIES	SPRAYER PULLED THROUGH DITCH UP ON ROAD, SPRAYER TIPPED OVER BACKWARDS	300 GALLONS WATER-5 GALLONS ROUND-UP	NEW GERMANY	SW 1/4 SEC 33 HOLLYWOOD TWSP CARVER CO.	HOLLYWOOD 117N 26W 33
05/21/1994	94-0144	MID COUNTY COOP	SHUTTLE TANK FEEL OFF OF PICKUP WHEN CROSSING HIGHWAY	1 GALLON PROWL 3.3		INTERSECTION OF HWY 282 & HWY 212	BENTON 115N 25W 13
05/19/1994	94-0235	UNKNOWN	CONTAINER FELL OFF BACK OF VEHICLE	UNKNOWN		NORTH SHOULDER JUST OFF E OF THE 212 OVERPASS OVER 36	BENTON 115N 25W 14
06/20/1994	94-0273	WACONIA FARM SUPPLY	IMPROPER HANDLING OF NH3 AND TRANSFERS	12,000 GALLON TANK OF NH3 WITH LEAK		WACONIA FARM SUPPLY NH3 STORAGE AT NEW GERMANY	CAMDEN 116N 26W 04

Incidents Reported in
CARVER COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
06/30/1994	94-0310	WACONIA FARM SUPPLY	TRANSPORTATION	28% IN WATER	WACONIA	HWY 5 & CO RD 32 IN THE CITY OF WACONIA ON PAVED ROAD			
05/26/1994	94-0311	CENTRA SOTA COOP	SPRAY RIG FIRE	1-2 1/2 GALLON JUGS EACH OF BANVEL & PROWL 1-25 LB BAG OF BLADEX			WATERTOWN	117N	25W 11
08/19/1994	94-0547	WACONIA FARM SUPPLY	SAMPLED PESTICIDE CONTAINER STORAGE AREA	UNKNOWN		FORMER BULK FERT CONTAINMENT AND NEW BULK CONTAINMENT AREAS			
10/13/1994	95-0006	U OF M ARBORETUM	REMOVAL OF UNDERGROUND RINSATE TANKS			MIXING AND LOAD SITE AT HORTICULTURAL RESEARCH CTR			
04/25/1995	95-0261	MID COUNTY COOP	GAUGE WHEEL ENGAGED ON PULL SPREADER	3-7-50 DRY FERTILIZER 40-100 LBS		CO RD 36 1 MILE EAST OF COLOGNE			
08/07/1995	95-0686	TRUGREEN/CHEMLAWN	RUPTURED HOSE ON AN APPLICATOR TANK	1.5 GALLONS OF A 17-0-5 TRIMEC TANKMIX	CHANHASSEN	7160 WILLOW VIEW CLOVE, CHANHASSEN			
06/08/1996	96-0356	MID COUNTY COOP	GOOSE NECK TRAILER TIPPED INTO DITCH AFTER TAKING A CORNER TOO SHARP	100 GALLONS OF WATER, 27 GALS PROWL, 30 # AATREX 9-0 AND 7.5 GALS CLARITY	COLOGNE	ROAD DITCH	LAKETOWN	116N	24W 35
05/23/1996	96-0380	UNKNOWN	ALLEGED THAT A SEMI TRAILER LEAKED DRY FERT WHILE STOPPING AT HARDEE'S	DRY FERT POSSIBLY UREA	WACONIA	ACROSS FROM THE HARDEE'S - DOWNTOWN WACONIA			
06/01/1997	96-1322	WACONIA FARM SUPPLY	VALVE LEFT SLIGHTLY OPEN OVER NIGHT	PROWL 3.3 EC 40 GALLONS	WACONIA	IMMEDIATELY ADJACENT TO BULK DIKE	WACONIA	116N	25W 24
06/25/1997	96-1436	ROSEMOUNT INC	HOSE BROKE	30 GALLON TANKMIX OF ORTHENE	CHANHASSEN	PARKING LOT OF 8200 MARKET BLVD, CHANHASSEN			
10/21/1997	96-1693	MID COUNTY COOP	ALLEGED RESIDUE DUMPED FROM APPLICATOR		COLOGNE	AT FACILITY	BENTON	115N	25W 14
02/17/1998	CF-1971	MC LAUGHLIN GORMLEY KING CO	OVERFILL OF CONTAINER	INTERMEDIATE FORMULATION OF PYRETHRUM	CHASKA	FACILITY CONTAINMENT AT 4001 PEAVY RD, CHASKA	CHASKA	115N	23W
04/20/1998	CF-2139	WACONIA FARM SUPPLY	FERT SPREADER DRIVE ENGAGED	DRY FERTILIZER	COLOGNE	DRIVEWAY EXITING FACILITY ON HWY 284	WACONIA	116N	25W 24
04/27/1998	CF-2188	DIEMAN	NURSE TANK ROLLED INTO DITCH	2-3 GALLONS ANHYDROUS AMMONIA		INTERSECTION OF CO RD 10 & LITTLE AVE	LAKETOWN	116N	24W
04/30/1998	CF-2191	TRUGREEN/CHEMLAWN	APPLICATOR IMPROPERLY LEFT OPEN VALVES WHICH CAUSED TANK TO OVERFLOW	TANKMIX OF FERTILIZER AND LAWN CARE HERBICIDES	MINNETONKA	8407 GREAT PLAINS BLVD, CHANHASSEN			
06/02/1998	CF-2940	MID COUNTY COOP	SEAL WENT OUT IN ANHYDROUS AMMONIA PUMP	ANHYDROUS AMMONIA - AMOUNT UNKNOWN	COLOGNE	BULK ANHYDROUS AMMONIA STORAGE VESSEL	BENTON	115N	25W
11/03/1999	CF-3976	MID COUNTY COOP	NURSE TANK TIPPED OVER IN DITCH OFF HWY 212	THREATENED RELEASE OF ANHYDROUS AMMONIA		FIELD ROAD	BENTON	115N	25W 18
08/10/2000	CF-4811	WACONIA FARM SUPPLY	SUSPECTED VANDALISM OF 1000 GALLON NURSE TANK	AA VAPOR	WACONIA	FACILITY, ANHYDROUS AMMONIA NURSE TANK PARKING AREA	WACONIA	116N	25W 24
05/08/2001	CF-5524	MID COUNTY COOP	DRIVE WHEEL ENGAGED ALONG WEST BOUND 212.	60-25-110 AT 347 POUNDS PER ACRE. RATE ON HIGHWAY IS .4 LBS PER FT. 17-07-32 ANALYSES.	COLOGNE	.25 MILE WEST OF FIRM AND CONTINUES ALONG HWY 212 FOR 2 MILES	BENTON	115N	25W 14
05/16/2001	CF-5530	LENZEN	PIN CAME OUT OF HITCH. NURSE TANK SEPARATED AND HOSE RUPTURED.	ANHYDROUS AMMONIA	COLOGNE	8525 130TH ST E, COLOGNE, MN; ASPHALT ROAD	DAHLGREN	115N	24W 17
05/14/2001	CF-5646	HAMBURG FARM SUPPLY	TOOK CORNER TOO WIDE AND NURSE TANK WHEELS CAUGHT SHOULDER OF	NURSE TANK OF AA	HAMBURG	SE CORNER OF INTERSECTION OF STATE HWY 25 & CO RD 50	YOUNG AMERICA	115N	26W 32

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
CARVER COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section			
ROAD										
07/03/2001	CF-5897	U OF M ARBORETUM	VEHICLE FIRE WITHIN BLDG	NUMEROUS PESTICIDES AND FERTILIZERS	CHANHASSEN	SERVICE AREA MAINTENANCE BLDG.	CHASKA	115N	23W	07
04/26/2002	CF-6736	VICTORIA CITY OF	OVER SPRAY OF DRY FERTILIZER GRANULES TO CITY STREETS WHILE APPLYING TO PARK	NON-PHOSPHATE FERTILIZER		VICTORIA PARK, DEER RUN, WINTERGREEN STREETS				
05/03/2002	CF-6817	TRUGREEN/CHEMLAWN	PROBLEMS WITH VALVING ON TANK APPLICATOR	LAWNCARE FERTILIZER AND PESTICIDES. 10 GALLON TANKMIX	CHASKA	SEWER, PIERSON LAKE DR, CHASKA				
05/21/2002	CF-6828	WACONIA FARM SUPPLY	VALVE ON MINI BULK BUMPED OPEN	1/2 - 1 GALLON OF PROWL	WACONIA	ASPHALT, INTERSECTION OF 5 AND 284, WACONIA	WACONIA	116N	25W	24
07/10/2002	CF-7117	CHASKA TOWN COURSE	FIRE	ORGANIC FERTILIZER. NATURE'S SAFE.	CHASKA	GOLF COURSE MAINTENANCE SHED				
07/25/2002	CF-7211	WACONIA FARM SUPPLY	ALLEGED AMMONIA THEFT FROM 3 - 1000 GALLON NURSE TANKS.	ANHYDROUS AMMONIA	WACONIA	KELZER FARM	WACONIA	116N	25W	21
12/02/2002	CF-7774	HEITZ	FIRE	ALGAECIDES AND 5 GALLON PAIL OF CHLORINE	CHASKA	SHED AT RESIDENCE				
02/28/2003	CF-7933	MID COUNTY COOP	AST 18,000 GALLON TANK VALVE 1/4 TURN OPEN	NH3		FACILITY AST LOCATION	BENTON	115N	25W	14
03/07/2003	CF-7934	MID COUNTY COOP	ALLEGED TAMPERING OF AA EQUIPMENT	UNKNOWN	COLOGNE	NURSE TANK STORAGE	BENTON	115N	25W	14
06/16/2003	CF-8255	TRUGREEN/CHEMLAWN	VALVE PROBLEM CAUSED THE RELEASE	10 GALLON TANKMIX OF 17-0-5 FERTILIZER AND TRI-POWER	CHANHASSEN	STREET				
04/02/2004	CF-8869	MESENBRING	RUSTED REDUCER. LEAKED OVER NIGHT	UAN 9500 GALLONS		NORTH END OF FARM SITE BY GRAIN BINS				
04/24/2006	CF-10770	HAGEL	SUPPORT BAND AROUND TANK BROKE AND TANK RUPTURED ON IMPACT WITH ROAD.	480 GALLONS OF 28%		WEST ON 70TH STREET FROM STATE HWY 25. MAYER, MN.				
04/21/2006	CF-10788	MID COUNTY COOP	HOSE WAS NOT ATTACHED PROPERLY TO A 1,000 GALLON TENDER. HOSE SLIPPED DOWN AND WHEELS RAN IT OVER RUPTURING HOSE.	25 GALLONS 09-19-09.		AT FACILITY.				
04/26/2006	CF-10795	WACONIA FARM SUPPLY	TWO VALVES OPENED ON TANK.	ANHYDROUS AMMONIA.		IN THE FIELD BETWEEN 960 AND 864 78TH STREET.				
05/11/2006	CF-10815	MID COUNTY COOP	VALVE OPENED WHEN LINE DEPRESSURIZED.	300 GALLON TANK MIX OF PROWL.		WEST OF SHED AND NORTH OF DIKE. AT FACILITY IN COLOGNE.				
05/10/2006	CF-10817	UNKNOWN	APRON ON FERT SPREADER ENGAGED.	UREA.		COUNTY RD EAST OF MID-COUNTY COOP. APPROX. 1/3 MILES.				
06/05/2006	CF-10883	WACONIA FARM SUPPLY	APPLICATOR TIP OVER.	8000 POUNDS OF UREA.		INTERSECTION OF CO RDS 32 AND 10.				
09/13/2006	CF-11220	MID COUNTY COOP	EITHER FAILURE TO CLOSE VALVE BY TRANSPORT DRIVER WHEN FILLING OF TEMP FLUCTUATIONS CAUSED PACKING TO SHRINK.	ANHYDROUS AMMONIA		BULK TANK PLUMBING.				
03/21/2008	CF-11328	MC LAUGHLIN GORMLEY KING CO	OVERFILLING INERT CHEMICAL TANK CAUSED SPILL TO ROOF FROM VENT.	10 GALLONS INERTS.		ROOF TOP OF BUILDING AT 4001 PEAVEY ROAD.				
04/18/2007	CF-11341	WACONIA FARM SUPPLY	FAILED ACME THREADED FITTING ATTACH TO THE LIQUID WITHDRAWAL	ANHYDROUS AMMONIA.		0.25 MILES SOUTH OF NEW GERMANY ON ADAMS AVE SO.				

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
CARVER COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident				
					Civil Division	Description	Township / Range / Section		
			VALVE.						
04/26/2007	CF-11350	MID COUNTY COOP	ALLEGEDLY NURSE TANK WITHDRAWAL VALVE UNSEATED BECAUSE OF COLD NIGHT-TIME TEMPERATURES.	AMMONIA VAPOR.		NURSE TANK PARKING AREA.			
04/27/2007	CF-11353	WACONIA FARM SUPPLY	UNSECURED STORAGE FACILITY SYSTEM.	ANHYDROUS AMMONIA.		ANHYDROUS AMMONIA FACILITY @ 400 BROADWAY ST E.			
06/03/1978	FY781008	BELLE PLAINE COOP	TRUCK HIT GUARDRAIL; BRAKES FAIL; FELL IN GRACE LK	25 GALLONS LASSO IN 1,200 GALLONS WATER		INTERSECTION OF HWY 41 & CO RD 14 NEAR CHASKA			
07/07/1981	FY821037	WACONIA FARM SUPPLY	BLEEDING TANK SATURATED THE WATER IN A 55 GAL DRUM	ANHYDROUS AMMONIA FROM SATURATED 55 GAL. DRUM HOLDING WATER	NEW GERMANY	NEW GERMANY FACILITY	CAMDEN	116N	26W
04/28/1982	FY821073	CLIFFORDS	TRUCK ACCIDENT	9-18-8 FERTILIZER; 300-400 GALLONS	WACONIA	HWY #10 NW END OF WACONIA	WACONIA	116N	25W
09/11/1982	FY831017	MINNESOTA TREE LANDSCAPING	FIRE	80 POUNDS SEVIN,80POUNDS CASORON,20 # CAPTAN, 120 # TREFLAN		FARM OF RUFUS BENEKE, WACONIA MN 1.5MI RT 2.5MIRT	WACONIA	116N	25W 16
05/09/1983	FY831057	SELTZ	11 CALVES DIED 10 HRS. AFTER EATING NEW FEED	COUNTER CONTAMINATED CALF STARTER	WACONIA	9455 OAK AVENUE			
04/13/1983	FY831076	MID COUNTY COOP	CONTAMINATED WELL - UNUSUAL TOILET WATER	NO DETECTABLE CHEMICALS	COLOGNE	AT FACILITY			
01/04/1984	FY84R109	LOSLEBIN	4500 CHICKENS CONDEMNED CAUSE OF DDT CONTAMINANTS	CHICKENS HAD DDT AT 6.61 PPM		UNKNOWN			
05/04/1988	FY881057	UNKNOWN	SPILLAGE ONTO ROAD	30-50 GAL ERADICANE		WACONIA			
01/01/1988	FY88R097	U OF M ARBORETUM	SPILLED INTO STORAGE DRAIN	CYGON; SPILL UNKNOWN QUANTITY	EXCELSIOR	AT 600 ARBORITUM; EXCELSIOR	EXCELSIOR	117N	23W
08/04/1988	FY891010	U OF M ARBORETUM	SHELVING COLLAPSED	2-1 GAL GLASS CONTAINERS, 1/2 FULL		U OF M ARBORETUM, EXCELSIOR	LAKETOWN	116N	24W 07
12/27/1989	FY901073	WACONIA FARM SUPPLY		2000 GAL 28% LIQUID FERT	WACONIA	801 S HWY 284, WACONIA			
01/02/1990	FY901075	WACONIA FARM SUPPLY	PUMP SEAL LEAKED	ANHYDROUS AMMONIA		FACILITY IN NEW GERMANY	CAMDEN	116N	26W 04