



**MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident				
					Civil Division	Description	Township / Range / Section		
08/17/1990	90-0131	U S POSTAL SERVICE BULK MAIL CTR	ALLEGED DUMPING DOWN A STORM SEWER	20 GAL TANK MIX WITH TRIMEC CLASSIC	EAGAN	FACILITY PARKING LOT			
09/04/1990	90-0156	HOLME	SPILLED	13,00016 OZ MALATHION	BURNSVILLE	GARAGE FLOOR			
09/17/1990	90-0180	EVERGREEN LAWNS CORP	TURNED VALVE BACKWARDS/ TANK OVERFLOWED	TRIMEC & 16-0-6 (1< GALLON TANK MIX)	WEST ST PAUL	ASPHALT ROAD - 963 CHEROKEE AVE WEST ST PAUL			
03/21/1991	91-0106	RIVER COUNTRY COOP	FITTING ON BOTTOM OF CONE TANK LET LOOSE	740 GAL OF ERADICAN 6.7E		WITHIN DIKE ON THE FACILITY			
06/12/1991	91-0822	U OF M	LEAK IN BOTTOM OF TANK	20 GALS OF 28% LIQUID FERT.	ROSEMOUNT	A 10 x 15 FOOT AREA AT FACILITY	ROSEMOUNT	115N	19W
09/11/1991	91-0861	VIGORO INDUSTRIES INC	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN	RANDOLPH	AG CHEM FACILITY - TO EXTEND DIKE LOAD PAD EAST.	RANDOLPH	112N	18W 08
06/04/1991	91-0894	C F INDUSTRIES INC	PRECONSTRUCTION SOIL SAMPLING	NA	ROSEMOUNT	2 LIQUID FERTILIZER LOAD OUT PADS	ROSEMOUNT	115N	19W
02/20/1991	91-0897	CONTINENTAL NITROGEN & RESOURCES CO	HISTORIC RELEASE			SECT 18 AND19, T.115N., R.18W.			
01/16/1992	92-0053	CONTINENTAL NITROGEN & RESOURCES CO	CRACKED RELIEF VALVE ON A STORAGE TANK.	COUPLE HUNDRED POUNDS OF NH3 VAPORS	ROSEMOUNT	THE EAST GRAVER (LONG TANK) AT THE PLANT IN ROSEMOUNT.	ROSEMOUNT	115N	19W
04/20/1992	92-0092	FARMERS MILL & ELEVATOR INC	LIME TANK TIPPED OVER	-10,000 GAL OF LIME	CASTLE ROCK	AT FACILITY IN/OUTSIDE OF DIKE	CASTLE ROCK	113N	19W 31
06/02/1992	92-0154	CHIPPENDALE GOLF CLUB	SPRAYER HIT A ROCK AND OVERTURNED	7 GAL TANK MIX WITH 3 OZ LESCO 3 WAY	FARMINGTON	FAIRWAY BUNKER AT THE GOLF COURSE - SAND TRAP	FARMINGTON	114N	20W
07/17/1992	92-0317	POLY-TEX INC	POSSIBLE PAST MISHANDLING	UNKNOWN		P.O. BOX 458 MAIN ST/INTERS 280TH & DANVILLE AVE			
02/20/1992	92-0349	VIGORO INDUSTRIES INC	PRECONSTRUCTION SOIL SAMPLING	NA	HASTINGS	AG CHEM FACILITY FERT. EQUIPMENT PARKING AREA	MARSHAN	115N	17W 12
11/09/1992	93-0012	C F INDUSTRIES INC	VAPOR PRESSURE LINE DEVELOPED A LEAK	QUANTITY UNKNOWN - ANHYDROUS AMMONIA	ROSEMOUNT	IN BACK OF THE OFFICE COMPLEX	ROSEMOUNT	115N	19W
04/13/1993	93-0060	BAREFOOT GRASS LAWN SERVICE	HOSE POPPED OFF SPRAY TANK	10 GAL TANK MIX CONTAINING 2.5 GAL OF PRODUCT IN 100 GAL H2O	EAGAN	3794 DENMARK AVE, EAGAN			
04/21/1993	93-0065	C F INDUSTRIES INC	SEEP DISCOVERED AT RINGWALL DURING 7:00 AM ROUNDS	APPEARS TO BE < 10 GAL OF 10-34-0 (SEEPING AT @1 GAL/HR)	ROSEMOUNT	412,000 GAL 10-34-0 TANK/DIKE	ROSEMOUNT	115N	19W
04/26/1993	93-0071	VIGORO INDUSTRIES INC	NURSE TANK ROLLOVER	LOST 20-30 GAL ANHYDROUS AMMONIA	RANDOLPH	JCT OF CTY RD 86 & STATE HWY 3			
04/27/1993	93-0072	TRANSPORT INC	VENTING OFF TRANSPORT TO BARREL OF WATER	NH3	INVER GROVE HEIGHTS	7200 DICKMAN IGH			
05/21/1993	93-0097	VIGORO INDUSTRIES INC	FAILURE TO UNHOOK; PULLED RISER DOWN	ANHYDROUS AMMONIA	RANDOLPH	ANHYDROUS AMMONIA RISER	RANDOLPH	112N	18W 08
05/21/1993	93-0098	VIGORO INDUSTRIES INC	TRUCK TIPPED OVER - TOOK CORNER TOO SHARP	5 TON 5-14-42 DRY FERTILIZER		INTERSECTION OF RD 85 (GOODWIN AVE) & HWY 50 APPROX 30' X 70'			

Incidents Reported in
DAKOTA COUNTY
 from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
06/08/1993	93-0117	EVERGREEN LAWNS CORP	HOSE BLEW OFF APPLICATOR TRUCK	15 GAL TANK MIX WITH TRI POWER & 16-0-6 LIQUID FERT	BURNSVILLE	429 E TRAVERSE TRAIL, BURNSVILLE			
06/23/1993	93-0132	C F INDUSTRIES INC	FAILURE TO CLOSE REAR VALVE ON TRANSPORT TRUCK	~ 740 GAL OF UREA AMMONIUM NITRATE (28%)	ROSEMOUNT	LOAD AREA AT C.F. INDUSTRIES	ROSEMOUNT	115N	19W
05/08/1993	93-0155	VIGORO INDUSTRIES INC	ANHYDROUS AMMONIA TANK ROLL-OVER	NURSE TANK OF NH3 - NONE RELEASED	HASTINGS	½ MI SOUTH OF HASTINGS ON 240TH STREET EAST			
07/13/1993	93-0168	FARMERS MILL & ELEVATOR INC	TENDER TRUCK TIPPED OVER	3 TON 12-24-24 BLENDED DRY FERT.	LAKEVILLE	CENDAR AVE, JUST SOUTH OF 160TH ST, LAKEVILLE			
04/02/1993	93-0218	WAYNE TRANSPORT	BLEEDING CAPORS TO REPAIR TANK	ANHYDROUS AMMONIA	INVER GROVE HGTS	3180 E 117TH ST, INVER GROVE HGTS			
08/09/1993	93-0238	CONTINENTAL NITROGEN & RESOURCES CO	PURGE NH3 TANK FOR REPAIRS	NH3 STORAGE TANK	ROSEMOUNTS	12955 COURT HOUSE BLVD.			
09/15/1993	93-0282	MC LAUGHLIN GORMLEY KING CO	PUNCTURED 55 GALLON DRUM	6 LBS. PYRETHRUM, TECH GRADE 20% ACTIVE INGREDIENTS	EAGAN	INSIDE SEMI TRAILER			
10/20/1993	94-0006	C F INDUSTRIES INC	PRODUCTION OF 10-34-0 LIQUID FERTILIZER	CONVERTING 25 RAIL CARS OVER NEXT 10 DAYS	ROSEMOUNT	ANHYDROUS AMMONIA STORAGE FACILITY	ROSEMOUNT	115N	19W
11/06/1993	94-0023	CONTINENTAL NITROGEN & RESOURCES CO	PURGING TANK TO PLACE BACK INTO SERVICE.	UNKNOWN AMOUNT NH3 VAPOR.	ROSEMOUNT	12955 COURTHOUSE BLVD.	ROSEMOUNT	115N	19W 18
02/14/1994	94-0047	C F INDUSTRIES INC	CONTROLLED RELEASE OF NH3	320 LBS NH3 IN MANUFACTURING PROCESS	ROSEMOUNT	5300 PINE BEND TRAIL, ROSEMOUNT			
02/14/1994	94-0048	CONTINENTAL NITROGEN & RESOURCES CO	CONTROLLED RELEASE OF RESIDUAL VAPORS FROM RAILCARS	NH3 VAPORS	ROSEMOUNT	12955 COURTHOUSE BLVD.			
11/12/1993	94-0051	DAKOTA BARGE SERVICE	UNLOADING FERTILIZER ON SHORE FROM BARGE	UNKNOWN	SO ST PAUL	BETWEEN MILE 833 AND 833.5 ON WEST BANK OF MISSISSIPPI RIVER			
06/03/1992	94-0069	U OF M	UNDERGROUND STORAGE TANK (DISPOSED OF RINSATE/SLUDGE)	NUMEROUS COMPUNDS AT 1,700 GALLONS - RINSATE/SLUDGE					
05/07/1994	94-0135	STORLEY	CRAIG MAURER, CANNON VALLEY COOP, RESPONDED, EMPTY TANK SETING IN THE FIELD-ANHYDROUS AMMONIA EXPANDED IN THE TANK & RELEASED THROUGH A VALVE THAT HAD NOT BEEN CLOSED. FIRE DEPT. RESPONDED, STOOD BY TILL AMMONIA SMELL DISIPATED.	ANHYDROUS AMMONIA TANK EMPTY-SMALL VAPOR RELEASE	FARMINGTON	IN FIELD NEAR INTERSECTION OF 265TH ST & GALAXY AVE.			
05/06/1994	94-0204	C F INDUSTRIES INC	DRY FERTILIZER SPILLAGE FROM BARGE	UREA FERTILIZER		DRY FERTILIZER DOCK ON MISSISSIPPI RIVER	NININGER	115N	18W 17
05/10/1994	94-0247	RIVER COUNTRY COOP	PRE-CONSTRUCTION SOIL SAMPLING		HAMPTON	16 X 20' IMPREGNATION PAD AREA	HAMPTON	113N	18W 20
04/13/1994	94-0316	STOCK LUMBER	2 LEAKING 5 GALLON CONTAINERS	2 LEAKING 5 GALLON METAL CONTAINERS	EAGAN	STORAGE SHED	EAGAN	27N	23W
05/07/1994	94-0329	CANNON VALLEY COOP	DURING APPLICATION OF AMMONIA TO A FIELD, A LEAK DEVELOPED IN TANK. FARMER CALLED FIRE DEPARTMENT AS A PRECAUTIONARY MEASURE.	ANHYDROUS AMMONIA SMALL VAPOR RELEASE		IN FIELD NEAR INTERSECTION OF 265TH ST. AND GALAXY AVE.			
07/06/1994	94-0333	CONTINENTAL NITROGEN & RESOURCES CO	LOOSE FLANGE ON THE PIPELINE BETWEEN THE 27,000 GAL TANK & PUMP	28-0-0	ROSEMOUNT	NEAR THE 27,000 GALLON TANK IN ROSEMOUNT	ROSEMOUNT	115N	19W
06/23/1994	94-0358	UNKNOWN	ABANDONED PESTICIDE CONTAINERS DISCOVERED	PROWL, TREFLAN NUMEROUS OTHER CONTAINERS APPROX. 1 GALLON PROWL	MIESVILLE	PAST BOUNDRY OF E 1/2 OF NE 1/4 OF SW 1/4 SEC 35	DOUGLAS	113N	17W 35

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
07/26/1994	94-0417	EASY LAWN CORP	DRY FERTILIZER SPREADER TIPPED OVER	SMALL QUANTITY OF DRY FERTILIZER	APPLE VALLEY	BACKYARD OF 14716 HALLMARK DR APPLE VALLEY, MN			
08/31/1994	94-0545	TRUGREEN/CHEMLAWN	LEAK IN HOSE	BRAODLEAF HERBICIDE AND FERTILIZER IN WATER	ROSEMOUNT	15620 CLARET AVE. W. ROSEMOUNT			
09/23/1994	94-0681	CONTINENTAL NITROGEN & RESOURCES CO	PRESSURE RELIEF VALVE STORAGE SPHERE POPPED DURING TRANSFER	ANHYDROUS AMMONIA		NORTH UNIT STORAGE SPHERE	ROSEMOUNT	115N	19W
12/16/1993	94-0747	VIGORO INDUSTRIES INC	REPORTING SAMPLING RESULTS		MIESVILLE	FACILITY IN MIESVILLE			
12/16/1993	94-0749	VIGORO INDUSTRIES INC	REPORT SAMPLING RESULTS			FACILITY-HASTINGS			
12/16/1993	94-0752	VIGORO INDUSTRIES INC	REPORTING SAMPLING RESULTS	ACETOCHLOR - ALACHLOR - METOLACHLOR - TRIFLURALIN - NITROGEN		FACILITY - RANDOLPH			
09/13/1994	94-0762	CONTINENTAL NITROGEN & RESOURCES CO	MFG OF FERTILIZER	ANHYDROUS AMMONIA	ROSEMOUNT	5300 PINE BEND TRAIL			
03/18/1994	94-0767	UNKNOWN	SOMEONE DUMPED MALATHION INTO DISPLAY CASE	ORTHO MALATHION	BURNSVILLE	DISPLAY CASE AT KIDS WILL BE KIDS, 915 W. CO. RD., SUITE 1095, BURNSVILLE			
05/05/1994	94-0772	C F INDUSTRIES INC	OFF LOADING FERTILIZER	DRY FERTILIZER	ROSEMOUNT	BARGE LOAD/UNLOAD/CONVEYOR QUANTITY	ROSEMOUNT	115N	19W 17
07/16/1994	94-0773	CONTINENTAL NITROGEN & RESOURCES CO	LEAKING SEALS ON PUMP	28% LIQUID FERTILIZER	ROSEMOUNT	BULK LIQUID FERTILIZER-UNKNOWN QUANTITY	ROSEMOUNT	115N	19W
11/21/1994	95-0043	YELLOW FREIGHT SYSTEMS INC	FORKLIFT PUNCTURED CONTAINER WHEN LOADING		BURNSVILLE	12400 DUPONT AVE SO, BURNSVILLE			
11/16/1994	95-0064	FARMERS UNION COOP OIL ASSN	SITE ASSESSMENT			AT FARMERS UNION COOP-FARMINGTON SITE ID 11842			
01/09/1995	95-0107	CONTINENTAL NITROGEN & RESOURCES CO	MANUFACTURING OF 10-34-0 FERTILIZER.	ANHYDROUS AMMONIA STORAGE CONTAINERS	ROSEMOUNT	5300 PINE BEND TRAIL			
03/27/1995	95-0221	MIDSTATE RECLAMATION	TRUCK ROLLOVER	CANNON HERBICIDE-CONTAMINATED SOIL BOUND FOR USPCI	SAVAGE	HWY 52 OFF RAMP LEADING TO HWY 55, CITY OF ROSEMOUNT	NININGER	115N	18W 18
04/28/1995	95-0275	TRUGREEN/CHEMLAWN	VALVE TURNED WRONG WAY	30-40 GALLON TANKMIX 17-0-5 WITH TRIMEC 959, PREM 33 EC & TURFLAN	LAKEVILLE	20815 ISLE AVE-LAKEVILLE			
05/11/1995	95-0307	TRUGREEN/CHEMLAWN	RETURN LINE RUPTURED	10 GALLON TANKMIX WITH 17-0-5 LIQUID FERT., TURFLAN, PRE-M, TRIMEC	EAGAN	4651 BEACON HILL - EAGAN			
08/17/1995	95-0720	DAKOTA TURF INC	ALLEGED DUMPING OF TANKMIX	TRACE LEVELS OF 2,4-D AND DICAMBA	FARMINGTON	GRAVEL ALLEY BEHIND ELM STREET			
10/03/1995	96-0001	CONTINENTAL NITROGEN & RESOURCES CO	PURGING 250,000 GALLON TANK OF VAPORS	3,000 LBS AA IN THE FORM OF VAPORS	ROSEMOUNT	12955 COURTHOUSE BLVD, ROSEMOUNT	ROSEMOUNT	115N	19W 18
10/27/1995	96-0078	B F I ACTION DISPOSAL SYSTEM	ALLEGED DUMPING	35 GALLON DRUM OF TOTAL WEEDKILLER	INVER GROVE HEIGHTS	PINE BEND LANDFILL	INVER GROVE HEIGHTS	27N	22W
01/04/1996	96-0111	ENGFER	CONTAINER DROPPED AND SPILLED	ORTHO MALATHION LIQUID	BURNSVILLE	GARAGE AT RESIDENCE OF MIKE & JEANNE ENGFER - FUMES SPREAD TO CLOSET, BASEMENT, AND BEDROOM ADJACENT TO GARAGE.	BURNSVILLE	115N	21W
05/07/1996	96-0274	RECHTZIGEL	POSSIBLE VANDALISM, VALVE OPENED	ANHYDROUS AMMONIA	APPLE VALLEY	APPLE VALLEY CITY LIMITS, NORTH SIDE OF ROAD, IN FIELD ADJACENT TO RESIDENT AT 6533 160TH ST W			

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident					
					Civil Division	Description	Township / Range / Section			
05/07/1996	96-0276	C F INDUSTRIES INC	MECHANICAL FAILURE OF REFRIGERATION UNIT	330 LBS ANHYDROUS AMMONIA	ROSEMOUNT	ANHYDROUS AMMONIA REFRIGERATOR UNIT	ROSEMOUNT	115N	19W	17
05/01/1996	96-0280	CONTINENTAL NITROGEN & RESOURCES CO	LEAK IN SEMI LOAD OUT LINE	AQUA AMMONIA	ROSEMOUNT	CNR STIE, 12955 COURTHOUSE BLVD.	ROSEMOUNT	115N	19W	18
06/05/1996	96-0343	FARMERS MILL & ELEVATOR INC	APPLICATOR CAME TO A QUICK STOP, PRODUCT SPLASHED OUT THE TOP OF THE UNIT ONTO THE PAVEMENT.	2 QT TANKMIX OF WATER, PROWL, MARKSMAN & BLADEX	CASTLE ROCK	TURNING OUT OF THE FACILITY ONTO HIGHWAY 86	CASTLE ROCK	113N	19W	31
06/26/1996	96-0448	C F INDUSTRIES INC	CRACK DEVELOPED IN 2" LINE (WHILE OFF LOADING BARGE)	25-30 GALS OF 28%	ROSEMOUNT	BARGE UNLOADING STATION	ROSEMOUNT	115N	19W	17
06/11/1996	96-0501	FARMERS MILL & ELEVATOR INC	BULK STORAGE TANK VENTING - ALLEGED	ANHYDROUS AMMONIA	CASTLE ROCK	BULK ANHYDROUS AMMONIA STORAGE FACILITY	CASTLE ROCK	113N	19W	31
06/20/1996	96-0519	KLEESPIE TANK & PETROLEUM EQUIPMENT	BLEEDING VAPORS FROM AMMONIA TANK	RESIDUAL VAPORS FROM A NURSE TANK	NEWPORT	1680 4TH AVE. NEWPORT, MN				
08/05/1996	96-0616	INVER GROVE HEIGHTS CITY OF	COMPLAINT OF AN ALLEGED LAWCARE CHEMICAL DUMPING. PROBABLE TANKMIX DUMPING.		INVER GROVE HEIGHTS	SOUTH VALLEY PARK NEAR PUBLIC WELL #4, IGH				
01/19/1982	96-0989	FARMERS MILL & ELEVATOR INC	LEAKING OF RINSEATE FROM BELOW GRADE RINSEATE PIT	MULTIPLE HERBICIDES		AREA NORTH & NORTHEAST OF FORMER BULK DIKE				
12/12/1996	96-1020	VALLEY MIDDLE SCHOOL	LEAK IN PRESSURIZED TANK PLUMBING	CHLORINE FOR SWIMMING POOL	APPLE VALLEY	VALLEY MIDDLE SCHOOL				
07/01/1997	96-1464	UNKNOWN	UNKNOWN	YELLOW STAIN		WEST FOR 2 MILES ON 205TH ST AT HWY 61	MARSHAN	114N	17W	28
04/20/1998	CF-2130	TRUGREEN/CHEMLAWN	VALVE MALFUCTION	TANKMIX OF LIQUID FERT AND WEED CONTROL CHEMICALS	EAGAN	725 SUMMER LANE, EAGAN				
07/21/1998	CF-2619	BURNSVILLE CITY OF		2 1/2 GALLON CONTAINER OF ROUNDUP PRO RELEASED/QT	BURNSVILLE	CITY MAINTENANCE FACILITY AT 13713 FRONTIER CT	BURNSVILLE	115N	21W	
09/29/1998	CF-2802	MORSE	MIXTURE OF UNREACTIVE POOL CHEMICALS CAUSED EXPLOSION	SEVERAL CHEMICALS MANUFACTURED BY BIO-LAB, INC.	APPLE VALLEY	BACKYARD INGROUND SWIMMING POOL @ 4746 W 137TH ST				
11/20/1998	CF-2926	CONTINENTAL NITROGEN & RESOURCES CO	PREMATURE OPENING OF PRESSURE RELIEF VALVE	200 LBS ANHYDROUS AMMONIA		RAIL CAR TRANSFER/SPHERE STORAGE TANK				
07/30/1998	CF-2946	GREENSKEEPER THE	VALVE TURNED WRONG WAY	1.5 GALLONS MSMA (TANKMIX)	INVER GROVE HEIGHTS	6520 SO ROBERT, INVER GROVE HEIGHTS				
08/04/1998	CF-2947	TRUGREEN/CHEMLAWN	VAN ROLLED OVER	200 LBS OF BAGGED POTASH, 200 GALLON TANKMIX OF LIQUID FERTILIZER, TRIMEC & WATER		SOUTHBOUND 35 E IMMEDIATELY NORTH OF CO RD 11				
01/15/1999	CF-3033	CONTINENTAL NITROGEN & RESOURCES CO	PIPE LEAK DURING THE LOADING PROCESS OF A RAIL CAR	LIQUID FERTILIZER TANSFER	ROSEMOUNT	RAILCAR LOADING AREA	ROSEMOUNT	115N	19W	
04/27/1999	CF-3258	BAUER	QUICK COUPLER FAILURE	AA 200 GALLONS	HASTINGS	1/4 MILE EAST OF NICOLI AVE ON 230TH ST	DOUGLAS	113N	17W	11
06/02/1999	CF-3462	BURNSVILLE PARKS DEPT CITY OF	LEAKING SPRAYER	TANKMIX OF ROUNDUP, PENNANT AND SCYTHE 7 GALLONS	BURNSVILLE	SOUTH CROSS DRIVE AND EARLE SHORES LANE				
07/13/1999	CF-3720	APPLE VALLEY CITY OF	UNSECURED LOAD	CONTAINER OF RIVERDALE TRIPLET	APPLE VALLEY	INTERSECTION OF JOHNNY CAKE RIDGE RD & 142ND STREET				
08/14/1999	CF-3835	CONTINENTAL NITROGEN & RESOURCES CO	RELIEF VALVE MALFUNCTION	ANHYDROUS AMMONIA VAPORS		FACILITY - 82 FOOT DIAMETER ANHYDROUS STORAGE TANK				

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident			
					Civil Division	Description	Township / Range / Section	
09/15/1999	CF-4029	WESTERN COOP TRANSPORT	ACCIDENTAL VALVE RELEASE OF AMMONIA	ANHYDROUS AMMONIA. AMOUNT OF LOSS IS AN ESTIMATE	ROSEMOUNT	13040 PINE BEND TRAIL, INVER GROVE HTS, MN	ROSEMOUNT	115N 19W
03/30/2000	CF-4205	PERCELL	FIRE	POOL CHEMICALS	EAGAN	GARAGE 1817 TURQUOISE TRAIL, EAGAN, MN		
03/14/2000	CF-4360	AMERICAN AG CO	FIRE	BAGGED IMPREGNATED FERTILIZER & RESMETHRIN	SOUTH SAINT PAUL	MAINTENANCE SHOP AT FACILITY		
05/08/2000	CF-4377	TRUGREEN/CHEMLAWN	BELIEVED TO BE A TANK TRANSFER PROBLEM	10 GALLON TANKMIX OF TRIMEC 959, BARRICADE, 17-0-5 LIQUID FERTILIZER	ROSEMOUNT	4249 145TH ST W, ROSEMOUNT		
06/21/2000	CF-4592	TRUGREEN/CHEMLAWN	HOSE CONNECTOR FAILED. PRODUCT SPILLED INSIDE DAM OF TRUCK. SPILLED OUT.	TRIMEC 959 AND LIQUID FERTILIZER 17-0-5. 5 GALLON TANKMIX.	HASTINGS	115 W 37TH ST, ONTO ASPHALT ROAD		
07/14/2000	CF-4729	METROPOLITAN MOSQUITO CONTROL DIST	ATV MOUNTED SPRAY TANK FELL OFF ATV	1 GALLON OF 10% PERMETHRIN SOLUTION	NORTHFIELD	1200 WOODLAND TRAIL, NORTHFIELD, MN 55057	GREENVALE	112N 20W 25
08/11/2000	CF-4814	TRUGREEN/CHEMLAWN	HOSE BECAME DISCONNECTED	5 GALLON DILUTE MIX OF TEMPO SC ULTRA AND MORESTAN	LAKEVILLE	7912 GRINNELL WAY, LAKEVILLE		
10/25/2000	CF-5008	CONTINENTAL NITROGEN & RESOURCES CO	OVERFILLED 27K TANK THAT BACK PRESSURED AN UNDERGROUND 18" VAPOR LINE.	30 GALLONS OF AQUA AMMONIA.		FACILITY, NEAR TRUCK LOADING AREA.		
01/25/2001	CF-5152	FARMERS MILL & ELEVATOR INC	USE AA AS A PRECURSOR FOR METH PRODUCTION	POSSIBLE THEFT OF AA	CASTLE ROCK	AT NURSE TANK STORAGE AREA	CASTLE ROCK	113N 19W 31
01/26/2001	CF-5153	FARMERS MILL & ELEVATOR INC	USE AA A PRECURSOR FOR METH PRODUCTION	POSSIBLE THEFT OF AA	CASTLE ROCK	AT NURSE TANK STORAGE LOCATION	CASTLE ROCK	113N 19W 31
04/26/2001	CF-5436	GREEN STUFF INC	AUTOMOBILE ACCIDENT WITH APPLICATOR VEHICLE	4 GALLON TANKMIX OF BARRICADE AND TRIMEC	BURNSVILLE	INTERSECTION OF SOUTHCROSS DR & PORTLAND AVE S, BURNSVILLE		
09/18/2001	CF-6030	LAKEVILLE CITY OF	TANK TIPOVER, LEAKED FROM TOP. NOT PUNCTURED	TRIMEC AND WATER AT APPLICATION RATES 50-75 GALS	LAKEVILLE	KENSINGTON PARK, 20600 Kensington Blvd.	CREDIT RIVER	114N 21W 25
10/13/2001	CF-6109	SHIELD	RAIN FELL INTO AN OPEN BUCKET OF CALCIUM HYPOCHLORITE	SWIMMING POOL PUCKS IN A 10# PAIL.	LAKEVILLE	RESIDENCE AT 16866 GREENLAND PATH, LAKEVILLE		
01/02/2002	CF-6330	CONTINENTAL NITROGEN & RESOURCES CO	SPILL THROUGH OVERPRESSURIZED TANKCAR.	300 GALLONS UAN.	ROSEMOUNT	FACILITY RAILROAD OFFLOADING AREA LOCATED NEAR THEIR 28-0-0 UST.	ROSEMOUNT	115N 19W
06/10/2002	CF-6985	A A A LAWN SERVICE	PRESSURE VALVE FAILURE	10 GALLON TANKMIX OF 2,4-D, TRIMEC, UREA & POTASH	APPLE VALLEY	STREET		
06/30/2002	CF-7068	C F INDUSTRIES INC	HEAT BUILDUP CAUSED PRESSURE TO RISE, PRESSURE RELIEF VALVE OPERATED THEN RESEATED	1700 LBS ANHYDROUS AMMONIA	ROSEMOUNT	REFRIFERATED STORAGE TANK	ROSEMOUNT	115N 19W
06/12/2002	CF-7185	BEDNAR	ALLEGED ACCIDENTAL DUMPING OF LIQUID FERTILIZER	POSSIBLY LAWNCARE VEHICLE	SUNFISH LAKE	25' x 15' AREA AT 330 SALEM CHURCH RD, SUNFISH LAKE		
07/05/2002	CF-7195	METROPOLITAN MOSQUITO CONTROL DIST	BROKEN FILLING ON A BACK PACK SPRAYER	PERMETHRIN PRO	EAGAN	STREET		
08/20/2002	CF-7269	TERRA PRODUCTS	ELECTRICAL FIRE.	PALLET OF NON-PEST FERTILIZER. SMALL PACKAGED PEST FOR GREENHOUSE USE.	LAKEVILLE	GREENHOUSE, 20230 KENRICK AVE, LAKEVILLE. RETAIL AREA NOT DAMAGED.		

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
06/19/2002	CF-7363	WESTERN COOP TRANSPORT	TRAILER WAS NOT COMPLETELY CLOSED	ANHYDROUS AMMONIA	ROSEMOUNT	TRUCK LOADING STATION #3 = BLEEDER VALVE ON	ROSEMOUNT 115N 19W
08/30/2002	CF-7376	C F INDUSTRIES INC	VALVE FAILURE, FAULTY GASKET	ANHYDROUS AMONIA	ROSEMOUNT	FACILITY, RAILCAR LOADING AREA	ROSEMOUNT 115N 19W
05/08/2003	CF-8231	UNKNOWN	2.5 GALLON CONTAINER FELL OFF SERVICE VEHICLE	PENDULUM HERBICIDE	BURNSVILLE	SW CORNER OF HWY 13 AND CO RD 5 INTERSECTION	
05/08/2003	CF-8233	CONTINENTAL NITROGEN & RESOURCES CO	HUMAN ERROR. OVERFILLED RAILCAR. PRESSURE RELIEF VALVE OPENED.	ANHYDROUS AMMONIA	ROSEMOUNT	RAILCAR	NININGER 115N 18W 18
05/12/2003	CF-8234	C G T LTD	HOSE RUPTURE ON APPLICATOR	PRE-M AND BROADLEAF WEED CONTROL. 85 GALLON TANKMIX.	LAKEVILLE	RESIDENCE	
05/15/2003	CF-8238	TRUGREEN/CHEMLAWN	TRANSFER VALVE PROBLEM ON APPLICATOR	2-3 GALLONS OF A FERT HERBICIDE MIX	APPLE VALLEY	ASPHALT STREET	
05/16/2003	CF-8240	TRUGREEN/CHEMLAWN	HOSE CLAMP LOOSE ON REEL	3-4 GALLONS, 17-0-5, TRI-POWER AND BARRICADE	EAGAN	CURB AND GUTTER	EAGAN 27N 23W 31
05/19/2003	CF-8242	CONTINENTAL NITROGEN & RESOURCES CO	BROKEN TUBE TO PRESSURE SWITCH ON THE PUMP	125 GALLONS UAN	ROSEMOUNT	BY TANK OFF LOADING SITE	NININGER 115N 18W 18
06/12/2003	CF-8251	TRUGREEN/CHEMLAWN	VALVE LEFT OPEN	2 GALLONS LAWN CARE CHEMICALS	EAGAN	RESIDENTIAL STREET	
06/28/2003	CF-8313	AG PARTNERS	RUPTURED WITHDRAWAL HOSE	ANHYDROUS AMMONIA		WITHIN IN CORN FIELD ACROSS FROM 17900 MICHAEL AVE	
07/02/2003	CF-8433	WENEK ASSOCIATES	APPLICATOR TIP OVER WHEN CROSSING STEEP SLOPE	DRY FERTILIZER	BURNSVILLE	PARK NICOLLET CLINIC	
10/13/2003	CF-8482	SPRING GREEN LAWN CARE	RUPTURED HOSE. HOSE RUBBED AGAINST PULLY.	200 GALLONS OF A 300 GALLON TANKMIX. UREA AND LESCO 3-WAY.		1143 CLIFF RD E. BURNSVILLE. INSIDE BUILDING THEY LEASE WITHIN STRIPMALL.	
11/12/2003	CF-8553	SPRING GREEN LAWN CARE	APPLICATOR FELL OFF BACK OF LAWN CARE SERVICE TRUCK	DRY FERTILIZER		SOMEWHERE BETWEEN SAINT PAUL PARK AND BURNSVILLE	
11/14/2003	CF-8554	CONTINENTAL NITROGEN & RESOURCES CO	FAULTY TRANSFER VALVE CAUSED SYSTEM TO OVER PRESSURE	ANHYDROUS AMMONIA	ROSEMOUNT	ANHYDROUS AMMONIA TERMINAL	NININGER 115N 18W 18
02/26/2004	CF-8784	CONTINENTAL NITROGEN & RESOURCES CO	VALVE MALFUNCTION	ANHYDROUS AMMONIA		RAIL LINE NEAR BULK AA TANKS.	
05/18/2004	CF-9018	TRUGREEN/CHEMLAWN	SPILL OCCURRED WHILE SWITCHING TANKS	17-0-5, BARRICADE AND TRIPLET TANKMIX		STREET	
06/02/2004	CF-9032	LPR SABOURIN TRANSPORT	TRAFFIC ACCIDENT	SEMI TRUCK LOAD OF POTASH FERTILIZER FROM CANADA		75 FEET EAST OF INTERSECTION OF CO 86 AND FAIRGREEN AVE. SOUTH SIDE OF ROAD.	
06/28/2004	CF-9111	FARM AVANTAGE	TIRE FLAT.	1300 GALLONS UAN		NORTH OF INTERSECTION OF CO HWY 20 AND 260TH. WEST SIDE OF RD.	
07/04/2004	CF-9152	BRIDGEWOOD APARTMENTS	CRIMINAL ACTIVITY	FERTI-LOME TRIPLE ACTION INSECTICIDE-MITICIDE-FUNGICIDE		STAIRWELL IN APARTMENT COMPLEX	
09/17/2004	CF-9329	RIVER COUNTRY COOP	VALVE LEAK ON TANK # 25. ALLEGED HUMAN EXPOSURE. HOSPITALIZATION.	ANHYDROUS AMMONIA.		NURSE TANK STORAGE AREA	
11/24/2004	CF-9414	RIVER COUNTRY COOP	TEMPERATURE FLUCTUATIONS CAUSED NURSE TANK VALVE TO OPEN.	ANHYDROUS AMMONIA.		NURSE TANK STORAGE AREA AT FACILITY. FACILITY LIES EAST OF INTERSECTION OF 180 TH ST AND HIGHWAY 316.	
01/11/2005	CF-9453	RIVER COUNTRY COOP	VALVE LEAK THAT MAY OR MAY NOT BE	ANHYDROUS AMMONIA		FACILITY PROPERTY	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
			CAUSED BY VANDALS.				
02/08/2005	CF-9597	RIVER COUNTRY COOP	ALLEGED TAMPERING	ANHYDROUS AMMONIA		NURSE TANK PARKING.	
/ /	CF-9769	TERRA CARE INC	ABANDONED SITE				
/ /	CF-9874	PROFESSIONAL TURF INC	ABANDONED SITE				
/ /	CF-9884	TRUGREEN/CHEMLAWN	ABANDONED SITE				
/ /	CF-9885	TRUGREEN/CHEMLAWN	ABANDONED SITE				
/ /	CF-9959	WINKO WAREHOUSE	ABANDONED SITE				
03/31/2005	CF-9975	RIVER COUNTRY COOP	THREADS CORRODED ON INLOAD/OUTLOAD PIPE	28% UAN. 10,229 GALLONS		WITHIN SECONDARY CONTAINMENT. UNROOFED. TANK #3.	
05/04/2005	CF-10030	RIVER COUNTRY COOP	TEMPERATURE FLUCTUATIONS CAUSED VALVE TO OPEN.	ANHYDROUS AMMONIA.		NURSE TANK STORAGE.	
05/07/2005	CF-10054	TRUGREEN/CHEMLAWN	VALVE ON TRUCK TURNED WRONG WAY.	100 GALLONS OF 17-0-3 AND WEEDONE.		145TH STREET NEAR EWING, BURNSVILLE	
/ /	CF-10099	LAKEVILLE GROWERS	ABANDONED SITE				
/ /	CF-10101	CHEMLAWN	ABANDONED SITE				
06/16/2005	CF-10171	RIVER COUNTRY COOP	TEMP FLUCTUATIONS CAUSED VALVE TO UNSEAT.	ANHYDROUS AMMONIA		AT NURSE TANK STORAGE LOCATION. 5454 250 TH ST E.	
06/14/2005	CF-10183	UNKNOWN	NURSE TANK LEAKING FROM WITHDRAWAL VALVE.	ANHYDROUS AMMONIA-MINIMAL QUANTITY.		HWY 52 AND CO RD 88. OFF INGA AVENUE IN FIELD.	
06/13/2005	CF-10184	FRITZ FRANDRUP	TEMP FLUCTUATIONS MAY HAVE CAUSED VALVE TO LEAK.	ANHYDROUS AMMONIA.		AT 17095 FISHER AVENUE.	
06/18/2005	CF-10185	RIVER COUNTRY COOP	TEMP FLUCTATIONS CAUSED VALVE TO BECOME UNSEATED.	ANHYDROUS AMMONIA.		FIELD @ CEDAR AND 235TH STREET.	
06/30/2005	CF-10196	UNKNOWN	ALLEGED DUMPING.	PESTICIDE AND FERTILIZER TANKMIX.		AT INTERSECTION OF CLIFF RD AND 110TH COURT.	
08/02/2005	CF-10269	WRIGHT TREE SERVICE	PESTICIDE NIX FELL OVER SIDE BOARDS AND STRUCK ROAD SURFACE.	6 GALLONS OF 33% BK800, 66% BARK OIL BLUE, 1% STOCKER		INTERSECTION OF HINTON AVENUE AND 80TH STREET IN COTTAGE GROVE	
08/05/2005	CF-10284	RIVER COUNTRY COOP	TEMPERATURE CHANGES CAUSED VALVE TO UNSEAT.	ANHYDROUS AMMONIA- TRACE		AT FACILITY NURSE TANK STORAGE AREA.	
10/31/2005	CF-10559	UNION PACIFIC RAILROAD	LIQUID VALVE PACKING	ANHYDROUS AMMONIA		WITHIN RAILYARD 300 YARDS N OF 301 HARDMAN AVE	
12/05/2005	CF-10613	CONTINENTAL NITROGEN & RESOURCES CO	LEAKING BULK STORAGE TANK.	300 GALLONS LIQUID FERT (UAN).		BULK CONTAINMENT. LINED.	
01/25/2006	CF-10671	CONTINENTAL NITROGEN & RESOURCES CO	RAIL CAR RELIEF VALVE MALFUNCTION.	300 GALLONS UAN.		RAIL CAR UNLOADING.	
06/14/2005	CF-10694	RIVER COUNTRY COOP	OPEN W/D VALVE ON PARKED NURSE TANK. NURSE TANK WAS EMPTY.	ANHYDROUS AMMONIA VAPOR RELEASE.		112N/R18W, SECTION 12, E 1/2 OF THE NE4. WITHIN FIELD	
04/17/2006	CF-10749	RIVER COUNTRY COOP	LEAKING WITHDRAWAL VALVE.	TRACE OF AA VAPOR.		909 VERMILLION STREET IN HASTINGS.	
04/16/2006	CF-10760	RIVER COUNTRY COOP	ALLEGED TAMPERING.	ANHYDROUS AMMONIA.		BETWEEN NH3 STORAGE TANKS AND LIQUID FERTILIZER/BULK PESTICIDE DIKE AREAS.	
05/04/2006	CF-10844	FLINT HILLS RESOURCES	LEAK FROM TRANSFER PUMP.	1 CUP X-CIDE 102.		12555 US HWY 52	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
05/24/2006	CF-10953	TRUGREEN/CHEMLAWN	OPERATOR ERROR.	5 GALLON TANKMIX OF TRIPLETT, BARRICADE, AND 17-0-3.		STREET, 5394 180TH STREET, FARMINGTON.	
04/26/2006	CF-11036	CONTINENTAL NITROGEN & RESOURCES CO	PONDED WATERIN DIKE (W/NITROGEN LEAKING FROM TANK) DIRECTLY PUMPED OVER SIDE OF DIKE	NITROGEN LIQUID FERTILIZER UAN		DIKE WATER FROM SOUTHWESTERLY CORNER OF DIKE DISCHARGE TO SOUTHEASTERLY AREA	
07/31/2006	CF-11062	RIVER COUNTRY COOP	VALVE ON NURSE TANK WAS UNSEATED.	ANHYDROUS AMMONIA.		NURSE TANK PARKING AREA. SOUTHSIDE OF 180TH ST ACROSS FROM OFFICE BUILDING.	
08/20/2006	CF-11154	RIVER COUNTRY COOP	LEAK FROM NURSE TANK VALVE.	ANHYDROUS AMMONIA		NURSE TANK PARKING.	
09/05/2006	CF-11178	RIVER COUNTRY COOP	UNSEATED VALVE ON NURSE TANK.	ANHYDROUS AMMONIA VAPOR.		AT FACILITY. 15301 180TH STREET HASTINGS.	
01/16/2007	CF-11317	CONTINENTAL NITROGEN & RESOURCES CO	RELEASE OF AMMONIA VAPORS INTO ATMOSPHERE.	7 GALLONS OF AMMONIA.		12955 COURTHOUSE BLVD.	
04/10/2007	CF-11339	C F INDUSTRIES INC	UNDERGROUND PIPING JOINT FAILED RELEASING UAN.	AN UNKNOWN AMOUNT OF UAN RELEASED. DISCOVERED ON 04-10-2007. DATE OF INITIAL LEAK IS UNKNOWN. PIPING WAS EMPTY OVER THE WINTER.		DITCH BETWEEN ASPHALT DRIVE AND ANHYDROUS AMMONIA BULLET.	
06/05/2007	CF-11415	RIVER COUNTRY COOP	UNSEATED NURSE TANK WITHDRAWAL VALVE. TANK WAS FIELD EMPTIED AND WAS BROUGHT BACK TO FACILITY FOR REFILLING.	ANHYDROUS AMMONIA.		NURSE TANK LOADING RISERS.	
06/15/2007	CF-11429	RIVER COUNTRY COOP	UNSEATED WITHDRAWAL VALVE ON 1450 GAL NURSE TANK.	ANHYDROUS AMMONIA NURSE TANK WITHDRAWAL VALVE.		AT AGRONOMY FACILITY. 5454 250TH ST E.	
07/30/2007	CF-11523	RIVER COUNTRY COOP	NURSE TANK HAD A SMALL RELEASE FROM VAPOR VALVE.	ANHYDROUS AMMONIA.		NURSE TANK STORAGE AT 15301 180TH ST E, HASTINGS.	
08/12/2007	CF-11530	RIVER COUNTRY COOP	AMMONIA LEAKED FROM FILLER HOSE.	ANHYDROUS AMMONIA.		AT NURSE TANK PARKING AREA IN RANDOLPH.	
08/10/2007	CF-11535	OWEN & TROG PARCELS	Historical	Pesticides (DDT at low levels)	INVER GROVE HEIGHTS	NW of Intersection of Hwy 3 (S Robert Trail) and State Hwy 55	27N 22W 7
09/10/2007	CF-11548	RIVER COUNTRY COOP	ALLEGED VANDALISM	1 QUART AMMONIA.		ANHYDROUS AMMONIA PLANT	
11/12/2007	CF-11594	RIVER COUNTRY COOP	TEMPERATURE FLUCTUATIONS CAUSED VALVE ON NURSE TANK TO BECOME UNSEATED.	ANHYDROUS AMMONIA VAPOR.		NURSE TANK STORAGE/PARKING AREA.	
12/14/2007	CF-11605	RIVER COUNTRY COOP	PRESSURE RELIEF VALVE OPENED SLIGHTLY ON 30,000 GALLON BULK TANK.	ANHYDROUS AMMONIA.		15301 180TH STREET.	
12/12/2007	CF-11606	RIVER COUNTRY COOP	SLIGHT LEAK FROM SYSTEM SHUT-OFF VALVE.	ANHYDROUS AMMONIA		5454 250TH ST E, HAMPTON	
/ /	FY771006	MILWAUKEE ROAD	OVERTURNED BOXCAR	UREA; 1 BOXCAR		HWY 52 CROSSING JUST SOUTH OF PINE BEND	
/ /	FY771007	UNKNOWN	UNKNOWN	2, 5 GALLON CANS OF 2,4-D		FORT SNELLING STATE PARK	
/ /	FY771008	UNKNOWN	DYFONATE WAS USED AS FLOUR IN PANCAKES	DYFONATE UP TO 24 PPM IN LIVER		STAN DREWRY FARM; HAMPTON, MN, CO. RD 47 & 88	
07/15/1977	FY771054	AGRICULTURE SERVICES	APPLIED 7/75, 5/77; STILL RUNOFF	KROVAR I, WEEDGONE 170	EAGAN	UNKNOWN	
08/23/1978	FY781012	CHICAGO NORTHWESTERN RR	18 RAILCARS DERAILED	2 CARS NA3N03, 7 CARS NH4P04, 9 CARS COKE	INVER GROVE HGTS	INVER GROVE HEIGHTS, MINNESOTA	
12/25/1979	FY791005	MURRY	JOAN PUT ARSENIC IN FOOD &	TERRO ANT KILLER PLACED IN FOOD AND	BURNSVILLE	HOME	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
			BEVERAGES	BEVERAGE			
06/28/1979	FY791054	METROPOLITAN MOSQUITO CONTROL DIST	THEY WANT TO TEST CONCENTRATION OF ABATE	2 CANS ABATE, 4 EC		MMCD HEADQUARTERS, U OF M, ROSEMOUNT	ROSEMOUNT 115N 19W
08/14/1979	FY791060	UNKNOWN	IGH POST OFFICE OR CARRIER'S CAR	FICAM-D DUST; 5 POUND BAG		INVER GROVE HEIGHTS	
09/27/1979	FY791062	C F INDUSTRIES INC	AA SPILL ON MISSISSIPPI FROM PRESSURE VALVE	100 TON AA		RIVER MILE 823.5	
02/05/1979	FY791064	UNKNOWN	TOXAPHENE LEAKING FROM TRAILER	TOXAPHENE		STATE WEIGH STATION IN BURNSVILLE	
06/26/1981	FY811434	EDWARDS CONTRACTING INC	TRUCK OVERTURN INTO ROAD DITCH	2,4-D, 5 GALLONS IN 500 GALLONS WATER	INVER GROVE HTS	11810 AKRON AVENUE	
01/26/1981	FY811703	SUBURBAN GAS	FLOYD K. WAS IN SHOP. HE BECAME VERY ILL	POSSIBLE PESTICIDE IN BARREL	INVER GROVE HTS	10825 COURTHOUSE BOULEVARD	
08/19/1982	FY831014	EVERGREEN LAWNS CORP	SPRAY GUN HAD BEEN ACCIDENTALLY LEFT OPEN LAST TIM	150 GALLONS 14-2-6	SOUTH ST PAUL	1106 - SEVENTH AVE SOUTH , SOUTH ST PAUL	
05/05/1983	FY831055	RIVER COUNTRY COOP	NURSE TANK BROKE FREE FROM TRAILER/ROLLED IN DITCH	ANHYDROUS AMMONIA	HAMPTON	220TH & HAGEN, HAMPTON, MINNESOTA	
07/07/1983	FY841001	P H FEELY & SON INC	FIRE	NO PESTICIDES WERE INVOLVED	FARMINGTON	ELEVATOR	FARMINGTON 114N 20W
11/08/1983	FY841008	FARMERS UNION COOP OIL ASSN	8 DEAD HOGS FROM POISON	COUNTER OR STRYCHNINE	LAKEVILLE	18375 DODD BLVD., LAKEVILLE	
11/16/1983	FY841013	FOSTER FARMS	TRUCK OVERTURNED	54,980 LBS. OF AMMONIUM NITRATE		HIGHWAY 13 AT JUNCTION OF HIGHWAY 55, MENDOTA, MN	
06/20/1984	FY841071	EVERGREEN LAWNS CORP	COMPLAINT OF MILKY LIQUID DISCHARGE	UNKNOWN	BURNSVILLE	11583 RUPP DRIVE	
05/09/1984	FY841078	RIVER COUNTRY COOP	UNCONTAINED RUNOFF KILLING NRBY GROVE OF PINE TREE	ALACHLOR - .2 PPM		AT SITE OF STORAGE FACILITY	HAMPTON 113N 18W 21
08/02/1984	FY851016	UNKNOWN	VANDALISM	UNKNOWN PRODUCT		HASTINGS, MINNESOTA	
11/20/1984	FY851026	UNKNOWN	SPILL FROM TRUCK	NA(OH) SODIUM HYDROXIDE		SOUTH SAINT PAUL	
09/30/1985	FY861006	TRANSPORT INC	DRIVER DUMPED LOAD OF NH3 ON ROADWAY	LOAD OF NH3		.5 MI E OF 52 ON COUNTY ROAD 42	
02/12/1986	FY861025	3-M CHEMOLITE PLANT	AMMONIUM SULFATE DIVERTED TO STORAGE PONDS	AMMONIUM SULFATE	HASTINGS	STORAGE PONDS AT 3M CHEMOLITE PLANT	HASTINGS 115N 17W
04/23/1986	FY861034	VIGORO INDUSTRIES INC	HOSE CAME OFF STORAGE TANK	285 GALLONS ERADICANE EXTRA		AT COMINCO AMERICAN	
05/06/1986	FY861040	OTTE ENTERPRISES	FERTILIZER ROLLED OFF OF TRUCK WHILE TURNING IN FI	7-21-7 10920 POUNDS		NORTHWEST OF RANDOLPH, MN.	HAMPTON 113N 18W 31
06/20/1986	FY861072	VIGORO INDUSTRIES INC	AA NURSE TANK ROLLOVER	UNKNOWN		UNKNOWN	
05/27/1986	FY861076	EVERGREEN LAWNS CORP	TRUCK RAN OFF ROAD INTO DITCH	1000 GALLONS UNSPECIFIED LAWN CHEMICAL	WEST ST PAUL	NEAR SOMMERSET GOLF COURSE; 551 EMERSON AVE.	
04/02/1988	FY86R177	FARMERS MILL & ELEVATOR INC		MULTIPLE HERBICIDES		SOUTH OF SOUTHERN BUILDING, APPROXIMATELY 200' NORTH OF COUNTY RD 86 & DANVILLE AVE.	
08/26/1986	FY871008	CHEMLAWN SERVICES CORP	HOSE BLEW OFF VEHICLE	7 GALLON OF 16-2-6, 400ML FENABEN 81 PREEMERGENT HERBICI	SO ST PAUL	CORNER OF NINETH AVE AND THIRD STR. S.ST.PAUL	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
DAKOTA COUNTY
 from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident			
					Civil Division	Description	Township / Range / Section	
04/08/1987	FY871023	VIGORO INDUSTRIES INC	FAULTY VALVE ON NURSE TANKS	SMALL AMOUNT OF ANHYDROUS AMMONIA	HASTINGS	180TH AND ORLANDO; SOUTHEAST OF HASTINGS	MARSHAN	114N 17W 12
05/07/1987	FY871048	RIVER COUNTRY COOP	SPRAY LOST WHILE MIXING	3 PINTS TREFLAN IN 30 GALLONS OF WATER	HAMPTON	HAMPTON PLANT	HAMPTON	113N 18W 20
05/18/1987	FY871050	RIVER COUNTRY COOP	BROKEN TANK HOSE LAYING OUTSIDE OF THE DIKE	1,001.7 GAL. LASS. FOUND CYANAZINE AND ATRAZINE AT 2ND EXCAV		HY. 56 AT 250TH ST.	HAMPTON	113N 18W 20
05/28/1987	FY871058	FARMERS MILL & ELEVATOR INC	SPILL	70 GALLONS OF MIX WATER ATRAZINE TENDEM HERBIMAX CROP OIL	CASTLE ROCK	2 MILES NORTH OF FARMINGTON, EAST SIDE OF ROAD	EMPIRE	114N 19W 17
06/19/1987	FY871065	HOUSE LOEBIG ENTERPRISES INC	CRACKED TANK	4 GALLON, 2,4-D AND GARLON SOLUTION		2 MI S OF ROSEMOUNT ON MN 3 AT LCR STATION		
09/21/1987	FY881020	NORTH STAR ICE	REFRIGERANT	AMMONIA (NON-AG)		WEST ST. PAUL		
05/12/1988	FY881060	FARMERS MILL & ELEVATOR INC	SPILLAGE	5 QT LASSO; 3# BLADEX; 3# ATRAZINE; 100 GAL 28%	CASTLE ROCK	CASTLE ROCK	GREENVALE	112N 20W 22
06/11/1988	FY881099	ORGANIC CONVERSION	FIRE	UNKNOWN AMOUNT COMPOSTED MANURE PRODUCTS	HASTINGS	U.S. HY 52 & 200TH STREET		
04/15/1988	FY88R087	EVERGREEN LAWNS CORP	SPILL	2,4-D, MCPP, PENDIMETHALIN FOUND		AT FACILITY		
04/02/1988	FY89F040	FARMERS MILL & ELEVATOR INC	HISTORIC RELEASE FROM PAST PRACTICES	ATRAZINE & ALACHLOR	CASTLE ROCK	UNKNOWN	CASTLE ROCK	113N 19W 31
03/02/1989	FY891049	CONTINENTAL NITROGEN & RESOURCES CO	FILLING TRUCK LINE	30-40 GAL 28% LIQ FERT LEAKED FROM PIPE OVERNIGHT	ROSEMOUNT	KNR, ROSEMOUNT; 12955 COURTHOUSE BLVD.		
05/03/1989	FY891081	TESSMAN SEED & CHEMICAL	NO INCIDENT FOUND	10 BAGS PRE-EMERGENT HERBICIDE	EAGAN	3660 KENNEBEC DRIVE., EAGAN		
05/11/1989	FY891100	EVERGREEN LAWNS CORP	HOSE BROKE	-10-15 GAL LAWN MIX:16-0-6/BALAN/RIVERDALE/TRIESTER	LAKEVILLE	K6418 JUDICIAL ROAD, LAKEVILLE, MN.		
06/07/1989	FY891152	CHEMLAWN SERVICES CORP	HOSE BREAK	20 GAL LAWN MIX	EAGAN	2900 LONE OAK DRIVE, EAGAN		
07/12/1989	FY901008	EVERGREEN LAWNS CORP	BROKEN HOSE	50 GAL LESCO 3-WAY	APPLE VALLEY	ASPHALT ROAD - 13679 DUNBAR, APPLE VALLEY		
11/28/1989	FY901068	BRACKETTS CROSSING COUNTRY CLUB	ILLEGAL STORAGE, BARREL DISPOSAL	VARIOUS PESTICIDES; 4 LB. BAG DACTHAL-W7S, 20-S ARBOTECT 6-1 GAL CHIPCO TURF HERBICIDE D 3-1 GAL MALATION 1-5 GAL VAPAM 2-10 GAL FORE 1 C-400 CRAB GRASS KILLER 1 ARBOTECT 20-S 3-15 GAL UNKNOWN 1-15 GAL UNKNOWN	LAKEVILLE	17976 JUDICIAL ROAD, LAKEVILLE STORAGE OUTSIDE		
12/15/1989	FY901071	PETERSON	FIRE	METHYL BROMIDE (+POSS OTHERS)	ROSEMOUNT	13780 BLAINE AV, RSMNT	ROSEMOUNT	115N 19W 24
04/05/1990	FY901093	HOPKINS AG CHEM CO	LOOSE LID ON JUG/LEAK	2 1/2 GAL JUG OF VAPONA LIVESTOCK SPRAY		BULK MAIL CTR, EAGAN		
04/02/1990	FY901115	EVERGREEN LAWNS CORP	VALVES WERE SET WRONG	16-0-16, BALAN AND DPC ESTER	BURNSVILLE	FACILITY PARKING LOT		
05/11/1990	FY901149	EVERGREEN LAWNS CORP	HOSE CAME OFF APPL. TRUCK	10-15 GAL LAWN MIX OF 16-0-6, BALAN AND DPC ESTER	APPLE VALLEY	12907 EUCLID AVENUE, APPLE VALLEY		
05/14/1990	FY901152	DAKOTA CNTY HW DEPT-GARAGE	ALLEGED LEAKING BARRELS	POSSIBLE BARRELS CONTAINING 2,4-D	HASTINGS	HWY 47, HASTINGS-GARAGE PROPERTY ALONG VERMILLION RIVER	HASTINGS	115N 17W

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
 DAKOTA COUNTY
 from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	<i>Location of Incident</i>		
					Civil Division	Description	Township / Range / Section
05/30/1990	FY901168	PILLSBURY/GREEN GIANT CO	LID ON TANK WOULD NOT SEAL TIGHT	BASAGRAN	RANDOLPH	TRUCK BED	RANDOLPH 112N 18W 12
06/07/1990	FY901175	EVERGREEN LAWNS CORP	PUMP WAS KICKED ON WHILE SPRAY GUN WAS IN "ON" POSITION	2-3 GALS OF WEED KILL	MENDOTA HGTS	2289 APACHE ST, MENDOTA HGTS. - PAVED ROAD	