



**MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Location of Incident | | | |
|---------------|-----------|--------------------------|---|--|----------------------|---|----------------------------|-------------|
| | | | | | Civil Division | Description | Township / Range / Section | |
| 04/15/1991 | 91-0139 | NORTHERN COUNTRY COOP CO | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN- FOUND ATRAZINE AND ALACHLOR IN LOW LEVELS. | | PROPOSED NEW BULK CONTAINMENT AREA AT THE FACILITY | ALDEN | 102N 23W 03 |
| 06/10/1991 | 91-0496 | RICHLAND COOP SERVICE | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | | BENEATH AN OLD WOOD FLOOR AG CHEM WAREHOUSE | BATH | 104N 21W 34 |
| 03/29/1991 | 91-0829 | MANSFIELD STORE INC | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | | LOAD OUT AND PARKING AREAS. | MANSFIELD | 101N 23W 09 |
| 05/03/1991 | 91-0835 | SPELTZ ELEVATORS INC | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | MYRTLE | AG CHEM FACILITY - IMPREGNATION AREA-DIKE & LOAD PAD AREA | LONDON | 101N 19W 07 |
| 10/03/1991 | 92-0035 | HUNTTING ELEVATOR CO | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | FREEBORN | ADJACENT & IMMEDIATELY N. OF EXISTING FERT DIKE | FREEBORN | 104N 23W 35 |
| 03/02/1992 | 92-0067 | HI YIELD PRODUCTS INC | WELD LEAK IN TANK | FERTILIZER10-34-0/35-40 GALLONS | ALDEN | FERTILIZER DIKE AT FACILITY | CARLSTON | 103N 23W 29 |
| 03/30/1992 | 92-0075 | HI YIELD PRODUCTS INC | LEAK IN BOTTOM OF TANK #3 | 7.75 TONS OF 10-34-0 LEAKED OUT OF A 500,000 GAL TANK | ALDEN | WITHIN THE DIKE AT THE FACILITY IN ALDEN | CARLSTON | 103N 23W 29 |
| 03/31/1992 | 92-0076 | KROWN INC | OVERFILL DURING TRANSFER OF PRODUCT | 150-200 GALLONS 28% LIQUID NITROGEN | HARTLAND | JUST OUTSIDE OF THE FERTVAG CHEM DIKE | HARTLAND | 102N 22W 16 |
| 05/14/1992 | 92-0180 | KROWN INC | PRECONSTRUCTION SOIL SAMPLING | VARIOUS PRODUCTS DETECTED | | PROPOSED NEW BULK CONTAINMENT ARE AT FACILITY | | |
| 06/10/1992 | 92-0183 | PESTORIOUS INC | CLEANING OUT BULK MARKSMAN STORAGE TANK INSIDE DIKE. CLEANING OUT STRAINER - DEPOSITING CONTENTS OUTSIDE OF THE DIKE. | MARKSMAN <1 GAL | ALBERT LEA | BULK CHEMICAL DIKE | PICKERAL LAKE | 102N 21W 04 |
| 06/05/1992 | 92-0222 | HAJEK | ARM OF 3 POINT HITCH BROKE, FLIPPING SPRAYER | 80 GAL TANK MIX CONTAINING 5 GAL LADDOX W/300 GAL WATER. TANK FILLED AT 5 GAL LADDOX IN 300 GAL WATER OR 3.5 PTS/A = @ 3 ACRES LOST. | GLENVILLE | MIDDLE OF GROWING CORN FIELD, NW 1/4 SECT 1, SHELLROCK TOWNSHIP | SHELL ROCK | 101N 20W 01 |
| 08/14/1992 | 92-0288 | HAYWARD COOP | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | HAYWARD | NEW BULK STORAGE AREA AT FACILITY IN HAYWARD | HAYWARD | 102N 20W 09 |
| 03/08/1993 | 93-0041 | MANSFIELD STORE INC | ELBOW BELOW SITE GAUGE RUSTED THROUGH | @2,000 GAL 28% | | LIQUID BULK FERTILIZER DIKE | | |
| 06/22/1993 | 93-0136 | UNKNOWN | ALLEGED DUMPING OF UNKNOWN SUBSTANCE | TURNED OUT TO BE FEED PRODUCT | ALBERT LEA | AT THE SCALE ON I35 SO. AT MILE MARKER 17 | | |
| 07/19/1993 | 93-0192 | HI YIELD PRODUCTS INC | ALLEGED DUMPING OF AMMONIA | UNKNOWN AMOUNT OF ANHYDROUS AMMONIA | ALDEN | AT THE FACILITY JUST OUT OF TOWN | CARLSTON | 103N 23W 31 |
| 08/29/1991 | 93-0196 | KROWN INC | PRECONSTRUCTION SOIL SAMPLING | UNKNOWN | HARTLAND | FERTILIZER DIKE AND LOAD AREA | HARTLAND | 102N 22W 16 |
| 01/26/1994 | 94-0034 | HI YIELD PRODUCTS INC | AIR PRESSURIZED HOSE RUPTURED RELEASING RESIDUE FERTILIZER | 28-0-0 4 GALLONS | | ROUTE 2, BOX 464, 4 MILES W ON HWY 109 | CARLSTON | 103N 23W 29 |
| 01/26/1994 | 94-0036 | HI YIELD PRODUCTS INC | RUPTURED HOSE | | | | CARLSTON | 103N 23W 29 |
| 05/31/1994 | 94-0230 | KROWN INC | SMALL LEAK AT BASE OF TANK | 10 GALLONS RELEASED FROM A 21,000 | HARTLAND | WITHIN BULK FERTILIZER CONCRETE | HARTLAND | 102N 22W 16 |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Civil Division | Description | Township / Range / Section | | |
|---------------|-----------|-----------------------------|---|--|---------------------|---|----------------------------|------|--------|
| | | | | GALLON TANK CONTAINING 37 TONS OF 28-0-0 | | CONTAINMENT | | | |
| 09/12/1994 | 94-0556 | RAY'S AERIAL SPRAYING | SAMPLING - HISTORIC | ATRAZINE - ALACHLOR | | 1/4 WEST OF CO RD 30 & ALONG SOUTH SIDE OF HWY 251 | | | |
| 11/17/1994 | 95-0035 | HAYWARD COOP | HITCH BROKE, DAMAGED QUICK COUPLER AND WITHDRAWAL VALVE | 3000 POUNDS OF AA | | IN FARMERS FIELD | OAKLAND | 102N | 19W 30 |
| 05/06/1995 | 95-0297 | HI YIELD PRODUCTS INC | PIPE BLEW APART | 300 GALLONS RELEASED DURING BULK TANK/SEMI TRUCK TRANSFER | ALDEN | AT FACILITY | CARLSTON | 103N | 23W 29 |
| 05/06/1995 | 95-0298 | KROWN INC | DRIVE WHEEL ENGAGED | SPREADER SPREAD FERTILIZER ON ASPHALT ROAD | | HIGHWAY 13 | HARTLAND | 104N | 22W 21 |
| 06/08/1995 | 95-0472 | PEAVEY CO | UNKNOWN | TRACE LEVELS OF EPTC AND ALACHLOR AT 14 PPM | | | | | |
| 12/01/1995 | 96-0079 | HI YIELD PRODUCTS INC | HOSE BLEW OFF RAIL CAR | 2,500 GALLON OF 28% NITROGEN | ALDEN | YARD OF THE ALDA FACILITY | CARLSTON | 103N | 23W 29 |
| 04/30/1996 | 96-0254 | KROWN INC | FARMER DROVE OFF WITHOUT DISCONNECTING HOSES. | A TRACE OF ANHYDROUS AMMONIA | HARTLAND | ON RAILROAD STREET AT KROWN FACILITY LOCATION. | HARTLAND | 104N | 22W 16 |
| 05/03/1996 | 96-0255 | HI YIELD PRODUCTS INC | DRIVER OF TRANSPORT LEFT BELLY VALVE OPEN. | TRANSPORT TANKER OF LIQUID FERTILIZER. | ALDEN | AT FACILITY, RT 2 BOX 46Y | CARLSTON | 103N | 23W 29 |
| 05/20/1996 | 96-0302 | SPELTZ ELEVATORS INC | 2 1/2 GALLON JUG FELL OFF A TRUCK | 2 1/2 GLA JUG OF TRIFLURALIN 5 QTS RELEASED TO ASPHALT | MYRTLE | CORNER OF HWY 65 & 13 IN GLENVILLE | SHELL ROCK | 101N | 20W 07 |
| 11/08/1993 | 96-0531 | KROWN INC | ROUTINE SAMPLING | | HARTLAND | DRY FERT LOADOUT AREA | HARTLAND | 102N | 22W 16 |
| 12/10/1996 | 96-0936 | WATONWAN FARM SERVICE CO | SITE ASSESSMENT | AG CHEMICALS CONTAMINATION | | AT FACILITY ON INDEPENDENCE AVE IN CLARKS GROVE (00011298) | | | |
| 04/08/1997 | 96-1116 | SPELTZ ELEVATORS INC | BRAKES FAILED ON TENDER TRUCK | DRY FERTILIZER IMPREGNATED WITH DUAL | MYRTLE | INTERSECTION OF CO RD 13 AND 30 | SHELL ROCK | 101N | 19W 12 |
| 04/20/1997 | 96-1179 | HI YIELD PRODUCTS INC | SPOUT BLEW OUT OF SEMI-TRAILER DURING LOADING. | 7-21-7 LIQUID FERTILIZER | ALDEN | FIRM SITE SO OF ALDEN ON HWY 109. SPILL AT LIQUID FERTILIZER TRUCK UNLOAD AREA. NW CORNER OF FIRM SITE. | CARLSTON | 103N | 23W 29 |
| 04/20/1997 | 96-1180 | KROWN INC | FORKLIFT PUNCTURED SHUTTLE TANK DURING MOVEMENT FROM DIKE AREA TO ANOTHER DIKED AREA. | HARNESS 80 GALLONS | ALDEN | WITHIN A DIKED AREA | HARTLAND | 104N | 22W 16 |
| 05/06/1997 | 96-1232 | BUTLER | LEFT VALVE ON OVERNIGHT | 12,000 LBS OF 28% LIQ FERT | BLOOMING PRAIRIE | NE 1/4 OF THE NW 1/4 | NEWRY | 104N | 19W 19 |
| 05/16/1997 | 96-1249 | TERRA INTERNATIONAL | SITE ASSESSMENT | | | | | | |
| 05/16/1997 | 96-1251 | TERRA INTERNATIONAL | SITE ASSESSMENT | | | | | | |
| 06/06/1997 | 96-1477 | NORTHERN COUNTRY COOP CO | SITE ASSESSMENT DETECTED AG CHEM IN SOIL | SITE ASSESSMENT DETECTED AG CHEM IN SOIL | | AT FACILITY | | | |
| 03/03/1998 | CF-1995 | LEWIS DAKOTA TRUCKING | SEMI ACCIDENT | 43 CANISTERS METHYL BROMIDE | | CENTER MEDIAN, MILE MARKER 21 ON HWY 35W | BATH | 104N | 21W 36 |
| 04/29/1998 | CF-2198 | HAYWARD COOP | HOSE RUPTURE | ANHYDROUS AMMONIA. 500#. | HAYWARD | FARM FIELD IN SECTION 23, HAYWARD TWP | HAYWARD | 102N | 20W 23 |
| 05/15/1998 | CF-2251 | NORTHWOOD COOP ELEVATOR | VALVE BROKE WHILE TRANSPORTING | 132 GALLONS 28% 1.19 GALLONS SURPASS | NORTHWOOD | NORTHBOUND SHOULDER OF HWY 65 FROM IOWA BORDER TO GORDONVILLE EXIT | SHELL ROCK | 101N | 20W 32 |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Location of Incident | | |
|---------------|-----------|---------------------------|--|---|----------------------|--|----------------------------|
| | | | | | Civil Division | Description | Township / Range / Section |
| 05/30/1998 | CF-2341 | HAYWARD COOP | NURSE TANK VALVE LEFT OPEN | 1,000 GALLON TANK | HAYWARD | AT THE FACILITY | HAYWARD 102N 20W 09 |
| 09/28/1998 | CF-2801 | SPELTZ ELEVATORS INC | IMPROPER VALVE CLOSURE BY FILLER | BULK TRANSPORT OF DUAL II, SPILL WITHIN CONTAINMENT | GLENVILLE | NEW BULK PESTICIDE FACILITY IN GLENVILLE | SHELLROCK 101N 20W 07 |
| 01/15/1999 | CF-2953 | TERRA INTERNATIONAL | HOUSING ON LIQUID FERT PUMP CRACKED | 28% LIQUID FERTILIZER | CLARKS GROVE | PUMP HOUSE ADJACENT TO BULK FERT DIKE | |
| 04/04/2000 | CF-4242 | SPELTZ ELEVATORS INC | STORAGE TANK DEVELOPED LEAK 6' UP FROM BASE | LIQUID STARTER FERTILIZER | MYRTLE | WITHIN BULK FERTILIZER CONTAINMENT | LONDON 101N 19W 07 |
| 04/27/2000 | CF-4463 | HI YIELD PRODUCTS INC | SEMI TRUCK DELIEVERED FERT TO AST. TURNED ON PUMP WITHOUT OPENING AST VALVE. HOSE RUPTURED. | PRODUCT TRANSFER OF 32%. | ALDEN | AT FERTILIZER DIKE | CARLSTON 103N 23W 29 |
| 06/19/2000 | CF-4584 | WEST CENTRAL INC | 2, 2.5 CONTAINERS FELL OFF FLATBED TRUCK. | 5 GALLONS FLEXSTAR | | 2 MILES WEST OF 13 ON INTERSTATE 90. | MANCHESTER 103N 22W 34 |
| 08/02/2000 | CF-4940 | WATONWAN FARM SERVICE CO | HOSE CAME OFF SPRAYER | 20 GALLON TANKMIX OF ACCENT GOLD AND ATRAZINE | | JIM FOLLMUTH RESIDENCE | FREEBORN 104N 23W 02 |
| 03/03/2001 | CF-5238 | GRANT | VALVE FAILURE | 28% LIQUID FERTILIZER | AUSTIN | FARM SITE | NEWRY 104N 19W 36 |
| 05/01/2001 | CF-5467 | HAYWARD COOP | VALVE WAS LEAKING DUE TO TEMPERATURE CHANGE. BELIEVED CAUSE. | ANHYDROUS AMMONIA - trace amount | HAYWARD | FACILITY | HAYWARD 102N 20W 09 |
| 10/25/2001 | CF-6121 | HOLLANDALE MARKETING ASSN | FIRE | SEED TREATMENTS. FUNGICIDES AND TREE BARK MIX. | HOLLANDALE | SEED POTATO WAREHOUSE | GENEVA 104N 20W 35 |
| 11/13/2001 | CF-6338 | WIM OF WALTERS INC | NURSE TANK HITCH BROKE AND VALVE DID NOT CLOSE | ANHYDROUS AMMONIA, 2 TONS | | FARMERS FIELD | FREEBORN 104N 23W 30 |
| 02/11/2002 | CF-6438 | NORTHERN COUNTRY COOP | ATTEMPT AT STEELING A 1500 GALLON AA TANK WITH A ATV FAILED. ANOTHER ATTEMPT WAS MADE ON AN EMPTY 1,000 GALLON TANK. THIS TANK TIPPED OVER IN DITCH. | EMPTY 1,000 GALLON NURSE TANK. | | ANHYDROUS AMMONIA NURSE TNAK STORAGE NW OF EMMONS. | NUNDA 101N 22W 32 |
| 04/17/2002 | CF-6697 | HAYWARD COOP | VALVE OPENED | SMALL RELEASE OF ANHYDROUS AMMONIA | OAKLAND | FARM FIELD OF WAYNE STROUF, RT 1 BOX 37, OAKLAND | HAYWARD 102N 20W 24 |
| 04/24/2003 | CF-8070 | LADLIE | TRACTOR BACKED IN PALLET WITH POLY TANK OF 10-34-0 AND TANK RUPTURED | 10-34-0 LIQUID FERTILIZER | HOLLANDALE | FARM YARD | GENEVA 104N 20W 30 |
| 06/13/2003 | CF-8253 | ALBERT LEA CITY OF | TANK NOT HOOKED UP CORRECTLY, RELEASED FROM VALVE | CHLORINE | ALBERT LEA | OUTDOOR SWIMMING POOL. CORNER OF FRANK AND JAMES AVES | ALBERT LEA 102N 21W 09 |
| 04/30/2003 | CF-8257 | AGRILIANCE | ALLEGED DUMPING AFTER MAKING 10-34-0 O SITE | ORANGE/RED LIQUID OVER A 6'X15' AREA | CLARKS GROVE | FACILITY NEXT TO RR TRACKS | BATH 104N 21W 34 |
| 05/04/2004 | CF-8968 | CENTRAL VALLEY COOP | VALVE MALFUNCTION ON FLOATER. FORGOT TO CLOSE VALVE DURING TRANSFER. | 11.2 GALLONS OF HARNESS AND 14.5 GALLONS OF MARKSMAN. 33 AC RATE. | | FIELD APPROACH 3-4' X 15'. FREEBORN/GENEVA/5/NW-NW. | |
| 10/07/2004 | CF-9351 | CENTRAL COOP | TIP OVER OF TERROGATOR CARRYING DRY FERT. | 2750 LBS OF 18-46-0 AND 11000 LBS OF 0-0-60. | | NW CORNER OF CO RD 1 AND 880 TH AVENUE, FREEBORN COUNTY. | |
| // | CF-9457 | SPELTZ ELEVATORS INC | ABANDONED SITE | | | | |
| // | CF-9564 | HIGH YIELD INC | ABANDONED SITE | | | | |
| // | CF-9984 | HAYWARD COOP | VAVLE UNSEATED DUE TO TEMP | ANHYDROUS AMMONIA | | NURSE TANK STORAGE/PARKING AREA | |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Civil Division | Description | Township / Range / Section |
|---------------|-----------|---------------------------|--|---|----------------|---|----------------------------|
| | | | FLUCTUATIONS. | | | | |
| 06/02/2005 | CF-10181 | HAYWARD COOP | NURSE TANK TIP/ROLL OVER CAUSED BY ROUGH ROAD. VALVES JARRED OPEN. | ANHYDROUS AMMONIA APPROX. 500 GALLONS. | | 200TH STREET BETWEEN 820TH AND 830TH. | |
| / / | CF-10397 | NORTHERN COUNTRY COOP | ABANDONED SITE | | | | |
| / / | CF-10450 | LAND OLAKES AG CENTER | ABANDONED SITE | | | | |
| / / | CF-10512 | SPELTZ ELEVATOR | ABANDONED SITE | | | | |
| / / | CF-10513 | SPELTZ ELEVATOR | ABANDONED SITE | | | | |
| / / | CF-10545 | HOLLANDALE MARKETING ASSN | ABANDONED SITE | | | | |
| 04/29/2006 | CF-10796 | CENTRAL VALLEY COOP | NURSE TANK TIP OVER ONTO ITS SIDE. | NO RELEASE OF AA. | | ROAD DITCH. EAST SIDE AND MIDDLE OF SECTION 1 ON CTY RD 36. | |
| 05/25/2006 | CF-10853 | WATONWAN FARM SERVICE CO | SHUTTLE FELL AND CRACKED OPEN | LIBERTY HERBICIDE | | AT FACILITY LOAD OUT / DIKE AREA. | |
| 06/27/2006 | CF-10992 | NORTHERN COUNTRY COOP | ALLEGED TAMPERING OF AA VALVES ON NURSE TANK. | ANHYDROUS AMMONIA. | | BOX 112. NURSE TANK PARKING AREA AT FACILITY. | |
| 03/13/2007 | CF-11325 | UNKNOWN | LEAK THROUGH WITHDRAWAL VALVE. | ANHYDROUS AMMONIA. | | US HWY 65. AMMONIA NURSE TANK PARKING. | |
| 04/23/2007 | CF-11348 | SPELTZ ELEVATORS INC | 1,000 GALLON TENDER TANK RUPTURED AS IT WAS LEAVING TOWARD SCALE. | 950 GALLONS OF 10-34-0. 250 TO GRAVEL AND THE REST ONTO THE LOAD PAD. | | BETWEEN THE SCALE AND THE FERTILIZER LOAD OUT PAD. | |
| 04/26/2007 | CF-11354 | SPELTZ ELEVATORS INC | TEMPERATURE FLUCTUATIONS CAUSED VALVE TO OPEN. | ANHYDROUS AMMONIA. | | AT FACILITY 101 RAILROAD AVE, MYRTLE. | |
| 04/27/2007 | CF-11356 | WATONWAN FARM SERVICE CO | POTASH BRIDGED WHEN UNLOADING FRIESEN. TANK MANHOLE COVER BUSTED OPEN RELEASING POTASH INTO AND OUTSIDE CONTAINMENT. | 0-0-60 POTASH. | | BULK CONTAINMENT. FRIESEN TANK. | |
| 06/12/2007 | CF-11423 | SHELL ROCK AG INC | UNSEATED NURSE TANK LIQUID WITHDRAWAL VALVE DUE TO AMBIENT TEMPERATURE FLUCTUATIONS. | ANHYDROUS AMMONIA. | | NURSE TANK PARKING. 820 RIVER ROAD. | |
| 09/07/2007 | CF-11550 | AGRA RESOURCES COOP | TOTE BUCKLED WHEN BEING UNLOADED FROM A TRUCK. TOTE BROKE AND SPILLED TO ASPHALT. | 230 GALLONS RECOVERED. 70 GALLONS RELEASED TO GROUND SURFACE. | | SOUTH SIDE OF MAINTENANCE SHOP, 15300 780TH AVENUE, ALBERT LEA. | |
| / / | FY77I009 | UNKNOWN | TANKERS DERAILED, FAULTY RR SUPPORTS | 22,000 GAL ANHYDROUS AMMONIA | | ~ MI EAST OF LONDON, MINNESOTA | |
| / / | FY77I015 | IMPERIAL INC | COUPLING BROKE | 7,000 GALLONS; 7-21-7 | ALBERT LEA | AT AG CENTER | |
| 08/25/1978 | FY78I016 | MIDLAND | SEMI TRUCK TURNOVER | 28% NITROGEN; 4.62 TONS | | 190; ONE MILE WEST OF HAYWARD, MN. | |
| 10/25/1978 | FY78I085 | PEAVEY CO | HIGH LEVELS OF PHOSPHATE IN LAKE | PHOSPHATE | | UNDERGROUND TILE DRAINS TO BANCROFT CREEK | |
| 05/20/1979 | FY79I072 | WIDVEY | CAN FELL OUT OF PICKUP TRUCK | 5 GALLON DYFONATE; 4E | | ON FARM, SEC. 24, SW 1/2 OF SW 1/4 | BATH 104N 21W 24 |
| 04/04/1980 | FY80I017 | SPELTZ ELEVATORS INC | SAFETY RELEASE VALVE ON RAILCAR DID NOT CLOSE | ANHYDROUS AMMONIA | GLENVILLE | UNKNOWN | SHELL ROCK 101N 20W 07 |
| 05/20/1980 | FY80I037 | JACOBUSS | PESTICIDE RUNOFF INTO DITCH INTO TURTLE LAKE | RINSALE AND TANK SURPLUS | | HOLLANDALE AIRPORT | |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Location of Incident | | | | |
|---------------|-----------|---------------------------------|--|--|----------------------|--|----------------------------|------|--------|
| | | | | | Civil Division | Description | Township / Range / Section | | |
| 09/18/1980 | FY801039 | AIR AG INC | PESTICIDE RUNOFF INTO DITCH INTO SHELL ROCK RIVER | ATRAZINE | | AIR AG, INC., HOLLANDALE AIRPORT | | | |
| 12/19/1981 | FY821059 | HI YIELD PRODUCTS INC | LEAK IN A WELL ON TANK | 10-34-0, 15 TONS LIQUID FERTILIZER | ALDEN | HI YIELD, INC. | CARLSTON | 103N | 23W 29 |
| 04/23/1982 | FY821061 | PEAVEY CO | FILL HOSE ON A BULK TRUCK BUSTED | 75 GALLON LASSO - 200 LBS. ACTIVE INGREDIENT | CLARKS GROVE | CLARKS GROVE ELEVATOR | | | |
| 03/11/1982 | FY821068 | JENSEN SEED | LEAKING BULK TANK | 10-34-0 50 TONS POLYPHOSPHATE | | NW 1/4 OF SECTION 25 | BATH | 104N | 21W 25 |
| 05/12/1982 | FY821080 | OAKLAND FARMERS ELEVATOR | LEAK IN ELBOW | 28-0-0 - 2-3 TONS | OAKLAND | STORAGE FACILITY | OAKLAND | 102N | 19W |
| 11/23/1981 | FY821093 | HI YIELD PRODUCTS INC | IMPROPER STORAGE/DISPOSAL OF CANS | CANS | ALDEN | AT FACILITY IN ALDEN | CARLSTON | 103N | 23W 29 |
| 02/08/1982 | FY821110 | APPLE LINES INC | TRUCK TURNOVER | 75, 55 GALLON DRUMS, 2 DRUMS PUNCTURED | | EXIT RAMP FROM I-35 # 13B TO I-90 WESTBOUND | | | |
| 05/01/1983 | FY831054 | NORTH CENTRAL PUBLIC SERVICE CO | LADDER BLOWN OFF FERTILIZER TANK, FELL ON PVC PIPE | 60 TON 10-34-0, 24 TON 1-3-40 | ALBERT LEA | ON A FARM | | | |
| 04/11/1984 | FY841029 | CROPMATE CO THE | LEAK CAUSED BY A LEAKING VALVE | 57 TONS LEAKED OUT, 41 TONS RECOVERED | ALBERT LEA | STORAGE AREA | ALBERT LEA | 102N | 21W |
| 04/27/1984 | FY841045 | LAND OLAKES AG CENTER | WIND BROKE SIGHT GUAGE | 10-34-0 | LONDON | STORAGE FACILITY | LONDON | 101N | 19W |
| 05/10/1984 | FY841050 | CROPMATE CO THE | AXEL OF TRUCK BROKE CAUSING OVERTURN | 1,100 GALLONS; 7-23-5 | | 3 MI S OF ALBERT LEA ON HWY 65 | | | |
| 08/15/1984 | FY851015 | UNKNOWN | LESLIE BOLER (A00152) | U | | EAST OF CLARK GROVE MN | | | |
| 08/30/1985 | FY861017 | BOLER | LB FORCED LANDING WHEN ENGINE CAUGHT FIRE | NO CHEMICAL LOST | | MAPLE ISLAND ?? | | | |
| 05/05/1986 | FY861045 | WANOUS | TRUCK TURNOVER | 200 GAL LASSO AND ATRAZINE : 400 GAL 7-21-7 | | CO. RD. #38, NE .25 OF SEC. 24 IN THE DITCH | NEWRY | 104N | 19W 24 |
| 04/05/1987 | FY871036 | CROPMATE CO THE | UNKNOWN | 10-34-0; 3,000 GAL | ALBERT LEA | JUST WEST OF SKYLINE SHOPPING CENTER | | | |
| 04/20/1988 | FY881049 | SPELTZ ELEVATORS INC | TRUCK-TIP-OVER | DRY POTASH, 0-0-60 | | GLENVILLE; RANGE 19W | LONDON | 101N | 19W 20 |
| 04/27/1988 | FY881052 | MANSFIELD STORE INC | ROLL-OVER | 1400 GALLONS 28% | | ALDEN; AT THE CORNER OF CO. RD 6 & 46 | | | |
| 07/18/1987 | FY881070 | UNKNOWN | PLANE CRASH | UNKNOWN | | 2 MILES W. OF CORNING | | | |
| 11/19/1987 | FY881074 | LAND OLAKES AG CENTER | SPILL | 105 TONS 28% NITROGEN | LONDON | LONDON | LONDON | 101N | 19W |
| 05/06/1988 | FY881080 | MAGNUSON | SPILL FROM MINI BULK ON BACK OF TRUCK | 57 GAL LASSO | MORGAN | AUSTIN | NEWRY | 104N | 19W 25 |
| 10/19/1987 | FY88R044 | CROPMATE CO THE | CONTAMINATE WELL, BURIED DICHOROETHANE | LAB DETECTED WELL WATER 2,4-D, TERBUFOS, PHORATE | | HWY. 13 NORTH | | | |
| 05/15/1989 | FY89F052 | IMPERIAL INC | HISTORIC RELEASES FROM PAST PRACTICES | SEVERAL CHEMICALS | | HWY 13 NORTH | | | |
| 05/01/1989 | FY891075 | MC CORNACK | CONTAINERS OF LASSO FELL OFF TRAILER ON TURN | 210 GAL LASSO SPILLED | | CO ROAD 45, ALBERT LEA, 3 MI S OF CLARKS GROVE | BANCROFT | 103N | 21W 23 |
| 05/22/1989 | FY891125 | RAYS AERIAL SPRAYING | ALLEGED DUMPING LIQUID ON GROUND | ATRAZINE | HOLLENDALE | HOLLANDALE AIRPORT HY 251 EAST OF HOLLANDALE | | | |
| 05/29/1989 | FY891149 | WANOUS | FOLLOW-UP OF A TRUCK ROLL-OVER SPILL | FERTILIZER-CHEMICAL SPILL FOLLOW-UP PROGRAM. | | ROAD DITCH - NEWRY TWP, FREEBORN CO. | NEWRY | 104N | 19W |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
FREEBORN COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

| Date Reported | Case File | Partyname | Incident Cause | Product Involved | Civil Division | Description | Township / Range / Section | |
|---------------|-----------|-----------------|---|------------------|----------------|---|----------------------------|-------------|
| 08/29/1990 | FY90F121 | PESTORIOUS INC | HISTORIC RELEASES FROM PAST PRACTICES | SEVERAL PRODUCTS | | UNKNOWN | | |
| 06/25/1990 | FY90I190 | JERDEE BROTHERS | TRACTOR HITCH BROKE; SPRAYER TIPPED | BANVEL HERBICIDE | | DITCH IN FRONT OF RT. 3, BX 47, HAYWARD | HAYWARD | 102N 20W 09 |
| 07/08/1981 | FY82DC108 | KROWN INC | RUNOFF FROM FACILITY/KILLED FRONT & BACK YARD | UNKNOWN | | AT & ACROSS STREET FROM FACILITY | HARTLAND | 104N 22W 16 |