



MINNESOTA DEPARTMENT OF AGRICULTURE  
AGRONOMY & PLANT PROTECTION DIVISION  
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094  
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271

Incidents Reported in  
ISANTI COUNTY  
from 01/01/1977 to 08/26/2011

Page 1

| Date Reported | Case File | Partyname                       | Incident Cause  | Product Involved   | Location of Incident |  |                            |            |
|---------------|-----------|---------------------------------|---|--|----------------------|--|----------------------------|------------|
|               |           |                                 |   |  | Civil Division       | Description  | Township / Range / Section |            |
| 05/26/1992    | 92-0199   | COUNTRY GREEN LAWN CARE         | WRONG VALVE TURNED ON APPLICATOR TRUCK                                  | 1 GAL TANK MIX CONTAINING LESCO PRE-M, WEEDESTROY, TRIAMIRE AND 16-2-6 LIQUID FERT | CAMBRIDGE            | 133 N BIRCH ST, CAMBRIDGE  |                            |            |
| 07/03/1992    | 92-0202   | COUNTRY GREEN LAWN CARE         | HOSE LEAK CAUSED BY A BUILD UP IN PRESSURE DURING ROOT INJECTION        | 1 GAL ARBOR GREEN 30-10-7 LIQUID FERTILIZER  | CAMBRIDGE            | NEAR CORNER OF 700 & FERN IN CAMBRIDGE   |                            |            |
| 05/04/1992    | 92-0205   | FIEDLER                         | VALVE ON TANK BROKE RELEASING A 600 GAL TANK MIX                        | 12 GAL BICEP IN 600 GAL WATER  | STANCHFIELD          | FARM FIELD IN WEST CENTRAL PART OF NE 1/4 OF SEC 9, CAMBRIDGE TWSHP                      | CAMBRIDGE                  | 36N 23W 09 |
| 06/24/1992    | 92-0207   | WAYNE TRANSPORT                 | LIQUID HOSE BROKE WHILE FILLING NH3 STORAGE TANK                        | LIQUID HOSE FULL OF NH3/EXACT AMOUNT UNKNOWN                                       | CAMBRIDGE            | AT EAST CENTRAL SOIL SERVICE NH3 PLANT IN CAMBRIDGE                                      | CAMBRIDGE                  | 36N 23W 33 |
| 07/09/1992    | 92-0224   | COUNTRY GREEN LAWN CARE         | PUMP BLEW ON APPLICATOR TRUCK   | @ 5 GAL OF 16-2-6 VERNO-MIX  | CAMBRIDGE            | DIRECTLY IN FRONT OF THE ENTRANCE TO CAMBRIDGE MEMORIAL HOSPITAL, 725 DELWOOD, CAMBRIDGE |                            |            |
| 02/17/1993    | 93-0034   | CALANDAR FARM                   | LEAK DEVELOPING IN BOTTOM OF 17,000 GAL STORAGE TK                      | ~1,000 GAL OF 28% LIQUID NITROGEN  | CAMBRIDGE            | SE-1. SEC. 11, ISANTI TWSHP  | ISANTI                     | 35N 23W 11 |
| 01/03/1992    | 94-0029   | JACOBSON                        | 2,4-D CONTAINER RUSTED, RELEASING PRODUCT                               | 1 GALLON CONTAINER   | ISANTI               | BASEMENT-FURNACE ROOM AT BOX 215, ISANTI, MN   |                            |            |
| 07/23/1991    | 94-0046   | GRANBER                         | ALLEGED DUMPING OF 2,4,5-T  |  | CAMBRIDGE            | CO RD 19A 3-4 MILES SE CAMBRIDGE-ISANTI CO   |                            |            |
| 05/23/1995    | 95-0469   | EKLUNDS AG SERVICES INC         | SHUTTLE TANK FELL OFF OF TRUCK  | PROWL 33 EC 4 GALLON RELEASED OUT OF SHUTTLE                                       |                      | INTERSECTION OF CO RD 7 & CO RD 40   | SPENCER BROOK              | 35N 25W 15 |
| 10/26/1995    | 96-0012   | SUTTER                          | REQUEST FOR AN "OFF-SITE SOURCE DETERMINATION"                          | PEST AND FERT DETECTED IN WELL ON PROPERTY   |                      | PROPERTIES @ 710 & 714 SOUTH MAIN ST   |                            |            |
| 03/11/1998    | CF-2079   | EKLUNDS AG SERVICES INC         | ALLEGED DUMPING   | UNKNOWN  | ISANTI TOWNSHP       | NUMBER OF AREAS ON THE FACILITY  | ISANTI                     | 35N 23W 19 |
| 04/07/1998    | CF-2351   | PETERSONS NORTH BRANCH MILL INC | SPILLS FROM DRY FERTILIZER LOADOUT CONVEYOR                             | 20 LBS DIAMMONIAM PHOSPHATE  | CAMBRIDGE            | DRY FERTILIZER LOAD OUT AT FACILITY  | CAMBRIDGE                  | 36N 23W 33 |
| 06/01/1999    | CF-3477   | PETERSONS NORTH BRANCH MILL INC | BIN WALL COLLAPSED SPILLING FERTILIZER TO GROUND NEAR RR SPUR.          | BULK AMMONIUM NITRATE 2000 LBS   | CAMBRIDGE            | 427 RAILROAD ST S, CAMBRIDGE AT BULK FACILITY STORAGE                                    | CAMBRIDGE                  | 36N 23W 33 |
| 01/24/2000    | CF-4096   | CAMBRIDGE CITY OF               | SITE ASSESSMENT   | FERTILIZERS AND PESTICIDES   |                      | OUTLOT I   |                            |            |
| 02/19/2001    | CF-5158   | UNKNOWN                         | LEAKING ANHYDROUS AMMONIA FROM 20 POUND BARBEQUE TANK                   | ANHYDROUS AMMONIA  | CAMBRIDGE            | A HOUSE AT 34512 PALLSADE DR, CAMBRIDGE  |                            |            |
| 06/27/2001    | CF-5942   | CARLSON                         | FRAME BROKE, SPRAYER TANK TIPPED OVER AND PRODUCT SPILLED FROM TANK TOP | 50 GALLON TANKMIX OF ROUNDUP   |                      | FIELD, LOCATED IN SE 1/4 OF SECTION 1  | MAPLE RIDGE                | 37N 24W 1  |
| 04/30/2002    | CF-6728   | TRUGREEN/CHEMLAWN               | HOSE ON SPRAY GUN CAME LOOSE.   | 15 TO 18 GALLONS OF A FERTILIZER AND HERBICIDE TANKMIX.                            | CAMBRIDGE            | STREET   |                            |            |
| 05/09/2002    | CF-6758   | FEDERATED COOPS INC             | ATTEMPTED THEFT.  | ANHYDROUS AMMONIA.   | CAMBRIDGE            | FACILITY, 140 1ST AVE WEST, CAMBRIDGE  | CAMBRIDGE                  | 36N 23W 29 |
| 06/28/2002    | CF-7065   | PETERSONS NORTH BRANCH          | RELIEF VALVE POPPED DUE TO HOT  | ANHYDROUS AMMONIA, UNKNOWN   | CAMBRIDGE            | NURSE TANK STORAGE YARD  | CAMBRIDGE                  | 36N 23W 33 |

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
ISANTI COUNTY  
from 01/01/1977 to 08/26/2011

| Date Reported | Case File | Partyname                       | Incident Cause                                     | Product Involved                           | Location of Incident |   |                            |         |    |
|---------------|-----------|---------------------------------|--|--|----------------------|---|----------------------------|---------|----|
|               |           |                                 |  |  | Civil Division       | Description   | Township / Range / Section |         |    |
|               |           | MILL INC                        | WEATHER  | QUANTITY                                   |                      |   |                            |         |    |
| 07/01/2002    | CF-7096   | SVENBY                          | CONVEYOR ENGAGED ON FERTILIZER SPREADER            | 500 TO 1000 LBS OF UREA                    | BRAHAM               | ALONG 1 MILE OF PAVED ROAD EAST OF RESIDENCE AT 4398 413 AVE SE       | STANCHFIELD                | 37N 23W | 01 |
| 06/21/2003    | CF-8206   | FIEDLER                         | ROLL OFF OF TANK FROM TRAILER                      | 28-0-0 UAN SOLIN                           |                      | COMING INTO DRIVE OF FIELD AND INTO NEIGHBORS GRASS PASTURE ON CORNER | MAPLE RIDGE                | 37N 24W | 09 |
| 06/20/2003    | CF-8260   | BLANDIN PAPER CO                | PINHOLE LEAK IN FEED LINE                          | STABEX ST70 BIOCID                         | GRAND RAPIDS         | AT PULP/PAPER PRODUCTION PLANT  |                            |         |    |
| 04/19/2007    | CF-11342  | PETERSONS NORTH BRANCH MILL INC | CONTRACTOR ERROR WHILE WORKING ON PLUMBING.        | ANHYDROUS AMMONIA. 400 POUNDS.             |                      | NEAR 30,000 GALLON AA BULK TANK.                                      |                            |         |    |
| 04/21/1981    | FY811507  | EKLUNDS AG SERVICES INC         | RUNOFF FROM SITE GOING TO CREEK-MAY GO INTO RIVER  | RINSALE & FACILITY RUNOFF                  | ISANTI               | R.R. 2  |                            |         |    |
| 04/27/1981    | FY811608  | CULL                            | 26 FEEDER CATTLE ATE THIMET CONTAMINATED FEED      | MISLABELED BAG OF THIMET; 15 LBS.          | STANCHFIELD          | DENNIS CULL'S FARM  |                            |         |    |
| 07/07/1981    | FY821039  | PETERSONS NORTH BRANCH MILL INC | SHARP TURNAROUND PULLED HOSE COUPPELING APART      | ANHYDROUS AMMONIA; 400-500 GALLONS         |                      | 7-8 BLKS. SW OF BRADFORD, DAVID MC CULLOUGH RENTER                    |                            |         |    |
| 10/21/1981    | FY821053  | FEDERATED COOPS INC             | TANK VANDALIZED, PIPE BUSTED                       | 28-0-0 - 4500-4700 GALLONS                 | ISANTI               | ISANTI FARM SERVICE (SOUTH OF CAMBRIDGE)                              | ISANTI                     | 35N 23W | 30 |
| 05/29/1982    | FY821089  | EKLUNDS AG SERVICES INC         | SEE FIE FY81(1)507 FOR BACKGROUND IMPROPER STORAGE | PESTICIDE FERTILIZER RUNOFF AND CONTAINERS |                      | ROUTE #2 - ISANTI   | ISANTI                     | 35N 23W | 19 |
| 05/26/1983    | FY831066  | FEDERATED COOPS INC             | COULD HAVE BEEN VANDALISM                          | 2,000 GAL. 28% LIQUID NITROGEN             | ISANTI               | BULK STORAGE FAC. NO. OF ISANTI, OFF HWY 65                           |                            |         |    |
| 03/26/1986    | FY861029  | FEDERATED COOPS INC             | V A N D A L I S M                                  | 500 GALLONS 7-21-7                         | CAMBRIDGE            | AT LOL STORAGE SITE   | CAMBRIDGE                  | 36N 23W | 29 |
| 06/25/1986    | FY861073  | EAST CENTRAL SOILS INC          | NH3 ESCAPED INTO FACE OF WORKER                    | ANHYDROUS AMMONIA MINUTE AMOUNT            |                      | NORTHWEST OF CAMBRIDGE  | STANCHFIELD                | 37N 23W | 16 |
| 05/04/1987    | FY871039  | ISANTI COUNTY COOP ASSN         | HOSE TO TANK CUT                                   | 585 GALLONS OF LASSO                       |                      | SOUTH END CAMBRIDGE-SO OF HWY 95 & E OF HWY 65                        |                            |         |    |
| 04/28/1987    | FY871055  | PINE CITY COOP ASSN             | TRUCK ROLLOVER AND FIRE                            | 7-21-7 FERTILIZER; APPROX. 1,300 GALLONS   |                      | CAMBRIDGE CO. RD. #27, 2 BLOCKS EAST OF HY. # 65                      |                            |         |    |
| 06/16/1988    | FY881104  | FEDERATED COOPS INC             | HOSE DISCHARGE WHEN QUICK COUPLER DISCONNECTED     | SMALL DISCHARGE OF NH3                     |                      | 3 MILES N OF CAMBRIDGE  | SPRINGVALE                 | 36N 23W | 15 |
| 05/08/1990    | FY89F077  | EAST CENTRAL SOILS INC          | HISTORIC RELEASE FROM PAST PRACTICES               | SEVERAL PRODUCTS                           |                      | SW-, NW-, SECTION 33  |                            |         |    |