



**MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in
JACKSON COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident					
					Civil Division	Description	Township / Range / Section			
11/15/1990	91-0043	FCA COOP	DUAL BULK TANK HAD JUST BEEN FILLED. A 5 GAL PAIL HAD BEEN USED TO DRAIN THE HOSE. PAIL FELL FROM THE TOP OF THE DIKE WALL.	DUAL	JACKSON	FACILITY	DES MOINES	102N	35W	24
11/15/1990	91-0044	FCA COOP	SITE EVALUATION FOR NEW CONSTRUCTION	UNKNOWN		FACILITY				
11/16/1990	91-0046	FCA COOP	NEW CONSTRUCTION VIA BULK PERMIT	GRAVEL BASE, DIRECTLY UNDER IMPREGNATION TOWER		FACILITY				
11/02/1990	91-0194	OKABENA FARM SUPPLY INC			OKABENA		WEST HERON LAKE	103N	37W	07
05/23/1991	91-0234	VIGORO INDUSTRIES INC	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN	JACKSON	FACILITY	WISCONSIN	102N	34W	18
10/23/1991	91-0667	FCA COOP	PRECONSTRUCTION SOIL SAMPLING	NA-SAMPLES CONFIRMED DUAL AND VARIOUS OTHERS.	LAKEFIELD	FACILITY, UNDER THE IMPREGNATION TOWER.	HERON LAKE	103N	36W	32
11/16/1991	91-0800	NEW VISION COOP	PRECONSTRUCTION SOIL SAMPLING	N/A	HERON LAKE	STORAGE BUILDING AT FACILITY	WEIMER	103N	36W	19
08/30/1991	91-0855	UAP MIDWEST	PRECONSTRUCTION SOIL SAMPLING	TANK MIX WITH BWC3 AND MCPA.	LAKEFIELD	IMPREGNATION TOWER AND ADJACENT TO THE SCALE	HERON LAKE	103N	36W	29
10/04/1991	92-0006	CARGILL INC	PRECONSTRUCTION SOIL SAMPLING	UNKNOWN		MINI BULK LOAD PAD SOUTH OF FERTILIZER PLANT				
06/15/1992	92-0239	BEHREND'S	HISTORICAL; PESTICIDE CONTAINER DISPOSAL	3.5 GALLONS OF SUPER TIM IN 270 GAL WATER	BREWSTER	FARM DUMPSITE IN NW 1/4, SECT 28 OF ROST TOWNSHIP	ROST	102N	37W	28
06/20/1994	94-0272	NATURAL RESOURCES MN DEPT OF	SPRAYER TIPPED OVER	50 GALLONS OF A 200 GALLON TANK MIX		WITHIN TALCOT LAKE WMA. SECTION 32, NW	MINNEOTA	101N	36W	32
12/16/1993	94-0748	VIGORO INDUSTRIES INC	REPORTING SAMPLING RESULTS		JACKSON	FACILITY JACKSON	WISCONSIN	102N	34W	18
12/16/1993	94-0750	VIGORO INDUSTRIES INC	REPORT SAMPLING RESULTS		ALPHA	FACILITY-ALPHA				
09/23/1994	94-0757	UAP MIDWEST	ROUTINE SAMPLING			VARIOUS LOCATIONS ON FACILITY				
04/09/1996	96-0224	FCA COOP	SLOW LEAK IN VALVE	HARNESS HERBICIDE	OKABENA	WITHIN DIKE	WEST HERON LAKE	103N	37W	07
05/22/1996	96-0309	UNKNOWN	ALLEGED BAG OF EXTRAZINE BROKE @ 10 LBS RECOVERED	30 LBS OF EXTRAZINE @ 10 LBS RECOVERED		NW 1/4 OF NE 1/4 SECTION 20 SIOUX VALLEY TOWNSHIP	SIOUX VALLEY	101N	37W	20
05/01/1997	96-1204	NEW VISION COOP	FILLED INDUCTOR POPPED OFF TRUCK ONTO ASPHALT	30 GALLONS PURSUIT PLUS, 8 GAL PROWL	HERON LAKE	9TH STREET, TURNING INTO PRAIRIE LAND FACILITY	WEIMER	103N	36W	19
01/21/1998	CF-1881	FCA COOP	3 TRAIN CARS DERAILED AND LID OPENED	200 LBS OF POTASH FROM A RAILCAR		FACILITY ON CO RD 23, JACKSON				
02/05/1998	CF-1979	NUWAY COOP	SITE ASSESSMENT	VARIOUS PESTICIDES AND N COMPOUNDS DETECTED IN SOIL		LOCATED AT THE FACILITY IN ALPHA				
11/05/1998	CF-3112	NUWAY COOP	POP OFF VALVE FAILURE	ANHYDROUS AMMONIA	ALPHA	BULK STORAGE TANK AT FACILITY	WISCONSIN	102N	34W	13
11/10/1998	CF-3114	PELZEL	HATCH PIN CAME OUT, QUICK COUPLER RELEASED, BUT POPPETS WITHIN	ANHYDROUS AMMONIA		IN FIELD	LA CROSSE	104N	38W	35

Incidents Reported in
JACKSON COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section				
			COUPLER FAILED TO CLOSE								
11/23/1998	CF-3146	FCA COOP	TRACTOR PULLING TANK TOOK LEFT TURN TO SHARPLEY AND TO FAST. NURSE TANK TIPPED OVER.	NURSE TANK OF AMMONIA	JACKSON	INTERSECTION OF ASHLEY STREET & US HWY 71	DES MOINES	102N	35W	24	
04/28/1999	CF-3342	FCA COOP	SEMI DRIVER BLEW THE HOSE CLEAN WHILE THE HOSE WAS STILL IN THE TANK	5 GALLONS SURPSS HERB.	JACKSON	BULK PESTICIDE DIKE					
06/07/1999	CF-3473	NEW VISION COOP	DRIVE WHEELS BOUNCED ON ROAD FOR 10 MILES	APPLICATOR 10 GALLONS LIQUID NITROGEN	HERON LAKE	COUNTY RDS 9 & 5 BETWEEN HERON LAKE & STORDEN	WEIMER	104N	37W	19	
08/16/1999	CF-3964	NEW VISION COOP	SEAL OUT OF LIQUID FERTILIZER PUMP	28% UNKNOWN QUANTITY		BULK LIQUID FERTILIZER DIKE					
04/24/2000	CF-4291	CENEX HARVEST STATES TRANSPORT	TRANSFER PUMP WAS IN REVERSE AND PUMPED TANK CONTENTS INTO OVERFILLED TRANSPORT	28-0-0 LIQUID FERTILIZER	LAKEFIELD	FERTILIZER DIKE AND YARD AT COOP AG CENTER, LAKEFIELD	HERON LAKE	103N	36W	32	
05/25/1999	CF-4397	UAP MIDWEST	LEAKY VALVE	1 GALLON TANKMIX OF PURSUIT PLUS WITH WATER		DRIVEWAY IN VERY NW1/4 OF NE1/4	KIMBALL	104N	34W	29	
04/12/2001	CF-5371	UAP MIDWEST	FROST CAUSED SUMP TO HEAVE WHICH SPLIT SEAM IN BOTTOM OF TANK	28-0-0		FACILITY					
06/05/2001	CF-5652	NUWAY COOP	WITHDRAWAL VALVE RELEASED ONE GALLON OF ANHYDROUS AMMONIA	NURSE TANK FILLED WITH AA	ALPHA	FACILITY	WISCONSIN	102N	34W	13	
04/23/2002	CF-6703	HILL FARMS	NASBY CONTRACTORS MOVED TRAILER AND ROLLED IT.	4500 GALLONS UAN AND 45 GALLONS OF HARNESS FROM BULK TANKS.	WORTHINGTON	FARM SITE	EWINGTON	102N	38W	21	
04/22/2002	CF-6704	FARMERS COOP ELEVATOR	UNSECURED LOAD	1,000 POUNDS OF 12-0-0-26, AMMONIUM THIOSULFATE.		CO RD 86 FROM I90 AND INTO IOWA	HUNTER	102N	36W	17	
04/29/2002	CF-6735	TRUGREEN/CHEMLAWN	PICK UP TRUCK ROLL	UREA/POTASH, PRE-M AND TRI-POWER; 30 GALLONS OF MIXES MATERIAL		100 YDS N OF IOWA BORDER ON JACKSON CO RD 2	MINNEOTA	101N	36W	36	
05/06/2002	CF-7178	UNKNOWN	UNSECURED LOAD	LIQUID FERTILIZER RELEASE. UNKNOWN QUANTITY OR KIND.		ASPHALT ROAD, 6.75 MILES	WISCONSIN	102N	34W	35	
07/21/2002	CF-7209	FCA COOP	LEAK FROM OPEN VALVE	ANHYDROUS AMMONIA	JACKSON	NURSE TANK STORAGE YARD	DES MOINES	102N	35W	24	
10/25/2002	CF-7681	NUWAY COOP	BROKEN FITTING ON NURSE TANK DURING APPLICATION. EXCESS FLOW DID NOT SHUT.	1/2 NURSE TANK OF ANHYDROUS AMMONIA		4 MI N OF ALPHA ON JACKSON CO RD 29	ENTERPRISE	103N	34W	23	
05/29/2003	CF-8112	FCA COOP	TRAFFIC ACCIDNET. ROGATOR TRAVELING SOUTH STRUCK WESTBOUND JEEP.	APPROX 650 GALLON TANKMIX OF ROUNDUP ULTRAMAX		INTERSECTION OF COUNTY ROADS 34 AND 86.	ROST	102N	37W	27	
06/27/2003	CF-8262	HILL FARMS	HOSE TO NURSE TANK NOT HOOKED UP PROPERLY. HERB PUMPED TO GRAVEL	SELECT HERBICIDE		GRAVEL EDGE OF FARM YARD AND ADJOINING CORN FIELD	EWINGTON	102N	38W	21	
06/16/2003	CF-8265	TALCOT WILDLIFE MGMT AREA	SPAYER TIPPED OVER AND CAUSED RELEASE THROUGH TANK TOP COVER	20-30 GALLONS OF TRASLINE TANKMIX		WITHIN TALCOT WILDLIFE MGMT AREA	DELAFIELD	104N	36W	25	
10/08/2003	CF-8679	UAP MIDWEST	RUNOFF FROM FACILITY INTO CORN FIELD. SITE ASSESSMENT	RUNOFF FROM RAINFALL EVENT		SOUTH AND WEST OF UAP MIDWEST FACILITY					
04/12/2004	CF-8900	JACKSON CROP SERVICES INC	RUSTED BOTTOM OF OLD STEEL 10,000 GALLON TANK	28%. 8400 GALLONS.		BULK FERTILIZER CONTAINMENT					
06/11/2005	CF-10130	LUECK	ALLEGED DUMPING OF PESTICIDE RINSATE OR TANKMIX.	GLYPHOSATE AND ATRAZINE.		SW4 OF SECTION 1, ALBA TWSP					

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
JACKSON COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident				
					Civil Division	Description	Township / Range / Section		
07/12/2005	CF-10228	KAZEMBA	SPAYER TIPPED OVER INTO DITCH SPILLING TANKMIX OVER 8 FOOT DIAMETER CIRCLE.	150 GALLON TANK MIX OF ROUNDUP, ASANA, XL AND HARMONY GT.		ON 360TH AVE ABOUT 1 MILE FROM FARM.			
//	CF-10342	WAYNES LAWN CARE	ABANDONED SITE						
//	CF-10477	PAULS AERIAL SPRAYING	ABANDONED SITE						
//	CF-10478	NEW VISION COOP	ABANDONED SITE						
//	CF-10479	DEEL SPRAYING SERVICE	ABANDONED SITE						
11/22/2005	CF-10601	UAP MIDWEST	TRUCK TIPPED OVER INTO DITCH.	10080 LBS DRY FERT. NPK.		NW4 OF SECTION 10. 400TH STREET. SOUTH DITCH.			
11/03/2006	CF-11294	UAP MIDWEST	MECHANICAL TROUBLE. TENDER TRUCK ENTERED DITCH.	12 TONS DRY FERTILIZER. MIX OF 46-0-0, 11-52-0, AND SULF/POTASH.		VERY NORTHEAST CORNER OF THE NW QUARTER OF SECTION 26, ROST TWSP. CO RD 34.			
06/25/1980	FY801066	FCA COOP	DUMPING CHEMICALS	DUMPING PESTICIDE INTO YARD		WEST EDGE OF LAKEFIELD			
05/16/1983	FY831060	FARMERS EXCHANGE COOP	TRUCK OVERTURNED ON TOWNSHIP ROAD	12 GALLONS OF LASSO- 870 GALLONS - 14-7-14		WEST EDGE OF NE 1/4 OF SECTION 6, SIOUX VALLEY, IA	SIOUX VALLEY	101N	37W 06
10/08/1982	FY831078	KOLANDER	TOXAPHENE IN CHICKENS	TOXAPHENE IN CHICKENS	ROUND LAKE	CHICKENS MISTAKENLY TAGGED AS HIS			
05/22/1984	FY841059	CARGILL INC	BIG A TIPPED OVER	25 GALLONS LASSO; 800-900 GALLONS, 28-0-0		PETERSBURG, RANGE 34W	PETERSBURG	101N	34W 01
05/30/1985	FY851061	UAP MIDWEST	SPILL LASSO INTO HOLDING POND OVERFLOWED DUE STORM	LASSO	LAKEFIELD	PESTICED STORAGE FACILITY	HERON LAKE	103N	36W 29
06/28/1989	FY891174	FCA COOP	VEHICLE ACCIDENT	ANHYDROUS AMMONIA		HWY & CITY STREET INT, DEPOT HILL	DES MOINES	102N	35W
04/30/1990	FY901127	BURESCH SEED SUPPLY	POSSIBLE VANDALISM - SOMEONE OPENED VALVE ON TANK TRUCK PARKED IN FIELD	650 GAL 10-34-0 LIQUID FERTILIZER		RESIDENCE - FARMFIELD	HUNTER	102N	36W 12
07/25/1985	FY86DC044	FARMERS COOP ELEVATOR OF LAKEFIELD	RUNOFF FROM FACILITY DAMAGED CROP	SAOIL SAMPLED SHOWED ATRAZINE, ALACHLOR & TRIFLURALIN		ADJACENT TO THE FACILITY	HERON LAKE		32