



**MINNESOTA DEPARTMENT OF AGRICULTURE  
AGRONOMY & PLANT PROTECTION DIVISION  
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094  
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271**

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

*Location of Incident*

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
07/17/1990	90-0158	WILLOW CREEK NURSERY	FIRE	UNKNOWN	ROCHESTER	GARAGE 3727 HIGHWAY 63	
09/21/1990	90-0206	BIOTRAL	LEAK IN NUTRIENT FEEDER LINE	3 GALS OF 25-3-0 LIQUID FERTILIZER		COMPACTED GRAVEL AREA	ROCHESTER 106N 14W 26
10/31/1989	90-0269	UNKNOWN	Abandoned pesticides	Trace levels of pesticides within some containters		Sink hole located in Section 8, & BC	ORION 105N 12W 08
10/31/1989	90-0270	UNKNOWN	ABANDONED PESTICIDE CONTAINERS	TRACE LEVELS OF PESTICIDES WITHIN UNRINSED CONTAINTERS		SECTION 8, BCBB	ORION 105N 12W 08
01/19/1991	91-0080	BARCK LAWN & LANDSCAPE INC	FAULTY VALVE ON TRANSFER SYSTEM WHILE LOADING TANK	1800 GAL OF 10-34-0 LIQ FERT	BYRON	302 BYRON AVE WEST SIEDE OF FACILITIES DIKE	KALMAR 107N 15W 32
04/12/1991	91-0133		HOSES IMPROPERLY ROUTED	10-34-0 LIQUID FERTILIZER 11,000 GALLONS	BYRON	JUST OUTSIDE THE FERTILIZER DIKE, FACILITY	KALMAR 107N 15W 32
05/24/1991	91-0209	HAMMEL	HITCH PIN FELL OFF, SPRAYER, TIPPED, RELEASING ALL CONTENTS	BLADEX 90DF & WATER	EYOTA	FARM FIELD- SECT 12, EYOTA TOWNSHIP	EYOTA 106N 12W 12
05/30/1991	91-0272	WILLIAMS	SPRAYER CAME UNHITCHED AND TIPPED OVER	APPROXIMATELY 135 GAL TANK MIX CONTAINING 2,4-D, RELEASED 70 GAL (MIXED AT 1 1/2 GAL/200 GAL H2O)	ROCHESTER	AT THE BRUCE WILLIAM RESIDENCE/5 MI S OF ROCHESTER ON CO RD 1	MARION 106N 13W 29
08/01/1991	91-0616		PRECONSTRUCTION SOIL SAMPLING	UNKNOWN	BYRON	ADJACENT TO CURRENT AG CHEM FACILITY	KALMAR 107N 15W 32
05/24/1991	91-0746	SCOTLAND YARD	ALLEGED DUMPING	UNKNOWN	RICHFIELD	AT THE END OF 22ND AVE ALONG THE FENCELINE	
05/27/1991	91-0795	EGGLER	FARMER THINKS IT WAS VANDALISM-SOMEONE OPENED VALVE	1000 GAL NH3 NURSE TANK, HAD ABOUT 35% AFTER THE INCIDENT, FARMER THINKS 10% WAS LOST.	ROCHESTER	FIELD - 1600 BLOCK ON 55TH ST IN FIELD NEXT TO THIS ADDRESS IN ROCHESTER	
05/25/1991	91-0798	SPRING GREEN	SPRAY MIX LEAKED FROM TRUCK IN DRIVEWAY, SPILLED TOWARDS TURF AREA.	FOUR PAR PLUS, 2,4-D, DICAMBA; PENDIMETHALIN PREMERGE;46-0-0 TANK MIX APPROX 5 GAL	ROCHESTER	OCCURRED IN THE CIRCLE DRIVEWAY AT 902 11TH AVE NW IN ROCHESTER AT NORTHGATE PLAZA RETIREMENT COMMUNITY.	
06/03/1991	91-0888	CHEMTROL OF WEST DES MOINES	LEAKY VALVE	1 GAL 2,4-D	ROCHESTER	ASPHALT PARKING LOT OF THE TRAVELODGE SOUTH MOTEL - 1837 S BROADWAY, ROCHESTER	
12/30/1991	92-0050	GREENWAY COOP SERVICE CO INC	LEAK IN BOTTOM OF STORAGE TANK	~1400 GAL OF 28% LIQ NITROGEN	ROCHESTER	WITHIN FERT DIKE @ FACILITY IN CHESTER, MN	
05/01/1992	92-0103	GREENWAY COOP SERVICE CO INC	A 2 1/2 GAL JUG OF ERADICANE FELL FROM THE BACK END OF A PICK UP.	2 1/2 GAL JUG OF ERADICANE		FARM FIELD	
05/14/1992	92-0119	ALL AMERICAN COOP	AA NURSE TANK ROLLED OVER SNAPPING OFF VALVE.	NEARLY FULL TANK OF ANHYDROUS AMMONIA	EYOTA	14 MI E OF EYOTA;N ON CO 7-1 MI; E ON GR RD TO A T	DOVER 106N 11W 06
05/19/1992	92-0124		IMPREGNATION HOSE BLEW WHILE THE HOSE WAS BEING BLOWN CLEAN.	PURSUIT PLUS APPROXIMATELY 1 QT	BYRON	IMPREGNATION / DRY FERTILIZER PLANT	KALMAR 107N 15W 32
06/18/1992	92-0203	ALL AMERICAN COOP	UNKNOWN	ANHYDROUS AMMONIA	STEWARTVILLE	ANHYDROUS AMMONIA NURSE TANK PARKING AREA.	HIGH FOREST 105N 14W 34
07/24/1992	92-0227	ALL AMERICAN COOP	VALVE ON FULL 500 GAL APPLICATOR UNIT, NOT SHUT OFF COMPLETELY	ANHYDROUS AMMONIA	STEWARTVILLE	AG CHEM FACILITY NURSE TANK PARKING LOT	HIGH FOREST 105N 14W 34

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

*Location of Incident*

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
04/22/1992	92-0232	BEAR CREEK SERVICES INC	PRODUCT FROZE AND BROKE THE CONTAINERS	2-5 GALLONS PAILS OF PROFESSIONAL LYSOL DEODERIZING CLEANER	ROCHESTER	WITHIN GARAGE AND RAN ACROSS A TURF AREA AT 812 10TH AVE SE, ROCHESTER			
03/03/1993	93-0039	WINONA RIVER & RAIL INC	VALVE TWISTED OFF	@700 GAL OF CROP OIL	WINONA	AT FACILITY 1700 CIVIC CENTER DR NW			
04/29/1993	93-0074	MOON	TANK SETTING ON WAGON W/500 GAL LIQ FERT COLLAPSED	500 GAL 10-34-0	BYRON	GRAVEL PARKING AREA / COWYARD	NEWHAVEN	108N	15W 34
05/18/1993	93-0089	GREENWAY COOP SERVICE CO INC	TRAFFIC ACCIDENT / FATALITY	EMPTY ANHYDROUS AMMONIA NURSE TANK		INTERSECTION OF STATE HWY & CO RD 119 / OLMSTEAD COUNTY	HAVERHILL	107N	13W 13
06/18/1993	93-0131	WINONA RIVER & RAIL INC	LEAKING BARREL	BARRELL SAYS PROPIANIC ACID	WINONA	1714 CIVIC CENTER DRIVE			
08/18/1993	93-0268	UNKNOWN	UNKNOWN	UNKNOWN		ORION TWP. 2BAA AND EYOTA TWP. 35C	ORION	105N	12W 35
06/21/1994	94-0274	GREENWAY COOP SERVICE CO INC	BI-PASS LINE WORKED FREE	3 ACRE RATE OF TANKMIX OF PURSUIT, REFLECT & PINNACLE.		STEVE DANIELS FARM ON GRASS HEADLAND.	HAVERHILL	107N	13W 29
07/06/1994	94-0377	CULBERTSON	ALLEGED CONTAMINATED WELL		ELGIN	NE 1/4 OF THE NW 1/4 5332 HWY 247 NE	FARMINGTON	108N	13W 15
07/12/1994	94-0391	4 CONTROL INC	SPRAYER TANK SPILLED	10 GALLONS OF A GARLON & SEE 2,4-D TANKMIX	ROCHESTER	SO FORK OF ZUMBRO RIVER 16TH ST SW, ROCHESTER, MN			
01/30/1995	95-0143	ALL AMERICAN COOP	LEAKING VALVE	ANHYDROUS AMMONIA-UNKNOWN QUANTITY	EYOTA	ANHYDROUS AMMONIA STORAGE TANK	EYOTA	106N	12W 14
05/03/1995	95-0292	GREENWAY COOP SERVICE CO INC	FEEDER HOSE CAME LOOSE DURING APPLICATION	200 GALLON TANKMIX		LARRY BRUBAKER FARM NE 1/4 OF SECTION 8	DOVER	106N	11W 08
06/04/1995	95-0433	TIMM	TANK TIPPED OVER	200 GALLONS TANK MIX		SE 1/4 OF THE SW 1/4 OF SECTION 9, HAVERHILL TOWNSHIP	HAVERHILL	107N	13W 09
06/19/1995	95-0508	GREENWAY COOP SERVICE CO INC	WORKING ON SPRAYER PUMP AND LOST 20-30 GALLONS	20-30 GALLONS OF TANK MIX CONTAINING PROWL , ACCENT & EXCEED	ROCHESTER	75-100 FEET WEST OF THE MAIN BUILDING	MARION	106N	14W 11
04/30/1996	96-0251	BELGRADE COOP ASSN	FERT-SPREADER TOWED BEHIND TRUCK; APRON WAS LEFT IN GEAR AS FARMER DROVE AWAY.	DRY FERT. 50-2-030	BELGRADE	PRIVATE ROAD OWNED HALF BY COOP, HALF BY ELEVATOR	QUINCY	107N	11W 20
05/04/1996	96-0252	MULHOLLAND	TIPPED OVER IN DITCH	700 GALLONS OF LIQUID FERTILIZER	PLAINVIEW	DRIVEWAY NEAR 152ND STREET NE. SE 1/4 OF THE NE 1/4 OF SECTION 19	QUINCY	107N	11W 20
05/18/1996	96-0303	TRUGREEN/CHEMLAWN	VALVE WAS TURNED WRONG	2 GAL TANKMIX OF FERT., TRI-MEC AND PRE-EMERGENT		13TH ST AND NO BROADWAY IN PARKING LOT			
03/16/1996	96-0377	AGRILAND ELEVATORS	COMPLAINT ALLEGES PEST SPILLS NOT REPORTED		BYRON	AT THE FACILITY	KALMAR	107N	15W 31
06/30/1996	96-0538	ALL AMERICAN COOP	MAIN HOSE BROKE FROM APPLICATOR	50 GALLON TANK MIX OF PURSUIT, STELLAR, 28% AND WATER.	ROCHESTER	6130 31ST AVE SW, ROCHESTER	HIGH PLAINS	105N	14W 04
08/23/1996	96-0637	SAINTE MARYS HOSPITAL	CONTAINER TIPPED	2 GALLONS DEARCIDE 737	ROCHESTER	POWER PLANT @ ST. MARY'S HOSPITAL, 1216 2ND ST SW, ROCHESTER, MN			
10/17/1996	96-0822	B & L AGRONOMICS	TENDER TRUCK TIPPED OVER	SULFATE OF POTASSIUM	CHATFIELD	INTERSECTION OF OLMSTEAD CO RD 10 AND WAHLEN VALLEY ROAD, CHATFIELD, MN			
04/10/1997	96-1119		TRUCK TURNED OVER	UREA, DAP, POTASH	BYRON	SOUTH OF BYRON ON COUNTY RD 5	SALEM	106N	15W 08
04/21/1997	96-1167	TRUGREEN/CHEMLAWN	VALVE TURNED WRONG WAY ON APPLICATOR TRUCK	3 GALLONS: 36-0-13 LIQUID FERT. TRIMEC 959, MCPA ESTER & PRE-M 3.3	ROCHESTER	1634 CLUBVIEW RD, WINONA			
04/30/1997	96-1187	TRUGREEN/CHEMLAWN	IMPROPER PLUMBING CAUSED TANK TO	TANKMIX OF WEED CONTROL & FERT	EYOTA	611 MADISON ST, EYOTA	EYOTA	106N	12W 14

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

*Location of Incident*

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
			OVERFILL	CHEMICALS					
05/08/1997	96-1202	TRUGREEN/CHEMLAWN	Hose broke	2 gallon tankmix of fertilizer and herbicide	ROCHESTER	852 4th Ave. SE, Rochester			
05/12/1997	96-1220	MOON	SPRAY RIG HIT A BUMP, TANK SPLIT OPEN	PROWL TANK MIX 500 GALLONS WATER 8.5 GALLONS PROWL	BYRON	4 MILES NO OF ROCHESTER, THEN 7 MILES W ON 75TH.	KALMAR	107N	15W 04
05/21/1997	96-1271	TRUGREEN/CHEMLAWN	VALVE SET WRONG ON APPLICATION TRUCK	20 GAL TANKMIX OF 36-0-13 FERT. & PRE M	ST CHARLE	136 E 15TH ST, ST CHARLES, MN			
06/05/1997	96-1325	OPFER	SPLIT TANK	TANK OF 28-0-0	BYRON	BYRON TO CO RD 35 TO CO RD 3 TO FRONTIER DRIVE			
02/26/1998	CF-1984		SITE ASSESSMENT			AT THE FACILITY NH3 SITE			
02/26/1998	CF-1985		SITE ASSESSMENT			AT THE FACILITY (DOWNTOWN BYRON)			
02/09/1998	CF-1994	ALL AMERICAN COOP	VALVE LEFT OPEN WHILE FILLING ON FARM SEMI TANKER	10-34-0 LIQUID FERTILIZER	STEWARTVILLE	GARY ALLEN RESIDENCE, 3922 125TH AVE SE, EYOTA, MN	EYOTA	106N	12W 23
04/19/1998	CF-2134	GREENWAY COOP SERVICE CO INC	HITCH BROKE ON TANK & QUICK COUPLER FAILED TO CLOSE	3,400 LBS OF NH3	ROCHESTER	IN A FIELD ALONG 48TH ST IN S 1/2, E 1/4, SECTION 28 IN ROCK TOWNSHIP	ROCK DELL	105N	15W 28
05/04/1998	CF-2193	ALL AMERICAN COOP	3" HOSE ON PUMP SEPARATED AND SPILLED PRODUCT WHILE APPLYING	600 GALLONS OF 28% AND 2.5 GALLONS OF SURPASS E.C.	STEWARTVILLE	SW 1/4 OF THE MW 1/4 OF SECTION 14	PLEASANT GROVE	105N	13W 14
07/10/1998	CF-2550	TRUGREEN/CHEMLAWN	HOSE RUPTURE	3 GALLON TANKMIX OF 36-0-13 AND TRIMEC 959	ROCHESTER	3921 15TH AVE NW, ROCHESTER			
09/07/1998	CF-2777	GREENWAY COOP SERVICE CO INC	HOLE IN FERTILIZER TANK	400 GALLONS OF 10-34-0 RELEASED FROM ABOVE GROUND TANK	CHESTER	AT FACILITY ON HWY 14 IN CHESTER	MARION	106N	14W 11
07/23/1998	CF-2967	PROW BUILDERS INC	DEMOLITIAN OF ABANDONED DRY FERT WAREHOUSE (ROCHESTER FERTILIZER)	DEMO DEBRIS		HWY 14 & 52 ROCHESTER			
09/08/1998	CF-3221	SCHOENFELDER FARMS	UNSEATED WITHDRAWAL VALVE	ANHYDROUS AMMONIA TANK		NORTHSIDE OF HIGHWAY 52 AT MILE MARKER 49 AND 50 NEAR COUNTY ROAD 1	MARION	106N	13W 20
04/19/1999	CF-3248	WARKE AG	TRAILER W/2-500 GALLONS POLY TANKS REAR-ENDED BY SEMI	700 GALLONS OF 9-18-9		.4 MILES EAST OF I-90 MILE POST 226. EAST BOUND LANES			
04/30/1999	CF-3285	GREENWAY COOP SERVICE CO INC	HOSE BLEW OFF TENDER TRUCK	500 GALLON TANKMIX OF 28-0-0, DUAL II & BLADEX		1 MILE EAST OF MARION ON CO RD, CONTINUING FOR 1 1/4 MILES EAST	MARION	106N	13W 36
08/25/1999	CF-3834	GREENWAY COOP SERVICE CO INC	HYDROSTAT FAILED	ANHYDROUS AMMONIA VAPORS	CHESTER	FACILITY, 18,000 GALLON ANHYDROUS AMMONIA STORAGE TANK	MARION	106N	13W 11
08/25/1999	CF-3837	PROGRESSIVE AG CENTER LLC	LOOSE VALVE ON ANHYDROUS AMMONIA NURSE TANK	1 PINT ANHYDROUS AMMONIA	STEWARTVILLE	NURSE TANK STORAGE AREA ON FACILITY			
05/05/2000	CF-4373	TRUGREEN/CHEMLAWN	TANK VALVE CROSSED AND FLOODED ANOTHER TANK, OVERFLOWED	17-0-5 FERT / PENDIMETHALIN / TRIMEC 959, 30 GALLON TANKMIX	ROCHESTER	3825 WILLOW HEIGHTS DR, ROCHESTER IN GUTTER TO DRAIN TO DRY CULVERT			
05/16/2000	CF-4666	TRUGREEN/CHEMLAWN	TRANSFER HOSE CAME OUT OF TANK ONTO GROUND.	TRIMEC/PRE-M/LIQUID FERTILIZER/WATER 12 GALLON TANKMIX	ROCHESTER	SCHOOL PARKING LOT AT 1510 14TH ST NW, ROCHESTER, MN.			
07/17/2000	CF-4809	MIDWEST AG-AIR INC	PLANE CRASH	3 ACRE TANKMIX OF ROUNDUP		SE1/4 OF THE NW1/4. OCCURRED IN A ROUNDUP READY SOYBEAN FIELD. SPILLED IN A 40' BY 60' AREA.	SALEM	106N	15W 32
02/12/2001	CF-5168	GREENWAY COOP SERVICE CO INC	ALLEGED VANDALISM OF NURSE TANK	ANHYDROUS AMMONIA	CHESTER	FACILITY, ANHYDROUS AMMONIA STORAGE	MARION	106N	13W 11

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident					
					Civil Division	Description	Township / Range / Section			
03/16/2001	CF-5337	GREENWAY COOP SERVICE CO INC	VANDALISM	ANHYDROUS AMMONIA	CHESTER	FACILTY, NURSE TANK STORAGE	MARION	106N	13W	11
04/10/2001	CF-5370	GREENWAY COOP SERVICE CO INC	ALLEGED VANDALISM	ANHYDROUS AMMONIA	CHESTER	FACILITY	MARION	106N	13W	11
04/20/2001	CF-5427	PROGRESSIVE AG CENTER LLC	VLAVE RELEASING AMMONIA VAPOR	1,000 GALLON NURSE TANK RELEASING AA VAPORS THROUGH VALVE	DOVER	100' OFF CO RD 10 BETWEEN DOVER & PLAINVIEW	DOVER	106N	11W	3
05/01/2001	CF-5468	ALL AMERICAN COOP	STORAGE TANK LINE WAS FOUND TO HAVE A SMALL LEAK	BULK STORAGE OF ANHYDROUS AMMONIA - trace amount	EYOTA	FACILITY	EYOTA	106N	12W	14
09/06/2001	CF-6106	PROGRESSIVE AG CENTER LLC	UNDERGROUND ABANDONED LINE LEAKING AA VAPOR	ANHYDROUS AMMONIA VAPOR	STEWARTVILLE	FACILITY	HIGH FOREST	105N	14W	34
11/15/2001	CF-6321	ROCHESTER GOLF & COUNTRY CLUB	SPRAYER TIPPED OVER WHEN WHEELS DROPPED INTO SAND BUNKER	100 GALLON TANKMIX OF DACONIL WEATHERSTIK AND CHIPCO 26G.	ROCHESTER	SAND BUNKER JUST WEST OFF GREEN NUMBER 6.	ROCHESTER	106N		14W
03/11/2002	CF-6503	GREENWAY COOP SERVICE CO INC	ALLEGED THEFT.	ANHYDROUS AMMONIA	CHESTER	NURSE TANK STORAGE AREA. NE4 OF NE4, SECTION 11. NEAR THE CITY OF CHESTER.	MARION	106N	13W	11
04/09/2002	CF-6661	PROGRESSIVE AG CENTER LLC	APRON ENGAGED ON PULL SPREADER	6560 POUNDS DRY FERT	STEWARTVILLE	4TH STREET SE ONTO 5TH AVE, STEWARTVILLE	HIGH FOREST	105N	14W	34
04/16/2002	CF-6686	PROGRESSIVE AG CENTER LLC	HIGH TEMPS CAUSED PRESSURE RELIEF VALVE TO POP	NURSE TANK. ANHYDROUS AMMONIA.	STEWARTVILLE	113 4TH STREET SE. NURSE TANK STORAGE AREA.	HIGH FOREST	105N	14W	34
05/05/2002	CF-6731	PROGRESSIVE AG CENTER LLC	DRIVER TURNED CORNER TOO SHARP - ROLLED TENDER TRUCK	500 POUNDS OF 16.7-14.2-26.9 DRY FERT.		CTY RD 1 SOUTH OF PLEASANT GROVE.	PLEASANT GROVE	105N	13W	28
04/28/2002	CF-6734	SPRING GREEN	TRANSFERRED PRODUCT FROM FRONT TANK TO BACK, OVERFLOW	UREA, DIMENSION, 3-WAY; 5-10 GALLON TO STREET TOWARD DRAIN	ROCHESTER	STREET, 2701 OAKVIEW LN, ROCHESTER	CASCADE	107N		14W
08/29/2002	CF-7375	PROGRESSIVE AG CENTER LLC	ALLEGED THEFT	ANHYDROUS AMMONIA	STEWARTVILLE	FACILITY	HIGH FOREST	105N	14W	34
09/04/2002	CF-7378	PROGRESSIVE AG CENTER LLC	ATTEMPTED THEFT OF ANHYDROUS AMMONIA	ANHYDROUS AMMONIA, TANKS WERE EMPTY FOR MAINTENANCE	EYOTA	WEST END OF FACILITY	EYOTA	106N	12W	14
05/15/2003	CF-8236	PROGRESSIVE AG CENTER LLC	LOOSE SCREW ON EMPTY NURSE TANK LIQUID FILL GUAGE	ANHYDROUS AMMONIA	EYOTA	NURSE TANK PARKING	EYOTA	106N	12W	14
05/16/2003	CF-8239	PROGRESSIVE AG CENTER LLC	WITHDRAWAL VALVE LEAKING	ANHYDROUS AMMONIA	EYOTA	NURSE TNK STORAGE LOT	EYOTA	106N	12W	14
07/21/2003	CF-8394	GREENWAY COOP SERVICE CO INC	ALLEGED VANDALISM	ANHYDROUS AMMONIA		NURSE TANK STORAGE	MARION	106N	13W	11
09/19/2003	CF-8431	PROGRESSIVE AG CENTER LLC	SUPPORT RODS GAVE WAY AND WALL COLLAPSED OUT FROM FERT WEIGHT.	DRY UREA, 46-0-0		BULK DRY FERTILIZER BUILDING.	HIGH FOREST	105N	14W	34
04/24/2004	CF-8934	ALLEN	TANK BROKW LOOSE FROM THE TIE DOWNS AND TIPPED INTO ROAD DITCH	500 GALLONS 10-34-0		LLOYD SMITH FARM FIELD ACCESS				
08/04/2004	CF-9296	GRASSROOTS LAWN CARE LLC	WATER/RINSEATE COLLECTION TROUGH LEAKED	FERTILIZER/PESTICIDE RINSEATE		WITHIN FILL/WASH AREA OF FACILITY				
01/20/2005	CF-9459	GREENWAY COOP SERVICE CO INC	ALLEGED VANDALISM. VANDALS LEFT W/D VALVE OPEN. OCCURRED OVERNIGHT.	ANHYDROUS AMMONIA		1309 FRONTAGE RD. NURSE TANK STORAGE/PARKING.				
/ /	CF-9504	WINONA RIVER & RAIL INC	ABANDONED SITE; SITE ASSESSMENT	NITROGEN; TKN						

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.  
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident		
					Civil Division	Description	Township / Range / Section
/ /	CF-9505	THERMOGAS CO OF ROCHESTER	ABANDONED SITE				
02/14/2005	CF-9622	GREENWAY COOP SERVICE CO INC	HOLE IN BOTTOM OF TANK.	25,000 GALLONS UAN		WITHIN SECONDARY CONTAINMENT AT CHESTER/ROCHESTER LOCATION.	
02/15/2005	CF-9641	GREENWAY COOP SERVICE CO INC	LEAKING BULK FERTILIZER TANK. FIBERGLASS.	10-34-0 LIQUID FERTILIZER. 20,000 GALS LOST INTO CONTAINMENT.		WITHIN BULK FERTILIZER SECONDARY CONTAINMENT.	
04/12/2005	CF-9981	PROGRESSIVE AG CENTER LLC	BROKEN PUMP SEAL	40 GALLONS HARNESS		WITHIN BULK SECONDARY CONTAINMENT.	
04/13/2005	CF-9983	PROGRESSIVE AG CENTER LLC	TEMP FLUCTUATIONS CAUSED VALVE TO UNSEAT.	ANHYDROUS AMMONIA.		NURSE TANK PARKING AREA.	
/ /	CF-10086	TRUGREEN/CHEMLAWN	ABANDONED SITE				
/ /	CF-10462	THERMOGAS CO OF CHATFIELD	ABANDONED SITE				
04/11/2006	CF-10740	PROGRESSIVE AG CENTER LLC	LEAKY SEAL BETWEEN LIQUID LEVEL GAUGE AND TANK SHELL.	ANHYDROUS AMMONIA.		AT FIRM ADDRESS IN STEWARTVILLE.	
04/17/2006	CF-10761	PROGRESSIVE AG CENTER LLC	MOVING MINIBULK FROM ONE BAY TO ANOTHER.	2-3 GALLONS LUMAX		OUTSIDE CONTAINMENT.	
05/03/2006	CF-10792	PROGRESSIVE AG CENTER LLC	TANK FAILURE WITHIN CONTAINMENT.	500 GALLONS 28-0-0 LIQ FERTILIZER. OVERSPRAY OF 50 GALLONS OUTSIDE DIKE WALL.		WITHIN BULK FERTILIZER SECONDARY CONTAINMENT AND OUTSIDE DIKE WALL.	
04/23/2006	CF-10801	PROGRESSIVE AG CENTER LLC	VAPOR SHUT-OFF VALVE NEXT TO THE VAPOR PUMP HAD A STEM LEAK.	VAPOR RELEASE OF AMMONIA.		FIRM BULK AMMONIA STORAGE TANK. YELLOW VAPOR LINE.	
06/13/2006	CF-10949	PROGRESSIVE AG CENTER LLC	LEAKY VALVE ON 1,000 GALLON NT. SUSPECTED TEMP CHANGES.	ANHYDROUS AMMONIA.		AT 1 NORTH FRONT STREET. AMMONIA NURSE TANK STORAGE.	
08/31/2006	CF-11179	PROGRESSIVE AG CENTER LLC	LIQUID WITHDRAWAL VALVE ON 1K GALLON NURSE TANK UNSEATED.	ANHYDROUS AMMONIA.		NURSE TANK PARKING.	
12/28/0306	CF-11311	GREENWAY COOP SERVICE CO INC	PINHOLE LEAK IN AST	600 GALLONS 10-34-0		WITHIN SECONDARY CONTAINMENT.	
04/22/2007	CF-11345	PROGRESSIVE AG CENTER LLC	PUMP SEAL FAILED.	ANHYDROUS AMMONIA.		ANHYDROUS AMMONIA STORAGE	
04/20/2008	CF-11347	GREENWAY COOP SERVICE CO INC	FARMERS TANK SPLIT DURING TRANSPORT FROM GREENWAY COOP. SPILLED OVER 1/2 MILE.	1550 GALS OF 10-34-0 WITH 50 GALS OF ZINC.		ROAD LEAVING GREENWAY AND THEN ONTO FRONTAGE ROAD GOING EAST FOR 1/2 MILES.	
04/26/2007	CF-11351	PROGRESSIVE AG CENTER LLC	AMMONIA THEFT. HOSE AND 20# PROPANE CYLINDER FOUND AT SITE.	ANHYDROUS AMMONIA.		IN A FIELD. HAVERHILL TOWNSHIP SECTION 7. 65TH STREET NE.	
05/26/2007	CF-11399	GREENWAY COOP SERVICE CO INC	BLEEDING VAPORS INTO WATER TANK WHEN WATER BECAME SATURATED WITH AA.	AMMONIA VAPORS.		HIGHWAY 14 E. CHESTER LOCATION	
07/08/2007	CF-11479	PROGRESSIVE AG CENTER LLC	HIGH TEMPERATURES CAUSED PRESSURE RELIEF VALVES TO OPEN ON SEVERAL NURSE TANKS.	ANHYDROUS AMMONIA.		NURSE TANK PARKING AREA.	
07/18/2007	CF-11502	GREENWAY COOP SERVICE CO INC	SUSPECTED THEFT FROM AMMONIA NURSE TANK.	LOST OF 6% FROM 1,000 GALLON TANK.		6435 HWY 14E.	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

*Location of Incident*

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
06/25/2007	CF-11565	GREENWAY COOP SERVICE CO INC	RUNOFF FROM FACILITY MAY BE DAMAGING DITCH GRASS.	UNKNOWN. LAB DETECTIONS OF METOLACHLOR, AND CHLORPYRIFOS.		AT FACILITY. 6435 HIGHWAY 14 EAST.			
/ /	FY771021		RUPTURE RUBBER TANK & PRODUCT LINE RUPTURE	9018 GAL 28-0-0; 27000 GAL 10-34-0	BYRON	AT FACILITY	KALMAR	107N	15W 31
/ /	FY771022	NYBERG & SCHLIDROTH FLYING SERVICE	ENGINE STOPPED; PLANE CRASHED	SEVIN MIXTURE; 320 GALLONS		ROBERT BROWN FARM; 7 MI SE OF ROCHESTER AIRPORT			
07/17/1978	FY781064		RUNOFF FROM ELEVATOR IS KILLING LAWNS	POTASH; UNKNOWN AMOUNT		UNKNOWN			
04/24/1979	FY791008	KELLYS ORCHARD	POSSIBLE MISUSE OF MDUSE POISON	MOU5-CON N02	ROCHESTER	ORCHARD			
05/29/1979	FY791027	BROBST FEED	VANDALISM SPILLED FERTILIZER	1,000 GALLONS; 28-0-0		SHOULDER OF 36TH AVE SE IN ROCHESTER			
04/02/1979	FY791028	BROBST FEED	LASSO SPILLED ON SEED BAGS AND FLOOR	LASSO	EYOTA	AT FACILITY			
06/20/1979	FY791047	FARMERS ELEVATOR CO	STORM SEWER RUNOFF WHITE & AMMONIA SMELL	ATRAZINE & AMMONIA & LASSO	STEWARTVILLE	UNKNOWN			
05/14/1982	FY821082	KUISLE	FARMER SPRAYED IN FACE WHILE UNTANGLING HOSE	ANHYDROUS AMMONIA		NW 1/4	HIGH FOREST	105N	14W 06
01/17/1983	FY831036	MULLHOLLAND	THIMET IN HAY	THIMET IN STACK OF HAY		1/4 MI W OF HWY 42, 4.4 MI NO OF HWY 14			
07/19/1984	FY851009	UNKNOWN	DUMPED	10 GALLONS LORSBAN IN 225 GALLONS OF WATER		DUMPED ON PROPERTY OF ROCHESTER AIRPORT			
05/20/1985	FY851059	UNKNOWN	SPILL OF ONE BAG PHORATE FOUND ON ROAD	ONE BAG PHORATE		NORTH OF VIOLA MN			
05/24/1986	FY861066	MOWER CNTY SERVICE CO	SPILL IN ROAD DITCH	1600 GALLONS 28-0-0 AND 170 GALLONS LASSO		OLMSTED COUNTY SOUTHWEST			
11/21/1986	FY871016	ALL AMERICAN COOP	BOTTOM OF ONE OF THEIR FERTILIZER TANKS RUSTED OUT	13,000 GALLONS OF 10-34-0	STEWARTVILLE	CITY OF STEWARTVILLE			
12/12/1986	FY871018		HOLE IN PIPE ELBOW	28-0-0; 18,000 GAL	BYRON	FACILITY LOCATED AT THE WEST EDGE OF TOWN	KALMAR	107N	15W 31
04/07/1987	FY871022		DRAIN PLUG RUSTED OUT	28-0-0; 13,000 GAL		ONE MILE WEST OF BYRON			
09/17/1987	FY881018	UNKNOWN	SUMP	NITRIC ACID (USE UNKNOWN)		ROCHESTER			
04/16/1988	FY881046	HART	WHEN PIN IN FRONT PIVOT BROKE	400 GAL NH3		ELGIN; AT REGGINALD HART'S FARM	PLEASANT GROVE	105N	13W 20
04/29/1988	FY881054	GREENWAY COOP SERVICE CO INC	SPILL	900 GAL 7-21-7		ROCHESTER, RANDY KROENING FARM	HAVERHILL	107N	13W 11
05/21/1989	FY891123	ALL AMERICAN COOP		450 GAL MIXTURE - 40 PARTS SONALAN & 11# LEXONE	STEWARTVILLE	STEWARTVILLE	HIGH FOREST	105N	14W 34
06/02/1989	FY891145	KRUEGER	BROKEN HOSE	3 GAL PROWL		GRAVEL ROAD - QUINCY TWP, OLMSTED COUNTY	QUINCY	107N	11W
02/19/1991	FY90F028	GREENWAY COOP SERVICE CO INC	Historic - facility inspection in response to dead vegetation.			NE1/4,NW1/4, Sect11, R.13W.			
10/18/1989	FY901053	FmHA	DISPOSAL SITE	1-55 GALLON BARREL OF AMWAY ADJURANT-LESS THAN 1/3 FULL		NE 1/4	ROCK DELL	105N	15W 09
12/02/1989	FY901070	ASSOCIATED MILK	LEAK IN AN ANHYDROUS PIPELINE	NH3 REFRIDGERATION	ROCHESTER	700 FIRST AVENUE SE			

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.  
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in  
OLMSTED COUNTY  
from 01/01/1977 to 08/26/2011

*Location of Incident*

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section
		PRODUCERS INC	REFRIDGERATION UNIT				
01/01/1990	FY90I111	UNKNOWN	AG CHEM DUMP	HERBICIDE DRUMS AND MISC. OTHER	UNKNOWN	PRIVATE LAND - SINKHOLE NEARBY	
05/04/1990	FY90I142	CHEMLAWN/MIDWEST LAWN CARE	ALLEGED HOSE RUPTURE ON APPLICATOR TRUCK	UNKNOWN	ROCHESTER	CLEARWATER RD NW (5700 BLOCK) STORM SEWER	
05/20/1981	FY81 4520		SPILL OF 28% FERTILIZER, LASSO, - ATRAZINE MIX	28% FERT., LASSO, ATRAZINE MIX; 1500 GAL. INVOLVED		SHOULDER OF COUNTY ROAD #5; YARD	