



MINNESOTA DEPARTMENT OF AGRICULTURE
AGRONOMY & PLANT PROTECTION DIVISION
90 WEST PLATO BOULEVARD, ST. PAUL MN 55107-2094
TELEPHONE: (651) 296-6121, FAX: (651) 297-2271

Incidents Reported in
WINONA COUNTY
from 01/01/1977 to 08/26/2011

Page 1

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident		
					Civil Division	Description	Township / Range / Section
06/21/1991	91-0805	UNKNOWN	UNKNOWN - FISH KILL; 3,000 FISH WITHIN 2 MILE AREA	UNKNOWN		RUSH CREEK, ORIGIN APPEARS TO BE BRIDGE ON HWY 25 IN SECT 20 AND 29.	HART 105N 08W 20
03/23/1992	92-0095	WINONA CNTY HWY DEPT	LEAKING DRUM OF UROX WEED KILLER	55 GAL DRUM OF UROX LIQUID OIL CONCENTRATE.	WINONA	STORAGE SHED AT THE HIGHWAY DEPT	WINONA 107N 06W 19
02/26/1992	92-0332	MC CONNON & CO	ALLEGED DUMPING OF AG CHEMICALS & BURNING WASTE	UNKNOWN	WINONA	25 MCCONNAN DRIVE, WINONA	
09/15/1992	92-0352	LAROUCH INDUSTRIES	WASTE PRODUCT/DEMOLISHION OF DRY FERTILIZER FACILITY	DRY FERTILIZER (VARIOUS ANALYSIS) SEVERAL TONS	WINONA	OLD CONTINENTAL NITROGEN FERT FACILITY (1051 E 4TH ST, WINONA)	
05/12/1993	93-0102	FERGUSON TRUCKING	SEMI ROLL-OVER	54,000 LB 28% LIQUID FERTILIZER; <100 GAL RELEASED	LEWISTON	HWY 14 OUTSIDE OF LEWISTON, N SIDE OF ROAD MM 246	
05/13/1993	93-0126	SUPPORT TERMINAL SERVICES	CAST IRON PLUG RUSTED OUT IN UNDERGROUND PIPING	28% LIQUID NITROGEN	WINONA	ADJACENT TO LIQUID FERTILIZER DIKE	WINONA 107N 06W
07/07/1993	93-0166	MOORE	VANDALISM - MIX OF ATRAZINE/COUNTER	POSSIBLE COUNTER MIX WITH ATRAZINE	LEWISTON	YARD OF THE MOORE RESIDENCE, 230 BENSON DRIVE, LEWISTON, MN	
05/17/1994	94-0213	SCHERBRING	SPRAYER FRAME BROKE APART, SHEERED OFF HOSE, RELEASED PRODUCT	500 GALLON TANK MIX OF MARKSMAN & SURPASS	MINNESOTA CITY	NW CORNER SECTION 11, ROLLINGSTONE TWSP, WINONA CO.	ROLLINGSTONE 108N 07W 11
07/07/1994	94-0323	SUPPORT TERMINAL SERVICES	VALVE LEAKING	BULK 28-0-0 LIQUID FERTILZER	WINONA	1020 E 2ND ST.	
07/07/1994	94-0327	WINONA RIVER & RAIL INC	DRY FERTILIZER SPILL	BULK DRY FERTILIZER	WINONA	1000 E 3RD ST. DRY FERTILIZER STORAGE	WINONA (east) 107N 06W
07/08/1994	94-0770	WINONA RIVER & RAIL INC	LOADING/UNLOADING PRACTICES	VARIOUS DRY FERTILIZER PRODUCTS	WINONA	VARIOUS LOAD/UNLOADING AREAS ON THE FACILITY	
07/07/1994	94-0771	KUJAK BROS CORP	LOADING/UNLOADING FERTILIZER	0-0-60/POTASH-UNKNOWN	WINONA	BARGE LOAD/UNLOAD AREA	WINONA (east) 107N 06W
07/07/1994	94-0778	SUPPORT TERMINAL SERVICES	LEAKY VALVE	28% LIQUID FERT UNKNOWN QUANTITY	WINONA	BULK FERTILIZER DIKE/TANK	WINONA 107N 06W
02/26/1996	96-0160	SUPPORT TERMINAL SERVICES	FIRM IS DOING A SITE ASSESSMENT AS PART OF FACILITY UPGRADE			ST SERVICES 1050 E 2ND STREET, WINONA	
04/22/1996	96-0227	ALL AMERICAN COOP	TRUCK HAULING TANK ENTERED DITCH AND TIPPED	ANHYDROUS AMMONIA	ST CHARLES	.5 NILES WEST OF ST CHARLES ON THE HWY 14 FRONTAGE ROAD	
04/04/1997	96-1215	FERDEN ELECTRIC	FIRE		WINONA	JUST OFF MARK ST., NO OF FRANKLIN, WINONA	
06/22/1997	96-1415	TWIN VALLEY AG SERVICE ASSN	ANHYDROUS TANK ROLLOVER	ANHYDROUS AMMONIA < 100 LBS	ALTURA	CO RD 114 2 1/2 MILES WEST OF ROLLINGSTONE	
05/26/1998	CF-2430	ALL AMERICAN COOP	LIQUID WITHDRAWAL VALVE WAS SLIGHTLY OPEN	VAPOR	SAINT CHARLES	942 WABASHA AVE. ST. CHARLES	ST CHARLES 106N 10W 19
06/27/1998	CF-2526	WINONA YMCA	MALFUNCTION OF CHLORINE METERING PUMP	CHLORINE	WINONA	POOL AT WINONA YMCA	

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers.
This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
WINONA COUNTY
from 01/01/1977 to 08/26/2011

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Location of Incident			
					Civil Division	Description	Township / Range / Section	
04/16/1998	CF-2961	UNKNOWN	UNKNOWN	UNKNOWN		I 90 EAST BOUND MILE POST 261		
04/05/1999	CF-3208	R T P	WASTE RESIDUAL FERTILIZER. DRY FERTILIZER LEFT FROM PREVIOUS OWNER.	ASSORTED BLENDS OF DRY FERTILIZER.	WINONA	BETWEEN RIVER AND EAST 4TH STREET		
04/25/1999	CF-3257	PROGRESSIVE AG CENTER LLC	LEAKING VAPOR VALVE ON NURSE TANK	VAPOR RELEASE ON NURSE TANK	SAINT CHARLES	NORTH FRONT STREET, BOX 148 EYOTA, MN		
02/05/2001	CF-5155	BENSON FARM SERVICE INC	VANDILISM	AA VAPOR	LEWISTON	AA STORAGE	UTICA	106N 09W 15
05/19/2001	CF-5610	PROGRESSIVE AG CENTER LLC	ALLEGED TAMPERING	AA NURSE TANK	SAINT CHARLES	FACILITY	SAINT CHARLES	106N 10W 19
06/15/2001	CF-5713	LENTZ FERTILIZER INC	TRAFFIC ACCIDENT, BACK DUAL TIRE CAME OFF OF TRAILER	5 GALLONS, 28-0-0 LIQUID FERTILIZER	WINONA	STREET, 175 FRANKLIN ST, WINONA		
01/30/2002	CF-6359	LAWNPRO LAWN & LANDSCAPE	VANDALISM. PROPPED OPEN STAINLESS STEEL VALVE ON 4,000 GALLON POLY TANK.	15-0-5 LIQUID FERTILIZER. 2,000 GALLONS SPILLED. 400 RECOVERED.	SAINT CHARLES	PROSOURCE ONE FACILITY	SAINT CHARLES	106N 10W 19
05/05/2002	CF-6732	PROGRESSIVE AG CENTER LLC	VALVE NOT TURNED TIGHT UPON RETURN TO FACILITY. WEATHER RELATED	EST 2 LBS OF AA VAPOR.	SAINT CHARLES	FACILITY, NURSE TANK STORAGE YARD.	SAINT CHARLES	106N 10W 19
05/11/2002	CF-6819	WINONA YMCA	IMPROPER MIXING OF AN ACID WITH SODIUM HYPOCHLORITE	ACID AND CHLORINE	WINONA	POOL AREA		
10/23/2002	CF-7645	U S D A	PAST DUMPING OF PESTICIDE CONTAINERS	NUMEROUS SMALL PACKAGE PESTICIDE CONTAINERS		WALSKY PROPERTY FARMSITE		
10/20/2003	CF-8545	PROGRESSIVE AG CENTER LLC	ALLEGED THEFT	ANHYDROUS AMMONIA	ST CHARLES	ANHYDROUS NURSE TANK STORAGE	ST. CHARLES	106N 10W 19
05/11/2005	CF-10057	UNKNOWN	PIPE BROKE, FAILURE ON TRANSPORT TRUCK. 1 OF 3 COMPARTMENTS EMPTIED.	1200 GALLONS OF 10-34-0		NORTHBOUND LANE OF HIGHWAY 43, NORTH OF WINONA BRIDGE TO SPUR LN, WISCONSIN.		
/ /	CF-10097	RENK TRUCKING	ABANDONED SITE					
04/28/2005	CF-10126	PROGRESSIVE AG CENTER LLC	VAPOR RELEASE FROM HOSE WHILE FILLING BULK TANK FROM SEMI TANKER.	ANHYDROUS AMMONIA.		AT THE PROGRESSIVE AG AA BULK PLANT.		
/ /	CF-10313	HEIM FERTILIZER	ABANDONED SITE					
07/08/2006	CF-11016	PROGRESSIVE AG CENTER LLC	HYDROSTAT OPENED TO RELIEVE PRESSURE.	AMMONIA VAPOR.		AA STORAGE TANK		
08/01/2006	CF-11066	FARMERS COOP ELEVATOR CO	INDUCTOR BACKFLOWED WHILE FILLING APPLICATOR. LORSBAN MINIBULK WAS ON TENDER TRUCK.	LORSBAN 4E. TWO GALLONS.		HART TOWNSHIP OF WINONA COUNTY. SECTION 11/ SW4. IN NE CORNER OF YARD NEAR WELL.		
04/02/2007	CF-11338	BENSON FARM SERVICE INC	BACK OF BIN WALL COLLAPSED.	COATED UREA.		BULK DRY FERTILIZER BUILDING.		
/ /	CF-11584	CENEX/LAND O'LAKES		CREOSOTE		10 PRAIRIE ISLAND ROAD		
11/25/2007	CF-11602	PROGRESSIVE AG CENTER LLC	ALLEGED VANDALISM. FIRE DEPARTMENT CALLED AND REPORTED A VALVE 1/4 TURN OPENED. PLASTIC CAP WAS REMOVED FROM VALVE.	UNKNOWN.		NURSE TANK STORAGE AREA.		
07/21/1977	FY771042	PLUNKETTS PEST CONTROL INC	DOVES ATE STRYCHNINE BAIT	STRYCHNINE .6% IN ENGLISH SPARROW BAIT	WINONA	GTA ELEVATOR; WINONA		

As a result of ongoing database programming, we are currently limited as to the kind of reports we can generate for our customers. This list may not meet all of your needs, but it is all we have available at this time.

Incidents Reported in
WINONA COUNTY
from 01/01/1977 to 08/26/2011

Location of Incident

Date Reported	Case File	Partyname	Incident Cause	Product Involved	Civil Division	Description	Township / Range / Section		
03/04/1977	FY77I043	NOWETTA GARDENS	GAS ESCAPED FROM BUILDING AND CAUSED ALARM	FULEX, DDVP; 11%	ST CHARLES	AT FACILITY			
12/01/1979	FY79I042	G T A FARMERS UNION	FIRE	450 POUNDS DYFONATE; 6 GALLONS LASSO	SAINT CHARLES	SE OF BUSINESS DISTRICT			
06/26/1979	FY79I053	UNKNOWN	COMPLAINT OF SMELLING 2,4-D	2,4-D, LV 400	ST CHARLES	ST. CHARLES			
04/21/1979	FY79I067	UNKNOWN	TRUCK OVERTURNED, SPILLING CORN	10 BUSHELS OF CORN TREATED IN CAPTAN		CO RD 33, SOUTH OF ALTURA			
05/23/1979	FY79I070	UNKNOWN	BACKSIPHONING	BLADEX, ATRAZINE, LASSO		NICK MEISCH FARM			
07/08/1980	FY80I071	LEWISTON FEED & PRODUCE CO	ELEVATOR FIRE	NO PESTICIDES OR HERBICIDES INVOLVED	LEWISTON	UNKNOWN			
06/16/1981	FY81I040	MUELLER FARM SERVICE	DISCHARGE OF RINSALE INTO CITY SEWER	RINSALE	UTICA	MUELLER FARM SERVICE IN UTICA	UTICA	106N	09W
02/01/1986	FY86I009	C P RAIL	RAILCAR POTASH 36 SPILL	POTASH 36		SOUTH OF D. T. HOMER, MN.			
04/03/1986	FY86I010	ANN BRENT TUGBOAT	ONE 350 TON COMPARTMENT HAD WATER	32-0-0; 3,700 TON BARGE		BARGE HIT DAM			
05/01/1986	FY86I036	A A FERTILIZER CO	NURSE TANK ROLLOVER	NO MATERIAL SPILLED	ST CHARLES	EAST OF ST CHARLES MN			
05/08/1986	FY86I042	LEWISTON FEED & PRODUCE CO	TRUCK ROLLOVER; CORNER TOO FAST	SPILLED 300-400 GALLONS OF 28-0-0		WEST OF UTICA MN	ST. CHARLES	106N	10W
06/27/1989	FY89F087	SKELGAS INC	HISTORICAL CONTAMINATION - FACILITY INSPECTION.			SW1/4, NW1/4, NW1/4, SECT13, R.9W.			
07/27/1989	FY89F089	LEWISTON FEED & PRODUCE CO	FACILITY INSPECTION IN RESPONSE TO COMPLAINT			120 MAIN ST., LEWISTON			
06/27/1989	FY89F090	BENSON FARM SERVICE INC	HISTORICAL- FACILITY INSPECTION			NE1/4, NW1/4, NW1/4, SW1/4, SECT15, R.,9W. BETWEEN RR RIGHT OF WAY & US TH 14, ONE MILE WEST OF LEWSITON			
01/29/1987	FY89I026	LEWISTON FEED & PRODUCE CO	FACILITY RUNOFF	UNKNOWN		KARST, SINKHOLE S OF TOWN, LEWISTON			
09/12/1990	FY90F129	SPRING GREEN	HISTORIC RELEASE FROM PAST PRACTICES/RUNOFF	FOUR POWER PLUS; WEEDGRASS CONTROL; PENDAMETHALIN	ROCHESTER	UNKNOWN			
09/18/1989	FY90I040	NATURAL RESOURCES MN DEPT OF	PESTICIDE SPILLED ON APPLICATORS CLOTHES	<PT TANK MIX CONTAINING WEEDONE BC	LEWISTON	LEWISTON			
10/18/1989	FY90I054	FmHA - WINONA COUNTY	DISPOSAL SITE	VARIOUS PESTICIDE		NW 1/4 P	WARREN	106N	08W
10/24/1989	FY90I055	NATURAL RESOURCES MN DEPT OF	OVERTURNED APPLICATOR BOTTLE LEAKED	TORDON RTU & PICLORAM; 2,4D		S WARM STALL, LEWISTON OFFICE	UTICA	106N	09W 14
05/09/1990	FY90I144	DREIDERMACHER	Hose fell off tank	28% LIQUID FERTILIZER		GRAVEL FIELD ROAD	NORTON	107N	09W 13
06/14/1990	FY90I182	HOUSTON MONEY CREEK COOP	HITCH PIN BROKE, SPRAYER TIPPED OVER BACKWARDS	300 GAL. TANK MIX WITH AATREX 90 AND ARENA		SE ~ OF NE ~ OF SEC. 27 - CORNFIELD	PLEASANT HILL	105N	06W 27
06/04/1981	FY81 4523	LEWISTON FEED & PRODUCE CO	TRUCK OVERTURNED	NITROGEN 28%, 300 GAL. WITH 20 LBS. ATRAZINE		NEAR RUSHFORD OFF HWY. #43, 2 1/2 MI SE OF HART	WISCOY	105N	07W 30